## **CHAPTER 496**

## THE STANDARDS ACT

## SUBSIDIARY LEGISLATION

## List of Subsidiary Legislation

		Page
1.	The Standardization Marks (Permits and Fees) Regulations	3
2.	The Standards Act-The Standards Order	9
3.	The Standards Act-The Standards Order, 1982	13
4.	The Standards (No. 2) Order	19
5.	The Standards Order	23
6.	The Standards (No. 2) Order	25
7.	The Standards (Evidence by Certificate) Regulations	29
8.	The Standards Act- The Standards Order, 1984	31
9.	The Standards Order	35
10.	The Standards Order	39
11.	The Standards (No. 2) Order, 1986	43
12.	The Standards (No. 3) Order, 1986	47
13.7	Approval of Standards	49
14.	The Standards Order	51
15.	The Standards (No. 2) Order	57
16.	The Standards Order	63
17.	The Standards Order	67
18.	The Standards Act - Calibration	73
19.	The Standards Levy Order, 1990	75
20.	The Standards Order	81
21.	The Standards (No. 2) Order	89
22.	The Standards Order	93
23.	The Standards Order	97
24.	The Standards Order	99
25.	The Quality Inspection Of Imports Order	117
26.	The Standards Order	119
27.	The Standards (No. 1) Order, 2001	129
28.	The Standards Order	131
29.	The Standards Order	195
30.	The Standards (Kenya Accreditation Service) Regulations	211
31.	The Verification of Conformity to Kenya Standards of Imports Order, 2005	217
32.	The Standards (Quality Inspection of Imports) Regulations	221
33.	The Standards Tribunal (Practice and Procedure) Rules	223

CAP. 496 [Rev. 2022] Standards

## 

## THE STANDARDIZATION MARKS (PERMITS AND FEES) REGULATIONS

## ARRANGEMENT OF REGULATIONS

#### Regulation

- 1. Citation
- 2. Interpretation
- 3. Application for permits
- 4. Permits
- 5. Use of permits
- 6. Tests and inspections
- 7. Samples and information
- 8. Fees
- 9. Layout markings
- 10. Register
- 11. Suspension and revocation of permits
- 12. Permits Committee

SCHEDULES

## THE STANDARDIZATION MARKS (PERMITS AND FEES) REGULATIONS

[Legal Notice 154 of 1977]

#### 1. Citation

These Regulations may be cited as the Standardization Marks (Permits and Fees) Regulations.

#### 2. Interpretation

In these Regulations, unless the context otherwise requires—

"inspection" includes the process of examination and conducting of relevant tests by the Bureau to determine the conformity of any commodity with Kenya Standards;

"Kenya standards" means standard specifications of any commodity approved by the council as the applicable standard for that particular commodity;

"permit-holder" means a person who has been granted a permit to use a standardization mark under the Act or under these Regulations.

#### 3. Application for permits

Applications for the issue or renewal of a permit shall be in the Form STA/1 in the Schedule to these Regulations.

#### 4. Permits

- (1) A permit issued by the Bureau shall be in Form STA/2 in the Schedule to these Regulations.
- (2) Permits shall be issued subject to the conditions set out in Form STA/2 in the Schedule to these Regulations.

#### 5. Use of permits

After a permit has been issued by the Bureau or a person acting under its authority, the standardization mark in respect of which a permit has been issued shall be applied by the permit-holder to all commodities which comply with the requirements set forth in the applicable Kenya Standards.

#### 6. Tests and inspections

- (1) Before issuing a permit to any applicant, the Bureau may carry out such tests and inspect any commodity for the purposes of ascertaining whether the commodity complies with the requirements set forth in the applicable Kenya standards.
- (2) The Bureau may carry out such periodic tests and inspections as it may deem necessary in order to ascertain whether a permit-holder is complying with the general scheme of supervision and control laid down by the Bureau for every commodity or class of commodities.

#### 7. Samples and information

- (1) Where a person has been requested, in writing by the Director to furnish samples of any commodity or information in regard to its manufacture, production, processing or treatment, he shall do so within such period as may be specified in the request.
- (2) Any person who fails to comply with a request made under this regulation shall be guilty of an offence and liable to a fine not exceeding six thousand shillings or to imprisonment for a term not exceeding six months, or to both such fine and imprisonment.

#### 8. Fees

(1) Every applicant for the issue of a permit shall pay, at the time of filling the application, a fee of one hundred shillings for each application made by him.

- (2) Every permit-holder shall pay an annual fee of fifty shillings in respect of each permit granted to him or renewed.
- (3) Every permit-holder shall pay a marking fee proportionate to the quantum of the annual production of the commodity in respect of which the permit has been granted; except that the Bureau may at any time vary or change the marking fee payable in respect of any commodity.

#### 9. Layout markings

- (1) Every permit-holder shall be assigned an identification number by the Bureau, which number shall, for the purposes of identifying the permit-holder, appear on all commodities on which a standardization mark has been applied.
- (2) In addition to the Standardization mark, all commodities which the permit-holder produces or manufactures shall carry such other marks as the Bureau may from to time determine.
- (3) All the markings on any commodity shall be applied in the manner specified by the Bureau.

#### 10. Register

- (1) The Bureau shall keep a register of all permit-holders and the products in respect of which a permit has been issued.
- (2) Any person may apply, in writing and on payment of a fee of twenty shillings, for any information contained in the register:

Provided that the Bureau shall supply or refuse to supply the information so requested.

#### 11. Suspension and revocation of permits

- (1) The Director or any other officer authorized by the Bureau may suspend or revoke a permit—
  - if it is ascertained that the permit-holder has used the standardization mark on or in connexion with commodities which do not comply with the requirements set forth in the applicable Kenya Standards; or
  - (b) if any of the fees specified in regulation 8 of these Regulations have not been paid; or
  - (c) the permit-holder is adjudged bankrupt; or
  - (d) the permit-holder transfers his business to another person; or
  - (e) the Kenya standards on which the issue of the permit was based are withdrawn by the Bureau.
- (2) A permit-holder who is notified that his permit has been suspended or revoked in accordance with the provisions of subregulation (1) of this Regulation, shall, on receipt of the notification of the suspension or revocation, stop applying the standardization mark to any commodity.
- (3) Where a permit has been revoked or suspended in accordance with the provisions of subregulation (1) of this Regulation, the Director or any other officer authorized by the Bureau may require the permit-holder to remove the standardization mark from all the commodities on which he has applied the standardization mark.
- (4) Any person who fails to comply with the provisions of sub-regulations (2) and (3) of this regulation shall be guilty of an offence and liable, on summary conviction, to a fine not exceeding six thousand shillings or to imprisonment for a term not exceeding six months or to both such fine and imprisonment.

#### 12. Permits Committee

(1) There shall be established a committee called the Permits Committee which shall be responsible for the administration of the standardization marks scheme.

[Rev. 2022] CAP. 496

[Subsidiary]

- (2) The Permits Committee shall, subject to subregulation (3) of this regulation, consist of the following members—
  - (a) a chairperson who shall be the Director of the Bureau;
  - (b) a secretary who shall be the person in charge of the certification Marking Scheme of the Bureau;
  - (c) two members nominated by the council, one of whom shall act as chairperson in the absence of the chairperson.
- (3) The chairperson of the Permits committee may, after consultation with the committee, appoint not more than two persons, one of whom shall be the chairperson of the relevant Industrial Standards Committee, to be additional members of the committee being person whose assistance or advice the committee may from time to time require.

**SCHEDULE** 

# FORM STA/1 (r. 3) APPLICATION FOR \*GRANT/RENEWAL OF A PERMIT TO USE A STANDARDIZATION MARK

To:

The Secretary to the Permits Committee.

Kenya Bureau of Standards,

P.O. Box 10610,

Nairobi.

\*I/We the undersigned hereby apply for the \*grant/renewal of a \*permit/the permit No...... to use the standardization mark on the commodity specified hereunder:

(1) (2)

Standardization Mark Description of the

Description of the commodity upon and which is in use in respect of the commodity

standardization Mark is to

be used

In connection with this application, I/we the undersigned hereby declare that the commodity referred to in column 2 above and the process and practice which is or will be carried out by "me/us in the production of the commodity shall at all times comply with standard specification bearing tittle.

Date	 	 	Signature	of the	applicant

In connexion with this application, \*I/We the undersigned hereby declare that the commodity referred to in column 2 above and the process and practice which is or will be carried out by \*me/us in the production of the commodity shall at all times comply with standard specification bearing title ......

Date	Signature of the applicant
Name	
Designation	
Name of firm	
Address	
To be submitted in tr	iplicate.

[Subsidiary]			
<b>FORM STA</b>	-	applicable. (r. 4) 'ANDARDIZATION MAR	ĸ
Permit No	)		
mark specific the commodi	ed in the first o	column of the Appendix he ne second column thereof,	to use the standardization ereunder, upon and in respect of which commodity conforms to the
Standardiza	ation Mark	Description of the commodity upon which standardization Mark is be used	Standard specification the
Permit ef	fective from		
Permit ex	pires on		
Date of is	sue		
Fees paid	d		
1. This perm	it is issued subj	ect to the following condition	ns:—
(a)			eneral and specific conditions and the Bureau may issue from time to
(b)	This permit is r	not transferable.	

- Costs incurred by inspection to determine whether commodities to which the standardization mark has been applied fulfil the applicable requirement set forth by the Bureau shall be defrayed by the permit-holder to the extent specified in the scheme of supervision and control for the commodities listed in the permit.
- (d) The right to use the mark applies only to the commodities listed in the permit.
- Costs incurred in applying the standardization mark shall be defrayed by the permit-holder.
- The Bureau reserves the right to revise the regulations for marking standardized commodities.
- If the Kenya standards on which the permit is based are revised, this permit shall be valid only if the permit-holder agrees to comply with the requirements set forth in the revised Kenya standards.
- (h) This permit shall be valid for a period of one year from the date of issue unless earlier suspended or revoked.
- 2. The breach of any of the conditions contained in this permit constitutes an offence under the provisions of the Standards Act and the Standardization Marks (Permits and Fees) Regulations, 1977.

..... Director/Authorized Officer.

#### THE STANDARDS-THE STANDARDS ORDER

[Legal Notice 146 of 1981]

- 1. This Order may be cited as the Standards Order.
- 2. Kenya Standards having been declared for the several commodities and methods and procedures set out in the first and second columns of the Schedule, no person shall manufacture or sell those commodities or use these methods and procedures on or after a date which is six weeks after the date of publication of this Order unless the commodities and methods and procedures comply with the requirements of the relevant Kenya Standards.

	SCHEDULE	
Number		Table of Kenya Standard
KS 01-136: 1980		Specification Kenya Standard Specification for grades of Wheat Grain.
KS 03- 85: 1979		Kenya Standard Specification for Aluminium Sulphate.
KS 03- 86: 1979		Kenya Standard Specification for Sulphuric Acid.
KS 03- 87: 1980		Kenya Standard Specification for Hydrochloric Acid.
KS 03- 88: 1979		Kenya Standard Specification for Distilled Water.
KS 03- 89: 1980		Kenya Standard Specification for School Chalks.
KS 03-156: 1980		Kenya Standard Specification for Caustic Soda, Pure and Technical.
KS 03-159: 1979		Kenya Standard Specification for Zinc Oxide for Paints.
KS 03-160: 1979		Kenya Standard Specification for Whiting for Paints.
KS 03-242: 1980		Kenya Standard Specification for Sulphuric Acid for use in Lead-Acid Batteries.
KS 03-243: 1980		Kenya Standard Specification for PVC (Vinyl) Asbestos Floor Tiles.

	Standards	
[Subsidiary]		
KS 04-179: 1979		Kenya Standard Specification for Rigid PVC Conduits and Fittings for Electrical Wiring Part 1-Conduits.
KS 04-180: 1980		Kenya Standard Specification for Metallic Conduits' and Fittings for Electrical Installation Part 1- Conduits.
KS 04-182: 1980		Kenya Standard Specification for Low- Voltage Condactors.
KS 04-187: 1979		Kenya Standard Specification for Conductors for Insulated Cable.
KS 04-189: 1979		Kenya Standard Specification for Aluminum Stranded Conductors for Overhead Power Lines.
KS 04-190: 1979		Kenya Standard Specification for Stranded Aluminum Conductors Steel Reinforced for Over head Power Lines.
KS 04-191: 1979		Kenya Standard Specification for Flame Retardant Characteristics for Electric Cables.
KS 04-194: 1980		Kenya Standard Specification for PVC Insulate Conduits for Electricity Supply.
KS 05-139: 1980		Kenya Standard Specification for Jams, Jellies and Mamalades.
KS 05-168: 1979		Kenya Standard Specification for Milled Maize Products.
KS 05-169: 1979		Kenya Standard Specification for Wheat Flour.
KS 05-172: 1979		Kenya Standard Specification for Bread.
KS 05-227: 1980		Kenya Standard Specification for Cashew Kernels.
KS 09-241: 1980		Kenya Standard Specification for Biscuits.

[Rev. 2022]		CAP. 496
[	Standards	57
		[Subsidiary]
KS 06-150: 1980	Kenya Stand	dard
	Specification	n for New
	Pneumatic T	yres for
	Vehicles oth	er than
	Passenger (	Cars.
KS 06-151: 1979	Kenya Stand	dard
	Specification	n for Machetes
	(Pangas).	
KS 06-152: 1980	Kenya Stand	
	Specification	n for Garden
	Rakes.	
KS 06-187: 1979	Kenya Stand	dard
	Specification	n for Jembes.

	Specification for Garden
	Rakes.
KS 06-187: 1979	Kenya Standard
	Specification for Jembes.
KS 06-204: 1980	Kenya Standard
	Specification for Forks,
	Shovels and Spades.
KS 06-205: 1979	Kenya Standard
	Specification for
	Retreaded Tyres.
KS 08-114: 1979	Kenya Standard
	Specification for Cotton
	Bed Sheets.

KS 08-117: 1979

Bed Sheets.

Kenya Standard

Specification for BlanketsPart 1.

KS 03-157: 1980 Kenya Standard

KS 03-158: 1980

KS 03-287: 1980

KS 03-289: 1980

Specification for MAP and

DAP Fertilizers.
Kenya Standard
Specification for
Compound Fertilizers.
Kenya Standard
Specification for

Specification for Ammonium Sulphate (Sulphate of Ammonia) Fertilizer Grade. Kenya Standard

Specification for Unbacked Flexible PVC

Floor Covering.

[Rev. 2022] **CAP. 496** 

[Subsidiary]

## THE STANDARDS-THE STANDARDS ORDER, 1982

[Legal Notice 98 of 1982]

- 1. This Order may be cited as the Standards Order.
- 2. Kenya Standards having been declared for the several commodities and methods and procedures set out in the first and second columns of the Schedule, no person shall manufacture or sell those commodities or use those methods and procedures on or after a date which is six weeks after the date of publication of this Order unless the commodities and methods and procedures comply with the requirements of the relevant Kenya Standards.

	0011771117
KS 03- 44: 1981	SCHEDULE  Kenya Standard Specification for Toilet
NO 05- 44. 1901	Soaps (1st Revision).
KS 03- 92: 1980	Kenya Standard Specification for
	Detergent Powders for Household Use.
KS 08- 119: 1981	Kenya Standard Methods for
	Determination of Breaking Load and
	Elongation (Strip Method) of Woven
1/0 00 100 1001	Fabric.
KS 08- 120: 1981	Kenya Standard Methods for
	Determination of Mass per Unit Length and Mass Per Unit Area of Woven or
	Knitted Fabrics.
KS 08- 121: 1981	Kenya Standard Method for
	Determination of Threads per
	Centimetre of Woven Fabrics.
KS 08- 133: 1980	Kenya Standard Specification for
	Woven Bags (Natural Fibres) for Milled
	Products.
KS 08- 134: 1980	Kenya Standard Specification for Woven
KC 04 140, 1000	Bags (Natural Fibres) for Sugar.
KS 04- 148: 1980	Kenya Standard on Safety Requirements for Mains Operated
	Electronic and Related Apparatus for
	Household and similar General Use.
KS 06- 149: 1981	Kenya Standard Specification for PVC
	Pipes for Water Services.
KS 06- 153 : 1981	Kenya Standard Specification for
	General Purpose Wheel barrows.
KS 03- 163: 1981	Kenya Standard Specification for
KC 04 477, 4004	Colours for Ready Mixed Paints.
KS 04- 177: 1981	Kenya Standard Graphical Symbols Used in Electrotechnology;
	Part 3: Symbols for Electrical Installation
	Diagrams in Buildings.
	Part 4: Measuring Instruments and
	Electric Clocks.

	Standards
[Subsidiary]	
	Part 5: Symbols for Switching, Protective Devices and Miscellaneous Apparatus.
KS 04- 179: 1981	Kenya Standard Specification for Rigid PVC Conduits and Fittings for Electrical Wiring: Part 2: Fittings.
KS 04- 181: 1980	Kenya Standard Specification for Low Voltage Circuit Breakers.
KS 04- 183: 1981	Kenya Standard Specification for Low Voltage Fuses: Part 2 : Fuses for Industrial Applications.
KS 04- 185: 1980	Kenya Standard Specification for Lead- Acid Starter Batteries: Part 1: General Requirements and
	Methods of Test.
KS 04- 186: 1980	Kenya Standard Specification for Automatic Electrical Fire Alarm Systems in Buildings:
	Part 2 : Heat-Sensitive Detectors. Point Detectors containing a Static Element. Part 4 : Smoke-Sensitive (Point-Type) Detectors.
	Part 6 : Control and Indicating
KS 04- 188: 1980	Equipment. Kenya Standard Specification for PVC Insulations and Sheaths for Electrical Cables and Cords.
KS 06- 202: 1981	Kenya Standard Methods of Approval of Welding Procedures of Steel in Fusion Welding.
KS 06- 203: 1981	Kenya Standard Methods for Radiographic (X-ray) Examination of Fusion Butt Welded Steel.
KS 06- 206: 1981	Kenya Standard Methods of Testing Fusion Welded Joints and Welded Metal in Steel.
KS 08- 208: 1981	Kenya Standard Glossary of Textile Terms for Natural Fibres.
KS 08- 215: 1980	Kenya Standard Methods for Determination of Colour Fastness of Textile Materials to Bleaching.
KS 06- 217: 1981	Kenya Standard Specification for UPVC Pipes and Fittings for Sewerage and Drainage.
KS 06- 218: 1981	Kenya Standard Specification for General Purpose Steel Hinges. Part 1.
KS 06- 219: 1981	Kenya Standard Specification for Bolts, Nuts and Screws.

Standards

	Staridards
	[Subsidiary]
	Part 5: Enumeration of Coagulase Positive Staphylococci in Foods. Part 6: Examination for Salmonnellae. Part 7: Examination for Clostridium Botulinum and Clostridium Toxin.
KS 03- 221: 1981	Kenya Standard Specification for Lime for the Chemical Industry.
KS 05- 224: 1980	Kenya Standard Specification for Fruit Squashes.
KS 05- 225: 1981 KS 04-226: 1981	Kenya Standard Specification for Beer. Kenya Standard Specification for Factory-Built Assemblies for Low- Voltage Switchgear and Control Gear (FBA): Part 1: General Requirements. Part 2: Particular Requirements for
KS 05-228: 1981	Busbar Trunking Systems (BUSWAYS). Kenya Standard Specification for Curry Powder.
KS 05- 229 : 1981	Kenya Standard Specification for Edible Salt.
KS 05-230: 1980	Kenya Standard Specification for Brilliant Blue Food Grade.
KS 05-231: 1980	Kenya Standard Specification for
KS 05-232: 1980	Azorubine (Carmoisine) Food Grade. Kenya Standard Specification for
KS 04- 233: 1980	Margarine. Kenya Standard Specification for Sound Systems Equipment: Part 1 : General. Part 2 : Loudspeakers.
KS 04-238: 1980	Kenya Standard Specification for Cassette Tape Records.
KS 05-244: 1981	Kenya Standard Methods of Analysis of Food for Vitamins:  Part 1: Estimation of Vitamin A and
	Carotenes. Part 2 : Estimation of Vitamin $B_1$ .
	Part 3 : Estimation of Vitamin B <sub>2</sub> . Part 4 : Estimation of Pyridoxine (Vitamin Bo).
	Part 5: Estimation of Vitamin B <sub>12</sub> . Part 6: Estimation of Vitamin C. Part 7: Estimation of Vitamin D. Part 8: Estimation of Vitamin E (Tocopherols). Part 9: Estimation of Folic Acid. Part 10: Estimation of Nicotinic Acid (Niacin).

	Standards
[Subsidiary]	
KS 04- 246: 1981	Kenya Standard Specification for 13 Amp Plugs, Switched and Unswitched Socket — Outlets.
KS 04- 247: 1981	Kenya Standard Specification for Switches for Domestic Use and Similar Purposes.
KS 06- 249: 1981	Kenya Standard Specification for Automobile Brake Linings and Pads.
KS 06- 255: 1981	Kenya Standard Specification for Door Locks and Door Lock Furniture.
KS 06- 257: 1981	Kenya Standard Specification for Door Latches.
KS 06- 259: 1981	Kenya Standard Specification for Steel Pipes for Water and Gas.
KS 06- 261: 1981	Kenya Standard Specification for Wire and Wire Products Used for Fencing.
KS 08- 262: 1980	Kenya Standard Specification f or Standard Wool Adjacent Fabric.
KS 08- 263: 1980	Kenya Standard Methods for Determination of Colour Fastness of Textile Materials to Weathering: Part 1: Outdoor Exposure. Part 2: Xenon Arc Lamp.
KS 08- 264: 1981	Kenya Standard Methods for Estimation of Moisture, Total Size or Finish, Ash, Fatty Matter and Determination of, Water Soluble Matter in Textiles.
KS 08- 265: 1980	Kenya Standard Method for Determination of louring Loss in Grey and Finished Cotton Textile Materials,
KS 08- 266: 1981	Kenya Standard Method for Determination of Colour Fastness of Textile Materials to Rubbing: Part 1: Dry and Wet.
KS 05- 283: 1980	Part 2 : Organic Solvents.  Kenya Standard Specification for UHT  Milk.
KS 03- 288: 1980	Kenya Standard Specification for Urea Fertilizer Grade.
KS 04- 290: 1981	Kenya Standard Specification for Galvanized Mild Steel Wire for Armouring of Electric Cables.
KS 05- 318: 1981	Kenya Standard Specification for Canned Pine apples.
KS 05- 328: 1981	Kenya Standard Specification for Soft Fruit Drinks.
KS 05- 330: 1981	Kenya Standard Specification for Sunse Yellow FCF Food Grade.
KS 05- 337: 1981	Kenya Standard Glossary of Terms Relating to Starch, Including Derivatives and By-Products.

[Rev. 2022]	CAP. 496 Standards
	[Subsidiary]
KS 05- 340: 1981	Kenya Standard Specification for Edible Maize Starch.
KS 05- 341: 1981	Kenya Standard Specification for Canned Green Peas.
KS 05- 342: 1981	Kenya Standard Specification for Canned Green Beans.
KS 05- 343: 1981	Kenya Standard Specification for Canned Mushrooms.

Fertilizer Grade.
KS 03- 351: 1981
Kenya Standard Specification for

KS 05- 345: 1981

KS 03-350: 1981

KS 03- 351: 1981

Kenya Standard Specification for Potassium Sulphate (Sulphate of Potash) Fertilizer Grade.

KS 08- 359: 1981

Kenya Standard Methods of

Determination of Colour Fastness of Textile Materials to Artificial Light (Xenon Arc).

Kenya Standard Specification for

Kenya Standard Specification for Potassium Chloride (Muriate of Potash)

Glucose Syrup.

KS 08- 360: 1981 Kenya Standard Method f or

Determination of pH value of Aqueous

Extracts of Textile Materials.

**CAP. 496** 

## THE STANDARDS (NO. 2) ORDER

[Legal Notice 128 of 1982, Legal Notice 330 of 1987]

- 1. This Order may be cited as the Standards (No. 2) Order.
- 2. Kenya Standards having been declared for the several commodities and methods and procedures set out in the first and second columns of the Schedule, no person shall manufacture or sell those commodities or use those methods and procedures on or after a date which is six weeks after the date of publication of this Order unless the commodities and methods and procedures comply with the requirements of the relevant Kenya Standards.

	SCHEDULE	
Number		Title of Kenya Standard
KS 02- 97: 1982		Specification Kenya Standard Specification and Methods of Test for Building Limes- Quicklime and Hydrated Lime.
KS 02- 98: 1982		Kenya Standard Glossary of Term Used in Lime and Lime Products.
KS 02- 99: 1982		Kenya Standard Glossary of Terms Relating to Bituminous Materials.
KS 02-100: 1982		Kenya Standard Specification for Asbestos Cement Corrugated Sheets for Roofing and Cladding.
KS 02-105: 1982		Kenya Standard Specification for Hard Drawn Steel Wire for Reinforcement of Concrete.
KS 08-117: 1982		Kenya Standard Specification for Blankets. Part 1: Blankets Made from Natural or Synthetic Fibres.
KS 08-135: 1982		Kenya Standard Specification for Woven Bags (Polypropylene) for Sugar.
KS 04-183: 1982		Kenya Standard Specification for Law Voltage Fuses: Part 4: Supplementary Requirements for Fuse-

	Glandardo	
[Subsidiary]		
		Links for the Protection of
		Semi-Conductor Devices.
KS 04-186: 1982		
NS 04-100. 1902		Kenya Standard
		Specification for Automatic Electrical Fire Alarm
		Systems in Buildings:
		Part 8: Specification for
		Components of Automatic
		Fire Alarm
		Systems for Residential
		Premises.Part 9: Code of
		Practice for Installation
1/0 04 400 4000		and Servicing.
KS 04-192: 1982		Kenya Standard
		Specification for PVC
		Insulated Flexible Cables
		and Cords.
KS 06-200: 1982		Kenya Standard
		Specification for Non-
		pressurized Underground
		Petroleum Tanks.
KS 08-210: 1982		Kenya Standard Glossary
		for Textile Terms Relating
		to Fabrics Made from
		Natural Fibres.
KS 08-212: 1982		Kenya Standard
		Definitions of General
		Terms, Basic Weaves and
		Plans for Drafting, Denting
		and Lifting.
KS 04-236: 1982		Kenya Standard
		Specification for
		Refrigerators and
		Freezers.
KS 04-237: 1982		Kenya Standard
		Specification for Domestic
		Electric Ranges.
KS 06-250: 1982		Kenya Standard
		Specification for Spark
		Plugs.
KS 06-251: 1982		Kenya Standard
		Specification for Motor
		Vehicle Radiators.
KS 06-252: 1982		Kenya Standard
		Specification for Animal-
		Drawn Ploughs.
KS 06-258: 1982		Kenya Standard
		Specification for
		Screwdriver:
		Part 1: Screwdrivers for
		Slotted Head Screws

Star	ndards
	[Subsidiary]
	Part 2: Screwdrivers for
	Recessed Head Screws.
KS 06-260: 1982	Kenya Standard
	Specification for
	Laminated Leaf Springs
	for Automobiles.
KS 08-274: 1982	Kenya Standard
	Specification for Sisal
	Agricultural Baler Twines.
KS 04-277: 1982	Kenya Standard
	Specification for Electric
	Kettle.
KS 04-281: 1982	Kenya Standard
	Specification for Electric
	Hot Plates.
KS 06-291: 1982	Kenya Standard
	Specification for Magnetic
	Particle Method of Flaw
	Detection.
KS 06-295: 1982	Kenya Standard
	Specification for Axes and
	Hatchets.
KS 04-311: 1982	Kenya Standard
	Specification for Miniature
	Circuit-Breakers and
	Distribution Boards:
	Part 1: Miniature Air-Break
	Circuit-Breakers (MCB'S)
	for A.C. Circuits.
	Part 2: Distribution
VC 06 244, 4002	Boards.
KS 06-314: 1982	Kenya Standard
	Specification for Electric Cables for Vehicles
KS 05-319: 1982	Kenya Standard
NS 05-319. 1902	Specification for Sugar
	Confectionery.
KS 06-320: 1982	Kenya Standard
10 00-020. 1002	Specification for PVC
	Water Hoses.
KS 06-321: 1982	Kenya Standard
10 00 021. 1002	Specification for Low
	Pressure Rubber Water
	Hoses.
KS 06-323: 1982	Kenya Standard
	Specification for ISO
	Metric Threads (Basic
	Dimensions).
KS 06-324: 1982	Kenya Standard
-	Specification for High

	Standards
[Subsidiary]	
	Descript Dishban Water
	Pressure Rubber Water Hoses.
KS 05-327: 1982	Kenya Standard Methods
	of Sampling and Test for
	Edible Oils and Fats.
KS 06-335: 1982	Kenya Standard
	Specification for Bicycle
	Tyres.
KS 06-356: 1982	Kenya Standard
	Specification for Padbolts.
KS 05-358: 1982	Kenya Standard
	Specification for
1/0.00.000.4000	Carbonated Beverages.
KS 08-363: 1982	Kenya Standard Method
	for Determination of
	Dimensional Change of Woven Fabrics on
	Laundering near the Boiling Point.
KS 08-364: 1982	Kenya Standard
NO 00-304. 1302	Specification for Woven
	Cotton apparel fabrics.
KS 08-365: 1982	Kenya Standard
	Specification for Woven
	man made fibre apparel
	fabrics.
KS 08-366: 1982	Kenya Standard
	Specification for Woven
	Polyster/Cellulosic
	blended apparel fabrics.
KS 03-375: 1982	Kenya Standard
	Specification for Liquid
	Carbon Dioxide.
KS 03-376: 1982	Kenya Standard
	Specification for Foam for
VC 02 270, 4002	Domestic Mattresses.
KS 03-378: 1982	Kenya Standard Glossary
	of Terms Used in the
KS 03-379: 1982	Glass Industry. Kenya Standard
NO 05-379. 1902	Specification for Melamine
	Plastic Tableware.
KS 03-382: 1982	Kenya Standard
. 1.5 00 002. 1002	Specification for Power
	Alcohol.
KS 03-386: 1982	Kenya Standard
	Specification for Carbolic
	roilet Soap.
	•

#### THE STANDARDS ORDER

[Legal Notice 99 of 1983]

- 1. This Order may be cited as the Standards Order.
- 2. Kenya Standards having been declared for the several commodities and methods and procedures set out in the first and second columns of the Schedule, no person shall manufacture or sell those commodities or use those methods and procedures on or after a date which is six weeks after the date of publication of this Order unless the commodities and methods and procedures comply with the requirements of the relevant Kenya Standards.

	SCHEDULE	
Number		Title of Specification or Code of Practice
KS 05-38: 1982		Kenya Standard
		Specification for White Sugar.
KS 04-186: 1982		Kenya Standard
		Specification for Fire Alarm Systems in
		Buildings:
		Part 1: Introduction and Definitions.
KS 08-214: 1982		Kenya Standard
		Specification for Woven
		Interlinings and Linings: Part 1: Woven Interlinings
		for Shirts.
KS 08-273: 1982		Kenya Standard Specification for Woven
		Bags (100 per cent Sisal)
KC 04 000, 4000		for Clean Coffee.
KS 04-280: 1982		Kenya Standard Specification for Controls
		for Heating Units in
		Household Electric Ranges.
KS 04-312: 1982		Kenya Standard
		Specification for Low
		Voltage Motor Starters. Part 1: Direct-On-Line
		(Full Voltage) A.C. Starter.
KS 05-317: 1982		Kenya Standard Specification for Meat
		Grades and Cuts:
		Part 1:—Beef Grades and
		Cuts and Veal Grades. Part 2:—Lamb and Mutton
		Meat and Goat Meat.

CAP. 496	[Rev. 2022]
\$	Standards
[Subsidiary]	
KS 08-361: 1982	Kenya Standard Method for Determination of Water Repellency of Fabrics by Cone Test.
KS 08-410: 1982	Kenya Standard Specification for Size Designation of Clothes and Body Measurement Procedure.
KS 08-412: 1982	Kenya Standard Specification for Size Designation for Men's and Boys' Ready-to-Wear

Clothing.

## THE STANDARDS (NO. 2) ORDER

[Legal Notice 108 of 1983]

- 1. This Order may be cited as the Standards (No. 2) Order.
- 2. Kenya Standards having been declared for the several commodities and methods and procedures set out in the first and second columns of the Schedule, no person shall manufacture or sell those commodities or use those methods and procedures on or after a date which is six weeks after the date of publication of this Order unless the commodities and methods and procedures comply with the requirements of the relevant Kenya Standards.

	SCHEDULE	
Number		Title of Specification or Code of Practice
KS 05-40: 1983		Kenya Standard on Labelling Pre-packaged
KS 02-106: 1983		Foods (addenda). Kenya Standard Specification for Bending Dimensions
KS 06-141: 1982		and Scheduling of Bars for Reinforcement of Concrete. Kenya Standard Specification for Tensile Testing of:
KS 04-235: 1983		Part I: Steel Wire. Part II: Steel Tubes. Kenya Standard Specification for Radio
KS 04-278: 1983		Receivers. Kenya Standard Specification for
KS 04-279: 1983		Immersion Water Heaters. Kenya Standard Specification for Electric
KS 02-299: 1983		Irons for Household Use. Kenya Standard Specification for Wrought Aluminium and Aluminium
KS 02-300: 1983		Alloy Sections. Kenya Standard Specification for Burnt
KS 02-301: 1983		Building Bricks. Kenya Standard Specification for Plywood
KS 02-302: 1983		for General Purposes. Kenya Standard Specification for

3	Staridards
[Subsidiary]	
	Blockboard for General
	Purposes.
KS 04-310: 1983	Kenya Standard
NS 04-510. 1905	Specification for Adaptors:
	Part II: Supplementary
	Requirements.
KS 03-315: 1983	Kequilements. Kenya Standard
NS 03-315. 1965	Specification for Motor
	Vehicle Brake Fluids.
KS 05-326: 1982	Kenya Standard
NS 05-320. 1962	•
	Specification for Edible
VC 05 246, 4002	Oils and Fats.
KS 05-346: 1983	Kenya Standard
	Specification for Baking
1/0 05 040, 4000	Powder.
KS 05-349: 1983	Kenya Standard
	Specification for
	Processed Cereal Based
	Foods for Infants and
140.00.054.4000	Children.
KS 06-354: 1982	Kenya Standard
	Specification for Counter-
	Sunk Head Wood Screws.
KS 06-355: 1982	Kenya Standard
	Specification for Hot Dip
	Galvanized Coating on
	Iron and Steel Articles.
KS 03-377: 1983	Kenya Standard
	Specification for Industrial
	and Safety Rubber Knee
	Boots.
KS 05-383: 1982	Kenya Standard
	Specification for Tartrazine
	Food Grade.
KS 05-384: 1982	Kenya Standard
	Specification for Indigo
	Carmine Food Grade.
KS 05-385: 1982	Kenya Standard
	Specification for
	Erythrosine.
KS 01-393: 1983	Kenya Standard
	Specification for Fresh
	Pineapples Grade I.
KS 01-394: 1983	Kenya Standard
	Specification for Fresh
	Green Beans Grade I.
KS 08-408: 1983	Kenya Standard
	Specification for Cotton
	Towels.

[Rev. 2022]		CAP. 496
	Standards	
		[Subsidiary]
KS 08-409: 1983	Kenya	Standard
	Specif	ication for Cotton
	Baby I	Napkins.
KS 08-414: 1983	Kenya	Standard
	Specif	ication for School
		for Boys and Girls.
	Part I:	Requirements for
	Makin	g School Wear.
KS 08-416: 1983	Kenya	Standard
	Specif	ication for Knitted
	Polyes	ster Fabrics.
KS 08-417: 1983	Kenya	Standard
	Specif	ication for Knitted
	Polyes	ster Cellulosic
	Blende	ed Fabrics.
KS 08-419: 1983	Kenya	Standard
	Specif	ication for Knitted
	Cottor	n Fabrics.
KS 03-422: 1983	Kenya	Standard
	Specif	ication for Exercise
	Books	
KS 06-430: 1982	Kenya	Standard
	Specif	ication for Eddy
	Currer	nt Detection of
	Defect	ts.

CAP. 496

[Subsidiary]

## THE STANDARDS (EVIDENCE BY CERTIFICATE) REGULATIONS

[Legal Notice 20 of 1984]

- 1. These Regulations may be cited as the Standards (Evidence by Certificate) Regulations.
- 2. A person who has been appointed by the Bureau as an analyst for the purposes of coming out examinations, tests or comparative studies of commodities, materials, substances, methods or procedures may issue certificates respecting the examinations, tests or comparative studies so carried out.
- **3.** A certificate issued pursuant to regulation 2 shall be in a form approved by the Bureau and shall contain the following information—
  - (a) the name and address of the analyst;
  - (b) a description of the examination, test or study undertaken;
  - (c) the results of the examination, test or study supported where necessary by tables, graphs, sketches or photographs;
  - (d) a statement as to whether or not the results of the examination, test or study show compliance with the provisions of the Act, any order made thereunder or any other law dealing with standards of quality or description,

and shall purport to be signed by the analyst issuing it.

**4.** A certificate which complies with regulation 3 may, subject to section 16(2) of the Act, be received as evidence of the matters specified therein.

[Rev. 2022] CAP. 496

[Subsidiary]

## THE STANDARDS- THE STANDARDS ORDER, 1984

[Legal Notice 35 of 1984]

- 1. This Order may be cited as the Standards Order.
- 2. Kenya Standards having been declared for the several commodities and methods and procedures set out in the first and second columns of the Schedule, no person shall manufacture or sell those commodities or use those methods and procedures on or after a date which is six weeks after the date of publication of this Order unless the commodities and methods and procedures comply with the requirements of the relevant Kenya Standards.

	Schedule	
Number		Title of Specification or
		Code of Practice
KS 02-21: 1976		Kenya Standard
		Specification for Portland
		Cement (Ordinary
		and Rapid Hardening)
		(Amendment).
KS 08-49: 1983		Kenya Standard
		Specification for Knitted
		Vests.
KS 04-112: 1983		Kenya Standard
		Specification for Tungsten
		Filament Lamps for
		General Service
		(Amendment).
KS 04-179: 1983		Kenya Standard
		Specification for Rigid
		PVC:
		Part 1: Conduits (Second
KC 04 404: 4070		Edition).
KS 04-184: 1979		Kenya Standard
		Specification for Dry
		Primary Cells and Batteries (Amendment).
KS 04-186: 1983		Kenya Standard
KS 04-160. 1965		Specification for Automatic
		Fire Alarm Systems in
		Buildings:
		Part 10: Manual Calls
		Points (Frangible Cover
		Type).
KS 08-214: 1983		Kenya Standard
<del>-</del>		Specification for Woven
		Interlinings and Linings:
		Part 3: Woven Linings for
		Men's and Boys' Apparel.
		•

	Standards
[Subsidiary]	
KS 08-367: 1983	Kenya Standard Specification for Cotton
KS 03-376: 1982	Canvas. Kenya Standard
	Specification for Foam for Domestic Mattresses (Amendment).
KS 03-391: 1983	Kenya Standard Specification for General
1/0.00.000.1000	Purpose Rubber Knee Boots.
KS 03-398: 1983	Kenya Standard Specification for Themosetting Plastic
KS 03-400: 1983	Buttons. Kenya Standard
1000 1000	Specification for Acetic Acid.
KS 08-411: 1983	Kenya Standard Specification for Size
	Designation for Women's and Girls' Ready to Wear Clothing.
KS 08-413: 1983	Kenya Standard Specification for Size
1/0.04 /=0 /000	Designation of Clothes for Infants.
KS 04-453: 1983	Kenya Standard Specification for PVC Insulated Cables (Non-
	Armoured) for Electric Power and Lighting.
KS 06-460: 1983	Kenya Standard Specification for Uncoated
	Aluminium Plate, Sheet and Strip for Hollow-Ware
KS 08-493: 1983	Cooking Utensils. Kenya Standard Specification for Knitted
KS 08-495: 1983	Nylon Fabric. Kenya Standard
	Specification for Gents' Briefs.
KS 08-504: 1983	Kenya Standard Specification for Men's
KS 09-531: 1983	and Boys' Shirts. Kenya Standard Specification for System
	Requirements for Measurement and
	Calibration Systems.

[Rev. 2022]		CAP. 496
	Standards	
		[Subsidiary]
KS 09-533: 1983	Sp Do Su	enya Standard pecification for ocumentation to be upplied with Electronic easuring Equipment.

#### THE STANDARDS ORDER

[Legal Notice 60 of 1985, Legal Notice 61 of 1985]

- 1. This Order may be cited as the Standards (No.2) Order.
- 2. Kenya Standards having been declared for the several commodities and methods and procedures set out in the first and second columns of the Schedule, no person shall manufacture or sell those commodities or use those methods and procedures on or after a date which is six weeks after the date of publication of this Order unless the commodities and methods and procedure comply with the requirements of the relevant Kenya Standards.

	SCHEDULE	
Mountain	[s. 9(2)]	Title of One office tion on
Number		Title of Specification or Code of Practice
KS 02– 95: 1984		Kenya standard
NS 02- 95. 1904		specification for natural
		aggregate for concrete.
KS 02-103: 1984		Kenya standard
110 02 100. 100 1		specification on the use
		of cold formed steel
		structural members.
KS 02-104: 1984		Kenya standard
		specification on cold rolled
		steel sections.
KS 02-110: 1984		Kenya standard
		specification symbols for
		plumbing, water supply,
		heating, ventilation and
KO 04 440: 4004		ducting.
KS 01-146: 1984		Kenya standard guide on
		essential requirements for storage of cereals and
		pulses.
KS 01-147: 198		Kenya standard guide to
1.0 01 111.100		control of attack of cereals
		and pulses by vertebrate
		and invertebrate animals
		in storage.
KS 04-239: 1984		Kenya standard
		specification for safety
		requirements for domestic
		and similar electrical
KS 05-285: 1984		appliances.
KS 05-265. 1964		Kenya standard specification for milk
		based baby foods.
KS 04-305: 1984		Kenya standard
		specification for general
		purposes fuse links for

	Starradias
[Subsidiary]	
	domestic and similar
	purposes (primarily for use
	in 13A plugs).
KS 04-306: 1984	Kenya standard
	specification for ballasts
	for use in fluorescent
	lamps (first revision).
KS 04-308: 1984	Kenya standard
	specification for ceiling
	roses.
KS 03-388: 1984	Kenya standard
	specification for base
	paper for waxed bread
	wrap.
KS 03-389: 1984	Kenya standard
	specification for waxed
	paper for bread wrap.
KS 05-404: 1984	Kenya standard
	specification for
	mango juice preserved
	exclusively by physical
KS 05-405: 1984	means.
KS 05-405. 1964	Kenya standard specification for fruit
	nectars preserved
	exclusively by physical
	means:
	Part 1: Mango nectar.
	Part 2: Citrus fruit nectar.
KS 05-406: 1984	Kenya standard
	specification for
	passion juice preserved
	exclusively by physical
	means.
KS 05-407: 1984	Kenya standard
	specification for
	orange juice preserved
	exclusively by physical
140.05.400.4004	means.
KS 05-426: 1984	Kenya standard
	specification for custard
VC 05 400: 4004	powder.
KS 05-428: 1984	Kenya standard specification for ascorbic
	acid/food grade.
KS 05-429: 1984	Kenya standard
10 00 120. 1001	specification for marketing
	breast milk substitutes.
KS 08-479: 1984	Kenya standard
	specification for sewing
	threads:

S	Standards
	[Subsidiary]
	Part 1: Cotton sewing
	threads.
KS 08-482: 1984	Kenya standard
	specification for woven
	bags (polypropylene) for
1/0 00 100 1001	seeds.
KS 03-483: 1984	Kenya standard
	specification for base
VC 02 404: 1004	paper for carbon paper.
KS 03-484: 1984	Kenya standard specification for carbon
	paper.
KS 08-496: 1984	Kenya standard
10 00 400. 1004	specification for acrylic
	hosiery yarn.
KS 08-497: 1984	Kenya standard
	specification for cotton
	hosiery yarn.
KS 08-498: 1984	Kenya standard
	specification for polyester
	cellulosic blended hosiery
	yarn.
KS 08-505: 1984	Kenya standard
	specification for women's
	and girls' outer wear
KC 00 547: 4004	garments.
KS 08-517: 1984	Kenya standard
	specification for ballpoint pens.
KS 08-520: 1984	Kenya standard
110 00 020. 100 1	specification for woven
	fabrics used for suits,
	jackets, slacks, trousers
	and skirts.
KS 08-528: 1984	Kenya standard
	specification for flat cotton
	wicks.
KS 08-529: 1984	Kenya standard
	specification for elastic flat
KC 00 550, 4004	braid.
KS 08-559: 1984	Kenya standard
	specification for boys' and men's trousers.
KS 09-570: 1984	Kenya standard
1.0 00 070. 1004	specification for safety
	requirements for electronic
	measuring apparatus.
KS 09-571: 1984	Kenya standard
	specification for laboratory
	d.c. resistors.

Staridards		
[Subsidiary]		
KS 02-443: 1984	Kenya standard specification for rolled asphalt (hot process) for roads and other paved areas.	
KS 02-444: 1984	Kenya standard, specification for concrete roofing tiles.	
KS 02-445: 1984	Kenya standard specification for rolled steel sections for windows, doors and ventilators	
KS 02-446: 1984	Kenya standard specification for wood-wool cement slabs.	
KS 02-448: 1984	Kenya standard specification for wood mosaic parquet panels.	
KS 02-564: 1984	Kenya standard general technical delivery requirements for steel and steel products.	
KS 02-565: 1984	Kenya standard specification for general principles for verification of safety of structures.	

**CAP. 496** 

THE STANDARDS ORDER

[Legal Notice 2 of 1986, Legal Notice 20 of 1986]

- 1. This Order may be cited as the Standards Order.
- 2. Kenya Standards having been declared for the several commodities and methods and procedures set out in the first and second columns of the Schedule, no person shall manufacture or sell those commodities or use those methods and procedures on or after a date which is six weeks after the date of publication of this Order unless the commodities and methods and procedure comply with the requirements of the relevant Kenya Standard.

Number  KS 04-111: 1985  KS 04-111: 1985			•
KS 04-111: 1985  Code of Practice Kenya Standard Specification for Intruder Alarm Systems in Buildings (1st Revision). Part 1: Systems with audible signaling only. Part 2: Systems with remote signaling. Part 3: Detection devices. Kenya Standard Safety Requirements for Electronic Equipment. KS 04-180: 1985  Kenya Standard Specification for Metallic Conduits (1st Revision). KS 08-214: 1985  Kenya Standard Specification for Woven Interlinings and Linings. Part 2: Woven linings for apparel fabrics. Kenya Standard Specification for Factory- built Assemblies of Low- Voltage Switchgear and Control gear (1st Revision). Part 1: General requirements. Part 2: Particular requirements for Busbar Trunking Systems (Busways). KS 06-248: 1985  Kenya Standard		Schedule	
KS 04-111: 1985  Kenya Standard Specification for Intruder Alarm Systems in Buildings (1st Revision). Part 1: Systems with audible signaling only. Part 2: Systems with remote signaling. Part 3: Detection devices. KS 04-148: 1985  Kenya Standard Safety Requirements for Electronic Equipment. KS 04-180: 1985  KS 04-180: 1985  KS 08-214: 1985  KS 08-214: 1985  KS 04-226: 1985	Number		Title of Specification or
Specification for Intruder Alarm Systems in Buildings (1st Revision). Part 1: Systems with audible signaling only. Part 2: Systems with remote signaling. Part 3: Detection devices. KS 04-148: 1985  KS 04-148: 1985  KS 04-180: 1985  KS 04-180: 1985  KS 08-214: 1985  KS 08-214: 1985  KS 08-214: 1985  KS 08-214: 1985  KS 04-226: 1985			
Alarm Systems in Buildings (1st Revision). Part 1: Systems with audible signaling only. Part 2: Systems with remote signaling. Part 3: Detection devices. KS 04-148: 1985  KS 04-148: 1985  KS 04-180: 1985  KS 04-180: 1985  KS 08-214: 1985  KS 08-214: 1985  KS 08-214: 1985  KS 08-214: 1985  KS 04-226: 1985	KS 04-111: 1985		
Buildings (1st Revision). Part 1: Systems with audible signaling only. Part 2: Systems with remote signaling. Part 3: Detection devices. KS 04-148: 1985  KENYA Standard Safety Requirements for Electronic Equipment. KS 04-180: 1985  KS 04-180: 1985  KS 08-214: 1985  KS 08-214: 1985  KS 08-214: 1985  KS 08-214: 1985  KS 04-226: 1985			
Part 1: Systems with audible signaling only. Part 2: Systems with remote signaling. Part 3: Detection devices. KS 04-148: 1985  KS 04-148: 1985  KS 04-180: 1985  KS 04-180: 1985  KS 08-214: 1985  KS 08-214: 1985  KS 08-214: 1985  KS 08-214: 1985  KS 04-226: 1985			
audible signaling only. Part 2: Systems with remote signaling. Part 3: Detection devices. KS 04-148: 1985  Kenya Standard Safety Requirements for Electronic Equipment. KS 04-180: 1985  KS 04-180: 1985  KS 08-214: 1985  KS 08-214: 1985  KS 08-214: 1985  KS 08-214: 1985  KS 04-226: 1985			
Part 2: Systems with remote signaling. Part 3: Detection devices. KS 04-148: 1985  KS 04-148: 1985  KS 04-180: 1985  KS 04-180: 1985  KS 04-214: 1985  KS 08-214: 1985  KS 08-214: 1985  KS 08-214: 1985  KS 04-226: 1985			•
remote signaling. Part 3: Detection devices. KS 04-148: 1985 Kenya Standard Safety Requirements for Electronic Equipment. KS 04-180: 1985 Kenya Standard Specification for Metallic Conduits (1st Revision). KS 08-214: 1985 Kenya Standard Specification for Woven Interlinings and Linings. Part 2: Woven linings for apparel fabrics. KS 04-226: 1985 Kenya Standard Specification for Factory- built Assemblies of Low- Voltage Switchgear and Control gear (1st Revision). Part 1: General requirements. Part 2: Particular requirements for Busbar Trunking Systems (Busways). KS 06-248: 1985 Kenya Standard			
RS 04-148: 1985  KS 04-148: 1985  Kenya Standard Safety Requirements for Electronic Equipment. KS 04-180: 1985  Kenya Standard Specification for Metallic Conduits (1st Revision). KS 08-214: 1985  Kenya Standard Specification for Woven Interlinings and Linings. Part 2: Woven linings for apparel fabrics. KS 04-226: 1985  Kenya Standard Specification for Factory- built Assemblies of Low- Voltage Switchgear and Control gear (1st Revision). Part 1: General requirements. Part 2: Particular requirements for Busbar Trunking Systems (Busways). KS 06-248: 1985  Kenya Standard			-
KS 04-148: 1985  Kenya Standard Safety Requirements for Electronic Equipment. KS 04-180: 1985  Kenya Standard Specification for Metallic Conduits (1st Revision). KS 08-214: 1985  Kenya Standard Specification for Woven Interlinings and Linings. Part 2: Woven linings for apparel fabrics. KS 04-226: 1985  Kenya Standard Specification for Factory- built Assemblies of Low- Voltage Switchgear and Control gear (1st Revision). Part 1: General requirements. Part 2: Particular requirements for Busbar Trunking Systems (Busways). KS 06-248: 1985  Kenya Standard			0 0
Requirements for Electronic Equipment.  KS 04-180: 1985  KS 08-214: 1985  KS 08-214: 1985  KS 08-214: 1985  KS 04-226: 1985			
Electronic Equipment.  KS 04-180: 1985  Kenya Standard Specification for Metallic Conduits (1st Revision).  KS 08-214: 1985  Kenya Standard Specification for Woven Interlinings and Linings. Part 2: Woven linings for apparel fabrics.  KS 04-226: 1985  Kenya Standard Specification for Factory- built Assemblies of Low- Voltage Switchgear and Control gear (1st Revision). Part 1: General requirements. Part 2: Particular requirements for Busbar Trunking Systems (Busways).  KS 06-248: 1985  Kenya Standard	KS 04-148: 1985		•
KS 04-180: 1985  Kenya Standard Specification for Metallic Conduits (1st Revision). KS 08-214: 1985  Kenya Standard Specification for Woven Interlinings and Linings. Part 2: Woven linings for apparel fabrics. KS 04-226: 1985  Kenya Standard Specification for Factory- built Assemblies of Low- Voltage Switchgear and Control gear (1st Revision). Part 1: General requirements. Part 2: Particular requirements for Busbar Trunking Systems (Busways). KS 06-248: 1985  Kenya Standard			•
Specification for Metallic Conduits (1st Revision).  KS 08-214: 1985  Kenya Standard Specification for Woven Interlinings and Linings. Part 2: Woven linings for apparel fabrics.  KS 04-226: 1985  Kenya Standard Specification for Factory-built Assemblies of Low-Voltage Switchgear and Control gear (1st Revision). Part 1: General requirements. Part 2: Particular requirements for Busbar Trunking Systems (Busways).  KS 06-248: 1985  Kenya Standard			• •
Conduits (1st Revision).  KS 08-214: 1985  Kenya Standard Specification for Woven Interlinings and Linings. Part 2: Woven linings for apparel fabrics.  KS 04-226: 1985  Kenya Standard Specification for Factory- built Assemblies of Low- Voltage Switchgear and Control gear (1st Revision). Part 1: General requirements. Part 2: Particular requirements for Busbar Trunking Systems (Busways).  KS 06-248: 1985  Kenya Standard	KS 04-180: 1985		•
KS 08-214: 1985  Kenya Standard Specification for Woven Interlinings and Linings. Part 2: Woven linings for apparel fabrics. KS 04-226: 1985  Kenya Standard Specification for Factory- built Assemblies of Low- Voltage Switchgear and Control gear (1st Revision). Part 1: General requirements. Part 2: Particular requirements for Busbar Trunking Systems (Busways). KS 06-248: 1985  Kenya Standard			
Specification for Woven Interlinings and Linings. Part 2: Woven linings for apparel fabrics. KS 04-226: 1985  Kenya Standard Specification for Factory-built Assemblies of Low-Voltage Switchgear and Control gear (1st Revision). Part 1: General requirements. Part 2: Particular requirements for Busbar Trunking Systems (Busways). KS 06-248: 1985  Kenya Standard	140 00 044 4005		
Interlinings and Linings. Part 2: Woven linings for apparel fabrics. KS 04-226: 1985  Kenya Standard Specification for Factory-built Assemblies of Low-Voltage Switchgear and Control gear (1st Revision). Part 1: General requirements. Part 2: Particular requirements for Busbar Trunking Systems (Busways). KS 06-248: 1985  Kenya Standard	KS 08-214: 1985		•
Part 2: Woven linings for apparel fabrics.  KS 04-226: 1985  Kenya Standard Specification for Factory-built Assemblies of Low-Voltage Switchgear and Control gear (1st Revision). Part 1: General requirements. Part 2: Particular requirements for Busbar Trunking Systems (Busways).  KS 06-248: 1985  Kenya Standard			•
Apparel fabrics.  KS 04-226: 1985  Kenya Standard Specification for Factory- built Assemblies of Low- Voltage Switchgear and Control gear (1st Revision). Part 1: General requirements. Part 2: Particular requirements for Busbar Trunking Systems (Busways).  KS 06-248: 1985  Kenya Standard			
KS 04-226: 1985  Kenya Standard Specification for Factory- built Assemblies of Low- Voltage Switchgear and Control gear (1st Revision). Part 1: General requirements. Part 2: Particular requirements for Busbar Trunking Systems (Busways). KS 06-248: 1985  Kenya Standard			•
Specification for Factory-built Assemblies of Low-Voltage Switchgear and Control gear (1st Revision). Part 1: General requirements. Part 2: Particular requirements for Busbar Trunking Systems (Busways). KS 06-248: 1985 Kenya Standard	KS 04 226: 1095		• •
built Assemblies of Low-Voltage Switchgear and Control gear (1st Revision). Part 1: General requirements. Part 2: Particular requirements for Busbar Trunking Systems (Busways). KS 06-248: 1985 Kenya Standard	NS 04-220. 1905		-
Voltage Switchgear and Control gear (1st Revision). Part 1: General requirements. Part 2: Particular requirements for Busbar Trunking Systems (Busways). KS 06-248: 1985  Kenya Standard			
and Control gear (1st Revision). Part 1: General requirements. Part 2: Particular requirements for Busbar Trunking Systems (Busways). KS 06-248: 1985 Kenya Standard			
Revision). Part 1: General requirements. Part 2: Particular requirements for Busbar Trunking Systems (Busways). KS 06-248: 1985  Revision). Part 2: Particular requirements for Busbar Trunking Systems (Busways).			· ·
Part 1: General requirements. Part 2: Particular requirements for Busbar Trunking Systems (Busways). KS 06-248: 1985  Kenya Standard			• `
requirements. Part 2: Particular requirements for Busbar Trunking Systems (Busways). KS 06-248: 1985  Kenya Standard			,
Part 2: Particular requirements for Busbar Trunking Systems (Busways).  KS 06-248: 1985 Kenya Standard			
requirements for Busbar Trunking Systems (Busways). KS 06-248: 1985 Kenya Standard			•
Trunking Systems (Busways). KS 06-248: 1985 Kenya Standard			
KS 06-248: 1985 (Busways). Kenya Standard			•
KS 06-248: 1985 Kenya Standard			
•	KS 06-248: 1985		` ,
Specification for Cold			Specification for Cold
Water Meters.			Water Meters.

	Stariuarus
[Subsidiary]	
	Part 1: Terminology,
	meteorogical and
	technological characteristics.
	Part 2: Guidelines for
	selection and installation.
KS 01-286: 1985	Kenya Standard
NS 01-200. 1905	Specification for Mangoes.
KS 01-303: 1985	Kenya Standard
10 01-303. 1903	Specification for
	Avocadoes.
KS 04-309: 1985	Kenya Standard
110 04 000. 1000	Specification for
	Lampholders.
	Part 1: Bayonet type
	lampholders.
	Part 2: Edison screw type
	lampholders.
KS 02-450: 1985	Kenya Standard
	Specification for Asbestos-
	Cement and Sanitary
	Pipes.
KS 06-452: 1985	Kenya Standard
	Specification for Stainless
	Steel Sinks.
KS 01-454: 1985	Kenya Standard
	Specification for Citrus
	Fruits.
KS 01-455: 1985	Kenya Standard
	Specification for
100.04.457.4005	Tomatoes.
KS 01-457: 1985	Kenya Standard Methods
	for Test for Tobacco and
VC 05 450: 4005	Tobacco Products.
KS 05-459: 1985	Kenya Standard
	Specification for Drinking water.
	water. Part 1: The requirements
	for drinking water.
	Part 2: Physical methods
	of test for the quality of
	drinking water.
	Part 3: Methods
	for biological and
	microbiological test for
	drinking water.
	Part 4: Methods for
	determining metal
	contaminants in drinking
	water.

	[Subsidiary
	Part 5: Methods for determining salts, cations and anions in drinking water. Part 6: Methods for determining gases and organic compounds and radioactivity in drinking water.
KS 08-481: 1985	Kenya Standard Specification for Woven Bags (Natural Fibres for Seeds).
KS 04-502: 1985	Kenya Standard Specification for Emergency Lighting Equipment.
KS 04-500: 1985	Kenya Standard Specification for Filaments Lamps for Road Vehicles. Part 1: Central Battery systems, slave luminaries and associated equipment. Part 2: Self-contained luminaries and associated
KS 04-503: 1985	equipment. Kenya Code of Practice for the Protection of Structures Against Lightning.
KS 08-504: 1985	Kenya Standard Specification for Men's and Boy's Shirts. Part 2: Measurements for shirts.
KS 08-536: 1985	Kenya Standard Specification for Milk Cans.
KS 08-540: 1985	Kenya Standard Specification for Bed Pillow Cases.
KS 08-544: 1985	Kenya Standard Specification for Women Bags (Natural Fibres) for Rice.
KS 02-547: 1985	Kenya Standard Specification for Burnt Clay Building Blocks.
KS 01-549: 1985	Kenya Standard Specification for Wet-blue

Standards Standards			
[Subsidiary]			
[,1			
	from Goat and Sheep Skins.		
KS 01-550: 1985	Kenya Standard		
	Specification for Wet-blue		
	from Bovine Hides.		
KS 05-552: 1985	Kenya Standard		
	Specification for		
	Grapefruit Juice preserved		
	exclusively by physical		
	means.		
KS 05-553: 1985	Kenya Standard		
	Specification for		
	Lemon Juice preserved		
	exclusively by physical		
	means.		
KS 05-554: 1985	Kenya Standard		
	Specification for		
	Apple Juice preserved		
	exclusively by physical		
	means.		
KS 05-555: 1985	Kenya Standard		
	Specification for		
	Grapefruit Juice preserved		
	exclusively by physicals		
	means.		
KS 05-556: 1985	Kenya Standard		
	Specification for		
	Pineapple Juice preserved		
	exclusively by physical		
	means.		
KS 05-557: 1985	Kenya Standard		
	Specification fro Guava		
	Nectar preserved		
	exclusively by physical		
	means.		
KS 05-558: 1985	Kenya Standard		
	Specification for Black		
	Currant Juice preserved		
	exclusively by physical		
	means.		
KS 08-586: 1985	Kenya Standard		
	Specification for		
	Webbings.		
	Part 1: Cotton webbings.		
KS 08-599: 1985	Kenya Standard		
	Specification for Shoe		
	Laces.		

# THE STANDARDS (NO. 2) ORDER, 1986

[Legal Notice 20 of 1986]

- 1. This Order may be cited as the Standards (No. 2) Order.
- 2. Kenya Standards having been declared for the several commodities and methods and procedures set out in first and second columns of the Schedule, no person shall manufacture or sell those commodities or use those methods and procedures on or after a date which is six weeks after the date of publication of this Order unless the commodities and methods and procedure comply with the requirements of the relevant Kenya Standard.

	SCHEDULE
Number:	Title of Specification or Code of Practice
KS 04-11 1985	Kenya Standard Specification for
	Intruder Alarm Systems in Buildings.
	(1st Revision.)
	Part 1: Systems with Audible Signalling
	Only.
	Part 2: Systems with Remote Signalling.
	Part 3: Detection Devices.
KS 04-148:1985	Kenya Standard Safety Requirements
110 01 110.1000	for Electrical Equipment.
KS 04-180:1985	Kenya Standard Specification for
118 61 166.1666	Metallic Conduits. (1st Revision.)
KS 08-214:1985	Kenya Standard Specification for Woven
110 00 211.1000	Interlinings and Linings.
	Part 2: Woven Linings Apparel Fabrics.
KS 04-226:1985	Kenya Standard Specification for
110 01 220.1000	Factory-built Assemblies of Low-Voltage
	Switchgear and Controlgear. (1st
	Revision.)
	Part 1: General requirements.
	Part 2: Particular Requirements for
	Busbar Trunking Systems (Busways).
KS 06-248:1985	Kenya Standard Specification for Cold
NO 00-240.1000	Water Meters.
	Part 1: Terminology, Metrological and
	Technological Characteristics.
	Part 2: Guildelines for Selection and
	Installation.
KS 01-286:1985	Kenya Standard Specification for
NO 01-200.1000	Mangoes.
KS 01-303:1985	Kenya Standard Specification for
NO 01-303.1303	Avocadoes.
KS 04-309:1985	Kenya Standard Specification for
NO 04 000.1000	Lampholders.
	Part 1: Bayonet Type Lampholders.
	Part 2: Edison Screw Type
	Lampholders.
	Lampholders.

	Standards
[Subsidiary]	
KS 02-450:1985	Kenya Standard Specification for Asbestos - Cement and Sanitary Pipes.
KS 06-452:1985	Kenya Standard Specification for Citrus Fruits.
KS 01-454:1985	Kenya Standard Specification for Tomatoes.
KS 01-457:1985	Kenya Standard Methods for Test for Tobacco and Tobacco Products.
KS 05-459:1985	Kenya Standard Specification for Drinking Water.
	Part 1 : The requirements for Drinking Water.
	Part 2: Physical Methods of Test for the Quality of Drinking Water.
	Part 3: Methods for Biological and
	Microbiological Test for Drinking Water.
	Pain 4: Methods for Determining Metal
	Contaminants in Drinking Water. Part 5: Methods for Determining Salts,
	Cations and Anions in Drinking Water.
	Part 6: 'Methods for Determining
	Cases and Organic Compounds and
	Radioactivity in Drinking Water.
KS 08-481 :1985	Kenya Standard Specification for Woven
	Bags (Natural Fibres) for Seeds.
KS 04-500:1985	Kenya Standard Specification for
	Filaments for Road Vehicles.
KS 04-502:1985	Kenya Standard Specification for
	Emergency Lighting Equipment.
	Part 1: Central Battery Systems, Slave
	Luminairies and Associated Equipment.
	Part 2: Self-contained Luminairies and
VC 04 E02:109E	Associated Equipment. Kenya Code of Practice for the
KS 04-503:1985	Protection of Structures Against
	Lightning.
KS 08-504:1985	Kenya Standard Specification for Men's
	and Boy's Shirts.
	Part 2: Measurements for Shirts.
KS 06-536: 1985	Kenya Standard Specification for Milk
	Cans.
KS 08-540:4985	Kenya Standard Specification for Bed
	Pillow Cases
KS 08-544:1985	Kenya Standard Specification for Woven
KO 00 547-4005	Bags (Natural Fibres) for Rice.
KS 02-547:1985	Kenya Standard Specification for Burnt
KS 01 540:1095	Clay Building Blocks.  Kanya Standard Specification for Wet
KS 01-549:1985	Kenya Standard Specification for Wet- Blue from Goat and Sheep Skins.
KS 01-550:1985	Kenya Standard Specification for Wet-
1.000.1000	
	Blue from Bovine Hides.

[Rev. 2022]		CAP. 496
	Standards	

	Staridards
	[Subsidiary]
KS 05-552:1985	Kenya Standard Specification for
	Grapefruit Juice Preserved Exclusively
	by Physical Means.
KS 05-553: 1485	Kenya Standard Specification for Lemon
	Juice Preserved Exclusively by Physical
	Means.
KS 05-554:1985	Kenya Standard Specification for Apple
	Juice Preserved Exclusively by Physical
	Means.
KS 05-555 1985	Kenya Standard Specification for Grape
	Juice Preserved Exclusively by Physical
140.05.550.4005	Means.
KS 05-556 1985	Kenya Standard Specification for
	Pineapple Juice Preserved Exclusively
VC 05 557 4005	by Physical Means.
KS 05-557 1985	Kenya Standard Specification for
	Guava Nectar Preserved Exclusively by
KS 05-558:1985	Physical Means. Kenya Standard Specification for Black
NS 05-556.1965	Currant Juice Preserved Exclusively by
	Physical Means.
KS 08-586:1985	Kenya Standard Specification for
NO 00-300.1303	Webbings.
	Part 1: Cotton Webbings.
KS 08-599:1985	Kenya Standard Specification for Shoe
112 13 000000	Laces.

# THE STANDARDS (NO. 3) ORDER, 1986

[Legal Notice 93 of 1986]

- 1. This Order may be cited as the Standards (No. 3) Order.
- 2. Kenya Standards having been declared for the several commodities and methods and procedures set out in first and second columns of the Schedule, no person shall manufacture or sell those commodities or use those methods and procedures on or after a date, which is six weeks after the date of publication of this Order, unless the commodities and methods and procedures comply with the requirements of the relevant Kenya Standards.

	SCHEDULE
Number	Title of Specification or Code of Practice
KS 05-54:1985	Kenya Standard Specification for Infant
	Food Formula. (1st Revision.)
KS 02-94:1985	Kenya Standard Specification for
VC 02 162:100E	Preservation of Timber.
KS 03-162:1985	Kenya Standard Specification for Road Marking Paints.
KS 04-226:1985	Kenya Standard Specification for
	Factory-built Assemblies of Low Voltage
	Switchgear and Controlgear.
	Part 3: Particular Requirements for
	Fuseboards.
	Part 4: Particular Requirements for Miniature Circuit-breaker Boards
	(m.c.b.s).
KS 05-344:1985	Kenya Standard Specification for Honey.
KS 08-479:1985	Kenya Standard Specification for
	Sewing Threads.
	Part 2: Sewing Threads Made Wholly or
	Partly from Synthetic Fibres.
KS 02-548:1985	Kenya Standard Specification for
	Precast Concrete Pipes and Fittings for Drainage, Sewage and Culverts.
KS 08-559:1985	Kenya Standard Specification for Men's
110 00 00011000	and Boys' Trousers.
	Part 2: Measurements for Trousers.
KS 03-575:1985	Kenya Standard Specification for
140.00.004.4005	Corrugated Fibreboard Boxes.
KS 09-634:1985	Kenya Standard Specification for
	Vernier Callipers Reading 0.1 and 0.5 mm.
KS 09-635:1985	Kenya Standard Specification for
	Vernier Calipers Reading to 0.02 mm.
KS 09-636:1985	Kenya Standard Specification for
	Micrometer Callipers for External
KO 00 044 4005	Measurement.
KS 09-644:1985	Kenya Standard Specification for Class 0.5, 1 and 2 A.C. Watthour Meters.
	0.5, 1 and 2 A.C. Watthout Welets.

CAP. 496	[Rev. 2022]
	Standards
[Subsidiary]	
KS 02-659:1985	Kenya Methods of Classification and Measurement of Plywood Panels and Test Pieces.

#### **APPROVAL OF STANDARDS**

[Legal Notice 243 of 1986]

In ACCORDANCE with section 4(1)(b) of the Standards Act, the Cabinet Secretary for Commerce and Industry has, on the recommendation of the National Standards Council, approved the standards of the Kenya Bureau of Standards in the fields of measurement specified in the Schedule as the standards with which precision instruments, gauges and scientific apparatus may be compared to determine the degree of accuracy of such instruments, gauges and apparatus.

SCHEDULE
Mass
Length
Force
Industrial Measurements (including Angle, Gears, Threads and Surface Texture)
Time and Frequency
Energy
Power and Attenuation
Voltage
Current
Resistance
Capacitance and Inductance
Pressure and Vacuum
Temperature
Volume and Flow
Density and Viscosity

#### THE STANDARDS ORDER

[Legal Notice 65 of 1987]

- 1. This Order may be cited as the Standards Order.
- 2. Kenya Standards having been declared for the several commodities and methods and procedures set out in the first and second columns of the Schedule, no person shall manufacture or sell those commodities or use those methods and procedures on or after a date which is six weeks after the date of publication of this Order unless the commodities and methods and procedures comply with the requirements of the relevant Kenya standards.

	SCHEDULE	
Number		Title of Specification or
		Code of Practice
KS 04-226: 1985		Kenya standard
		specification for factory-
		built assemblies of low-
		voltage switchgear and
		controlgear (FBA).
		Part 5: Particular
		requirements for consumer units.
KS 09-248: 1985		Kenya standard
NS 09-246. 1965		specification for cold water
		meters.
		Part 3: Test methods and
		equipment.
KS 06-294: 1985		Kenya standard
		specification for air filters
		for internal combustion
		engines.
KS 06-325: 1985		Kenya standard for
		engineering drawing
		practice.
KS 06-333: 1985		Kenya standard
		specification for fuel filters
VC 06 224: 1095		for diesel engines.
KS 06-334: 1985		Kenya standard specification for fuel filters
		for petrol engines.
KS 06-395: 1985		Kenya standard
110 00-000. 1000		specification for
		automobile radiator hoses.
KS 08-586: 1985		Kenya standard
		specification for cotton
		webbings.
		Part 2; Webbings made
		wholly or partly from
		synthetic fibres.

	Standards
[Subsidiary]	
KS 08-598: 1985	Kenya standard specification for ladies'
KS 04-633: 1985	cardigans. Kenya standard specification for electric
KS 08-640: 1985	toasters. Kenya standard specification for men's and boys' pyjamas.
KS 08-642: 1985	Part 1: Making-up requirements. Kenya standard specification for sisal
KS 08-643: 1985	packing twines. Kenya standard specification for spindle
KS 06-664: 1985	tapes. Kenya standard specification for seat belt assemblies for motor
KS 09-704: 1985	vehicles. Kenya standard specification for gauge
KS 09-705: 1985	blocks. Kenya standard specification for surface
	roughness parameters, their values and general rules for specifying requirements.
KS 09-706: 1985	Kenya standard specification for surface roughness terminology. Part 1: Surface and its
	parameters. Part 2: Terminology— measurement of surface
KS 09-708: 1985	roughness parameters. Kenya standard specification for parallel involute gears—ISO
KS 09-709: 1985	system of accuracy. Kenya standard specification for cylindrical weights from 1 gram to
KS 09-710: 1985	10 kilograms (medium accuracy class, also called: Class M2). Kenya standard specification for rectangular bar weights

	[Subsidiary]

from 5 kilograms to 50 kilograms, medium class accuracy. KS 09-711: 1985 Kenya standard specification for weights of accuracy E1, E2, F1, F2, M1 from 50 kg. to 1 mg. KS 09-712: 1985 Kenya standard specification for standard weights for verification officers. KS 09-713: 1985 Kenya standard specification for metrological regulations for non-automatic weighing machines. KS 09-714: 1985 Kenya standard specification for direct acting indicating analogue electrical measuring instruments and their accessories. Part 1: Definitions and general requirements common to all parts. Part 2: Special requirements for ammeters and volmeters. Part 3: Special requirements for waltmeters and varmeters. Part 4: Special requirements for frequency meters. Part 5: Special requirements for phase meters, power factor meters and synchroscopes. Part 6: Special requirements for ohmmeters (impendence meters) and conductance meters. Part 7: Special requirements for multifunction instruments. Part 8: Special requirements for accessories.

Sta	andards
[Subsidiary]	
KS 09-715: 1985	Konya standard
NS 09-7 15. 1905	Kenya standard specification for laboratory
	A.C. resistors.
KS 09-716: 1985	Kenya standard
NS 09-7 10. 1905	specification for voltage
	transformers.
KS 09-717: 1985	Kenya standard
1000	specification for current
	transformers.
KS 09-718: 1985	Kenya standard
110 00 1 10. 1000	specification for
	dimensions for panel-
	mounted indicating and
	recording measuring
	instruments.
KS 09-719: 1985	Kenya standard
	specification for maximum
	demand indicators, class
	1.0.
KS 09-720: 1985	Kenya standard
	specification for
	telemetering for
	consumption and demand.
KS 09-721: 1985	Kenya standard
	specification for varhour
	(reactive energy) meters.
KS 09-722: 1985	Kenya standard
	specification for quartz
	crystal controlled
	oscillators.
	Part: 1: General
	information, tests
	conditions methods.  Part 2: Guide to the use of
	quartz crystal controlled oscillators.
KS 09-726: 1985	Kenya standard
NS 09-720. 1905	specification for glass
	capilary kinematic
	viscometers—specification
	and operating instructions.
KS 09-728: 1985	Kenya standard
	specification for tensile
	testing machines.
	Part 1: General
	requirements.
	Part 2: Large tensile
	testing machines
	and universal testing
	machines.

	Standards
	[Subsidiary]
	Part 3: Small tensile
	testing machines.
KS 09-729: 1985	Kenya standard
	specification for
	compression testing
	machines.
KS 09-730: 1985	Kenya standard
	specification for material
	testing machines and
	elastic proving devices for
	static load measurements.
KS 09-731: 1985	Kenya standard
	specification for bourdon
	tube pressure and vacuum
	gauges.
	Part 2: Metric units.
KS 09-732: 1985	Kenya standard
	specification for tyres
	pressure gauges.
	Part 1: Indicating plunger
	portable type.
	Part 2: Dial portable type.
	Part 3 Inflation gauges for
1/0 00 700 4005	roads vehicles.
KS 09-733: 1985	Kenya standard
	specification for liquid-in-
KC 00 704: 400F	glass thermometers.
KS 09-734: 1985	Kenya standard
	specification for solid-
	stem general purpose thermometers.
KS 09-735: 1985	Kenya standard
K3 09-733. 1903	specification for
	enclosed-scale general
	purpose thermometers
	(commercial quality for
	general use).
KS 09-736: 1985	Kenya standard
110 00 700. 1000	specification for solid-stem
	calorimeter thermometers
	(short range solid-stem
	thermometers for use in
	bomb calorimetry and
	other uses where accurate
	temperature is required).
KS 09-737: 1985	Kenya standard
- -	specification for enclosed-
	scale calorimeter
	thermometer (short range
	enclosed thermometers
	for use in bomb

[Subsidiary]	
KS 09-738: 1985	calorimetry and other purposes in accurate measurements). Kenya standard specification for long
	solid-stem thermometers for precision use with enclosed-scale (not exceeding 375 mm).
KS 09-739: 1985	Kenya standard specification for short solid-stem thermometers for precision use (not exceeding 20 mm length).
KS 09-740: 1985	Kenya standard specification for long enclosed-scale thermometers for precision used. (General used in precision work.)
KS 09-741: 1985	Kenya standard specification for short enclosed-scale thermometers for precision use.

**CAP. 496** 

# THE STANDARDS (NO. 2) ORDER

[Legal Notice 237 of 1987]

- 1. This Order may be cited as the Standards (No. 2) Order.
- 2. Kenya Standards having been declared for the several commodities and methods and procedures set out in the first and second columns of the Schedule, no person shall manufacture or sell those commodities or use those methods and procedures on or after a date which is six weeks after the date of publication of this Order unless the commodities and methods and procedure comply with the requirements of the relevant Kenya Standards.

	SCHEDULE	
Number		Title of Specification of Code of Practice
KS 05-29: 1979		Kenya standard specification for dried
		whole milk and skimmed
		milk powder (1st Revision).
KS 05-38: 1982		Kenya standard
		specification for white sugar (2nd Revision).
KS 05-169: 1979		Kenya standard
		specification for wheat flour (1st Revision).
KS 04-183: 1978		Kenya standard
		specification for low voltage fuses
VO 04 404: 4070		(Amendment).
KS 04-184: 1979		Kenya standard specification for dry
		primary cells and batteries
KS 04-238: 1979		(1st Revision). Kenya standard
		specification for cassettes
		for commercial tape and domestic use (1st
		Revision).
KS 04-310: 1986		Kenya standard specification for adaptors.
		Part 1: General
VC 05 220, 400C		requirements.
KS 05-328: 1986		Kenya standard specification for soft fruit
1/0 00 004 4000		drinks (Amendment).
KS 06-331: 1986		Kenya standard specification for
		tolerancing system of
		I.S.O. metric threads.

	Stariuarus
[Subsidiary]	
KS 03-421: 1986	Kenya standard
	specification for newsprint.
KS 05-423: 1986	Kenya code of practice for
	handling, processing and
	distribution of fish.
	Part 1: Quality
	requirements, packaging
	and making for the
	fresh, chilled, frozen and
	smoked fish.
	Part 2: Sanitation
	requirements for fresh,
	chilled, frozen and
	smoked fish.
	Part 3: The requirements
	for retailers handling
	fresh, chilled, frozen and
	smoked fish.
	Part 4: The hygienic
	requirements for all staff
	engaged in handling fish.
KS 05-424: 1986	Kenya standard
	specification for dried
	salted fish.
KS 05-425: 1986	Kenya standard
	specification for dried
1/0 00 540 4000	prawns (Shrimps).
KS 03-512: 1986	Kenya standard
	specification for rubber
VC 02 E40, 400C	flooring tiles.
KS 03-518: 1986	Kenya standard
	specification for fountain
KS 05-523: 1986	pen inks. Kenya standard
NS 05-525. 1960	specification for breakfast
	cereals.
	Part 1: Rolled/flaked oats
	(quick cooking type).
KS 05-524: 1986	Kenya standard
110 00 02 11 1000	specification for pasta
	products.
KS 05-551: 1986	Kenya standard
	specification for
	mayonaise and
	mayonaise-like products.
KS 08-559: 1986	Kenya standard
	specification for men's and
	boys' trousers.
KS 02-572: 1986	Kenya standard
	specification for hot rolled
	steel sections.

S	Standards
	[Subsidiary]
KS 02-573: 1986	Kenya standard specification for cold- worked (high-yield) steel
	bars for the reinforcement
VC 02 570, 4000	of concrete.
KS 03-576: 1986	Kenya standard specification for hair
	shampoo, soap-based.
KS 03-577: 1986	Kenya standard
110 00 0771 1000	specification for hair
	shampoo synthetic,
	detergent-based.
KS 03-578: 1985	Kenya standard
	specification for nail
	polish.
KS 03-579: 1986	Kenya standard
	specification for skin-
1/0.00 =00. /000	lightening creams.
KS 03-580: 1986	Kenya standard
	specification for general
	purpose creams, lotions
KS 03-581: 1986	and gels for skin care. Kenya standard
NS 03-301. 1900	specification for marketed
	petroleum jelly products
	ready for use as human
	body ointment.
KS 03-582: 1986	Kenya standard
	specification for paper
	boards for packaging.
KS 03-590: 1986	Kenya standard
	specification for screw
KC 02 504: 4000	thread glass bottles.
KS 03-591: 1986	Kenya standard specification for industrial
	methylated spirits.
KS 02-594: 1986	Kenya standard
110 02 00 1. 1000	specification for concrete.
KS 03-603: 1986	Kenya standard
	specification for files and
	folders.
KS 03-604: 1986	Kenya standard
	specification for stencil
	papers.
KS 03-605: 1986	Kenya standard
	specification for
VS 00 606: 1006	duplicating papers.
KS 08-606: 1986	Kenya standard
	specification for blended cellulosic polyester
	bedsheets.
	bodonotto.

	Standards
[Subsidiary]	
KS 03-621: 1986	Kenya standard specification for bituminous paints for cold
KS 02-622: 1987	application. Kenya standard specification for aluminium printing paints for woodwork.
KS 02-625: 1987	Kenya standard specification for precast concrete masonry units.
KS 02-624: 1986	Kenya standard specification for bitumen roofing felt.
KS 08-628: 1986	Kenya standard specification for elastic webbing.
KS 09-637: 1986	Kenya standard specification for dial gauges.
KS 08-638: 1986	Kenya standard specification for absorbent cotton gauze.
KS 08-640: 1986	Kenya standard specification for men's and boys' pyjamas. Part 2: Measurements for pyjamas.
KS 03-653: 1986	Kenya standard specification for household insecticidal aerosols.
KS 03-654: 1986	Kenya standard specification for mosquito coils.
KS 03-655: 1986	Kenya standard specification for scouring powders.
KS 08-665: 1986	Kenya standard specification for textile labels.
KS 04-668: 1986	Kenya standard specification for boxes for enclosure for electrical accessories.
KS 05-686: 1987	Kenya standard specification for peanut butter.
KS 03-698: 1986	Kenya standard specification for liquid detergent for household hand dish washing.

[Rev. 2022]	CAP. 496
•	Standards
	[Subsidiary]
KS 04-765: 1986	Kenya standard of resistance for copper.
KS 03-814: 1987	Kenya standard specification for retroreflective materials for traffic signs.
KS 03-815: 1987	Kenya standard specification for portable reflective warning triangles for motor vehicles.

#### THE STANDARDS ORDER

[Legal Notice 7 of 1988, Legal Notice 200 of 1988]

- 1. This Order may be cited as the Standards Order.
- 2. Kenya Standards having been declared for the several commodities and methods and procedures set out in first and second columns of the Schedule, no person shall manufacture or sell those commodities or use those methods and procedures on or after a date which is six weeks after the date of publication of this Order unless the commodities and methods and procedures comply with the requirement of the relevant Kenya Standards.

		•
	Schedule	
Number		Title of Specification or
		Code of Practice
KS 02-17: 1986		Kenya standard
		specification for sawn
I/C 00 447, 4007		timber (1st revision).
KS 08-117: 1987		Kenya standard
		specification for blankets. Part 2: Blankets made
		from wool. Part 3: Cotton
		leno cellular blankets
KS 06-151: 1979		Kenya standard
		specification for machetes
		(pangas) (1st revision).
KS 04-246: 1981		Kenya standard
		specification for 13A fused
		plugs, and unswitched
		socket outlets (1st
1/0 00 101 1007		revision).
KS 02-431: 1987		Kenya standard
		specification for clay roofing tiles.
KS 08-442: 1987		Kenya standard code of
NO 00-442. 1907		practice for drycleaning.
KS 01-458: 1987		Kenya standard
		specification for common
		salt and mineral
		supplements for ruminant
		livestock.
KS 06-477: 1987		Kenya standard
		specification for safety
		razor blades and razors.
		Part 1: Safety razor blades. Part 2: Razors.
KS 08-541: 1987		Kenya standard
10 00-041. 1901		specification for woven
		fabrics for uniforms. Part
		1: Cotton, man-made
		fibres and blends. Part 2:

	Claridardo
[Subsidiary]	
	Fabrics made wholly or
	partly from wool.
KS 08-630: 1987	Kenya standard
110 00 000. 1001	specification method of
	test for determination of
	tenacity of textile fibres
	and yams.
	Part 1: Fibres.
	Part 2: Yarns.
KS 02-656: 1987	Kenya standard
	specification for flush
	doors' leafs.
	Part 1: Solid core type.
KS 08-687: 1987	Kenya standard
	specification for men's
	uniforms. Part 1: Uniform
	trousers.
KS 08-747: 1987	Kenya standard
	specification for
	preservative treatment
	for textiles. Part 1:
	Specification for
	treatment.
KS 04-763: 1987	Kenya standard
	specification for wrought
	aluminium strip for
	electrical purposes.
KS 01-789: 1987	Kenya standard
	specification for fresh red
	onions.
KS 04-190: 1987	Kenya standard
	specification for stranded
	aluminium conductors
	steel-reinforced and
	galvanized steel wires
	for reinforcing aluminium
	conductors. Part 1: Galvanized steel
	wires for reinforcing aluminium conductors.
	Part 2: Aluminium
	conductors steel-
	reinforced.
KS 06-255: 1987	Kenya standard
NO 00-200. 1007	specification for door locks
	in buildings (1st revision).
KS 04-290: 1987	Kenya standard
<del></del>	specification for
	galvanized mild steel
	wires for armouring
	ŭ

# [Rev. 2022] CAP. 496 Standards

	Standards
	[Subsidiary]
	of electric cables (1st
	revision).
KS 06-476: 1987	Kenya standard
	specification for uncoated
	domestic aluminium
	holloware products.
140.00.40= 400=	Part 2: Aluminium pans.
KS 06-487: 1987	Kenya standard
	specification for hose
	couplings for petrol, diesel
KS 06-491: 1987	and paraffin.
KS 00-491. 1907	Kenya standard
	specification for hydraulic spray nozzles for insert,
	fungus and weed control.
KS 06-537: 1987	Kenya standard
10 00-337. 1307	specification for paper and
	garment pins.
KS 04-646: 1987	Kenya standard
	specification for electric
	fence controllers.
	Part 1: Mains operated.
	Part 2: Battery operated.
KS 02-682 :1987	Kenya standard
	specification for oxidized
	bitumen adhesives for
	roofing.
KS 08-114: 1979	Kenya standard
	specification for cotton
1/0 04 404 4000	bedsheets (1st revision).
KS 04-181: 1986	Kenya standard
	specification for low-
	voltage circuit breakers.
	(Amendment.)

[Rev. 2022] CAP. 496

[Subsidiary]

#### THE STANDARDS ORDER

[Legal Notice 215 of 1989]

- 1. This Order may be cited as the Standards Order.
- 2. Kenya Standards having been declared for the several commodities and methods and procedures set out in the first and second columns of the Schedule, no person shall manufacture or sell those commodities or use those methods and procedures on or after a date which is six weeks after the date of publication of this Order unless the commodities and methods and procedure comply with the requirements of the relevant Kenya Standards.

	Schedule	
Number		Title of Specification or
		Code of Practice
KS 06-02: 1988		Kenya standard
		specification for
		galvanized plain and
		corrugated steel sheets for
		general use. 1st Revision.
KS 05-34: 1976		Kenya standard
		specification for yoghurts.
		1st Revision.
		Part 1: Specification
		for yoghurts (plain and
		sweetened).
		Part 2: Specification for
		flavoured yoghurts.
KS 06-72: 1987		Kenya standard
		specification for mild steel
140 00 440 400		nails. 1st Revision.
KS 06-149: 1987		Kenya standard
		specification for
		unplasticized polyvinyl
		chloride pipes for
		cold water services.
		Amendment slip.
		Part 1: General
KS 06-149: 1987		requirements.
KS 00-149. 1907		Kenya standard
		specification for unplasticized polyvinyl
		chloride pipes for cold
		water services. 1st
		Revision.
		Part 2: Metric series.
KS 06-149: 1987		Kenya standard
10 00-140. 1007		specification for
		unplasticized polyvinyl
		chloride pipes for cold
		ssiras pipos foi oola

	Stativatus
[Subsidiary]	
	water services. 1st
	Revision.
	Part 3: Inch series.
KS 05-168: 1988	Kenya standard
	specification for dry milled
	maize products. 1st
	Revision.
KS 04-179: 1979	Kenya standard
	specification for rigid
	P.V.C. conduits and fittings
	for electrical wring. 1st
	Revision.
	Part 1: Conduits.
KS 04-185: 1984	Kenya standard
	specification for lead-
	acid starter batteries. 1st
1/0 04 400 4000	Revision.
KS 04-188: 1980	Kenya standard
	specification for P.V.C.
	insulations and sheaths of
	electric cables and cords.
KS 04-192: 1982	1st Revision.
NS 04-192. 1902	Kenya standard specification for P.V.C.
	insulated flexible cables
	and cords of rated voltage
	Uo/U up to and including
	450/750 V. 1st Revision.
KS 06-217: 1987	Kenya standard
	specification for
	unplasticized polyvinyl
	chloride (U.P.V.C) pipes
	for buried drain and sewer.
	Amendment slip.
KS 04-234: 1987	Kenya standard
	specification for receivers
	for television broadcast.
KS 04-247: 1988	Kenya standard
	specification for switches
	for domestic and similar
1/0 00 040 4000	purposes. 1st Revision.
KS 06-249: 1988	Kenya standard
	specification for
	automobile drum brake
	linings and disc brake pads. 1st Revision.
KS 06-256: 1988	pads. 1st Revision. Kenya standard
10 00-200. 1900	specification for drawer
	and cupboard locks.
KS 06-261: 1987	Kenya standard
30 201. 1001	specification for steel
	Spoomodion for older

Stan	aaras
	[Subsidiary]
	wires and wire products
	used for fencing. 1st
	Revision.
KS 04-282: 1988	Kenya standard
	specification for elements
	for electric water heaters
	for permanent installation
	in household cylinders or
	tanks.
KS 06-293: 1988	Kenya standard
	specification for lubricating
	oil filters for internal
	combustion engines.
KS 04-310: 1983	Kenya standard
	specification for adaptors.
	1st Revision.
	Part 2: Supplementary
1/0 04 044 4000	requirements.
KS 04-311: 1982	Kenya standard
	specification for miniature
	circuit breakers (M.C.B.'s).
VC 06 222, 1000	1st Revision.
KS 06-322: 1988	Kenya standard
	specification for covered electrodes for manual arc
	welding of mild steel and
	low alloy steel.
KS 02-447: 1988	Kenya standard
10 02-447. 1000	specification for wood
	chipboard.
KS 04-453: 1988	Kenya standard
1001 100. 1000	specification for P.V.C.
	insulated cables (non-
	armoured) for electric
	power lighting, 1st
	Revision.
KS 01-456: 1987	Kenya standard
	specification for dry
	beans.
KS 06-463: 1987	Kenya standard
	specification for telescopic
	shock absorbers for
	automobile suspension
	damping.
KS 04-503: 1985	Kenya standard code of
	practice for the protection
	of structures against
	lighting. Amendment No.
	1.

	Startaarao
[Subsidiary]	
KS 05-522: 1987	Kenya standard specification for canned
	fish.
	Part 1: Fish canned in
	tomato sauce.
	Part 2: Fish canned in
VC 00 504: 1007	brine.
KS 08-584: 1987	Kenya standard specification for stockings.
	Part 2: Ladies stockings.
KS 01-593: 1987	Kenya standard
	specification for green
	coffee beans.
KS 03-601: 1988	Kenya standard
	specification for hair
VC 05 600: 1000	creams.
KS 05-608: 1988	Kenya standard specification for neutral
	spirit for manufacture of
	alcoholic beverages.
KS 03-647: 1988	Kenya standard
	specification for industrial
	oxygen.
KS 03-648: 1988	Kenya standard
	specification for acetylene
KS 02-656: 1987	gas. Kenya standard
NS 02-050. 1901	specification for flush
	doors' leafs-cellular and
	semi solid core type.
KS 02-657: 1988	Kenya standard
	specification for window
	stays fasteners and
	handles for vertically hinged windows.
KS 05-661: 1988	Kenya standard
10 00 001. 1000	specification for cookies.
KS 04-662: 1988	Kenya standard
	specification for wiring
	regulations.
	Part 1: Electrical
	installation in building.
	Part 2: Requirements for special installations and
	locations.
KS 06-663: 1988	Kenya standard
	specification for hot rolled
	wire rods.
KS 03-666: 1988	Kenya standard
	specification for white
	spirit (mineral turpentine).

S	Standards
	[Subsidiary]
KS 03-667: 1988	Kenya standard
	specification for water
	thinned priming paints for
	wood.
KS 01-672: 1987	Kenya standard
	specification for fresh
	mushrooms.
KS 01-674: 1987	Kenya standard
	specification for dog
	feeds.
KS 01-675: 1987	Kenya standard
	specification for chromed
	crust bovine leather.
KS 03-683: 1988	Kenya standard
	specification for baker's
	yeast.
KS 08-687: 1987	Kenya standard
	specification for men's
	uniforms.
	Part 2: Uniform coats.
KS 08-687: 1988	Kenya standard
	specification for uniforms.
	Part 3: Uniform shirts.
KS 01-689: 1987	Kenya standard
	specification for milled
	rice.
KS 01-690: 1987	Kenya standard
	specification for seeds for
1/0 04 004 4007	legumes.
KS 01-691: 1987	Kenya standard
	specification for seeds for
KC 04 600: 4007	cucurbit vegetables.
KS 01-692: 1987	Kenya standard
	specification for
KS 01-693: 1987	solanaceous vegetables. Kenya standard
NS 01-095. 1907	specification for seed for
	bulbs vegetables.
KS 02-742: 1988	Kenya standard code of
10 02-142. 1900	practice for laying roofing
	tiles.
KS 08-748: 1988	Kenya standard
1000 740. 1000	specification for coffee
	drying cloth.
KS 02-755: 1988	Kenya standard design
110 02 700. 1000	loading for buildings.
	Part 1: Code of practice
	for imposed loads.
KS 02-761: 1988	Kenya standard
	specification for
	ep em out on to

	Standards	
[Subsidiary]		
		rectangular pressed steel
VC 02 774: 4000		tanks.
KS 02-771: 1988		Kenya standard
		specification for softwood
		timber grades for
1/0 00 770: 1000		structural use.
KS 08-779: 1988		Kenya standard
		specification for carpets.
I/O 00 704: 4000		Part 1: Tufted carpets.
KS 08-781: 1988		Kenya standard
		specification for cones.
1/0 04 700 4007		Part 1: Paper cones.
KS 01-788: 1987		Kenya standard
		specification for
1/0 00 700 1000		strawberries.
KS 03-793: 1988		Kenya standard
		specification for liquid
1/0 00 704: 1000		oxidation hair dyes.
KS 03-794: 1988		Kenya standard
		specification for
		formulated powder hair
1/0 00 000 1000		dyes.
KS 03-803: 1988		Kenya standard
		specification for liquid
		toilet soaps.
		Part 1: Liquid toilet soap.
		Part 2: Liquid floor soap.
KC 02 005, 4000		Part 3: Lotion soap.
KS 03-805: 1988		Kenya standard
		specification for waterless
1/0 00 000, 1000		hand cleaner.
KS 03-809: 1988		Kenya standard
		specification for toilet
		cleaners.
		Part 1: Powder toilet bowls
		cleansers.
		Part 2: Liquid toilet bowls
VC 02 941: 1099		and urinals cleansers. Kenya standard
KS 03-811: 1988		,
		specification for semi-
		gloss emulsion paint for exterior use.
KS 02-817: 1987		
NO UZ-017. 1907		Kenya standard
		specification for
		commercial grades for solder.
		SUIUCI.
		_

## THE STANDARDS - CALIBRATION

[Legal Notice 181 of 1990]

IN EXERCISE of the powers conferred by regulation 3 of the andards (National Calibration Service) Regulations, 1984, the Cabinet Secretary for Industry, directs that—

- (a) the categories of instruments and equipment specified in the second column of the Schedule shall be calibrated by the Bureau on or before 31st May, 1990;
- (b) the Kenya Standards to be used for calibration shall be those specified in the third column;
- (c) the maximum intervals between each calibration shall be those specified in the fourth column; and
- (d) the fees to be paid for the calibration shall be those prescribed and published by the Bureau for that purpose.

	SCH	EDULE	
Field of measurement	Instrument	KS No.	Maximum interval of time before next calibration
Industrial measurement	Dial gauges reading in 0.01mm.	g09-637:1986	1 year
2. Electricity	Instrument	09-717:1985	5 years
ŕ	transformers: (i) Current transformers (ii)Voltage transformers	09-716:1985	5 years
3. Volume/Flow	Turbine meters Displacement meters Prover tanks Road and rail vehicles (tank cars) Barges (ships and barge tanks) Spherical and spheroidal tanks Horizontal tanks Upright cylindrical tanks	09-856:1987 09-855:1987 09-854:1987 09-853:1987 09-852:1987	1 year 1 year 1 year 1 year 2 years 5 years 2 years 10 years

## THE STANDARDS LEVY ORDER, 1990

## ARRANGEMENT OF SECTIONS

- 1. Citation and commencement
- 2. Interpretation
- 3. Levy
- 4. Notification
- 5. Register of manufacturers
- 6. Maintenance of records by manufacturers
- 7. Access to manufacturer's records
- 8. Civil liability for non-payment of any sum due
- 9. Exemption
- 10. Levy fund
- 11. Bank account
- 12. Investments
- 13. Books of accounts
- 14. Audit

SCHEDULES

[Rev. 2022] CAP. 496

[Subsidiary]

## THE STANDARDS LEVY ORDER, 1990

[Legal Notice 267 of 1990, Legal Notice 154 of 1998, Legal Notice 183 of 1999, Legal Notice 54 of 2000]

#### 1. Citation and commencement

This Order may be cited as the Standards Levy Order and shall come into operation on the 1st July.

#### 2. Interpretation

In this Order, unless the context otherwise require—

"ex-factory", means the selling price excluding value add and discounts;

"Fund", means the Standards Levy Fund established under s 10C(1) of the Act;

"inspector", means a person appointed under section 13 Act;

"levy", means the charge payable in terms of paragraph 3:

"manufacturer", means any person or person who engages process of manufacture in terms of section 2 of the Act.

### 3. Levy

Subject to the Act there shall be paid by each manufacturer a levy recoverable at source at the rate of two-tenths of one per cent of the ex-factory price in respect of manufacture during each month subject to a maximum ceiling of Kenya shillings four hundred thousand per annum and to a minimum ceiling of Kenya shillings one thousand per month.

[L.N. 154/1998, s. 2, L.N. 183/1999, s. 2, L.N. 54/2000, s. 2.]

#### 4. Notification

- (1) For the purpose of complying with paragraph 3, every person, or persons who manufacture or intend to manufacture, shall notify the Director, Kenya Bureau of Standards, in the format set out in Form SL. 1 set out in the First Schedule.
- (2) Failure to notify the Director as aforesaid shall not affect the obligation of a manufacturer to pay the levy in terms of this Order.

### 5. Register of manufacturers

The Director shall maintain or cause to be maintained a register of all manufacturers who pay the levy.

#### 6. Maintenance of records by manufacturers

- (1) Every manufacturer shall maintain or cause to be maintained monthly records in the Standards Levy Return in the format set out in Form SL. 2 set out in the Second Schedule.
- (2) Every manufacturer shall in accordance with this Order maintain complete records corresponding to the prevailing date of all transactions which may affect his liability to pay the levy under this order.
- (3) Every manufacturer shall pay the levy by transmitting to the Director Form SL. 2 duly completed with the amount of the levy on or before the thirtieth day of the succeeding month.

### 7. Access to manufacturer's records

The records maintained in accordance with paragraph 6, shall on written request, be made available to the Director or a person duly authorized by him.

### 8. Civil liability for non-payment of any sum due

Non-payment of any sum due under this Order shall be deemed to be a civil debt recoverable summarily by the Director or a for non-payment person duly authorized by him.

### 9. Exemption

The provisions of this Order shall not apply to that person or persons whose ex-factory manufacture does not exceed Kenya shillings two hundred thousand per annum.

### 10. Levy fund

The objectives of the Fund established in accordance with section 10C of the Act shall, subject to the approval of the Cabinet Secretary, be to—

- develop and promote standardization and quality control of commodities, services and metrology;
- undertake collaborative research on behalf of the industry calculated to improve productivity and quality of outputs for the domestic and export markets;
- undertake training on behalf of the industry on standardization, quality control and metrology;
- (d) meeting any expenses relating to the establishment and operation of the fund;
   and
- (e) any other purpose which the Cabinet Secretary, in consultation with the National Standards Council, considers would serve the best interest of the industry, the consumers and the Government.

#### 11. Bank account

All moneys received in accordance with the provision of this Order shall be paid into a special bank account entitled "The Standards Levy Fund" and expenditure therefrom shall be controlled by the National Standards Council.

### 12. Investments

Any part of the Fund not immediately required for the purpose of the Fund may, subject to the written approval of the Cabinet Secretary and the Treasury, be invested in such a manner as the ational Standards Council may deem to be proper.

### 13. Books of accounts

The National Standards Council shall cause to be kept all proper books and records of account of the income, expenditure, assets and liabilities of the Fund and shall prepare such other accounts as the Cabinet Secretary may require and, in addition, shall prepare early balance sheets made up to the end of each financial year.

### 14. Audit

The accounts of the Fund shall be audited and reported on annually by the Auditor-General (Corporations) in accordance with part VII of the Exchequer and Audit Act.

- 15. The Fund shall produce and lay before the Auditor-General (Corporations) all accounts of the Fund with all vouchers in support hereof, and all books, papers and writings in its possession or Books of accounts control relating thereto, and the Auditor-General (Corporations) shall be entitled to require from all members, officers and servants of the Bureau such information and explanations as may be necessary for the proper performance of his duties.
- 16. At the completion of an audit under section 15, the Auditor-General (Corporations) shall make a report thereon to the National Standards Council and and shall at the same time furnish a copy of the report to the Cabinet Secretary.
- The expenses incidental to the auditing of the accounts shall be borne by the Fund.

# FIRST SCHEDULE

[r. 4]

FORM SL. 1

## STANDARD LEVY NOTIFICATION FORM

DATE STAMP

To The Director, Kenya Bureau of Standards, P.O. Box 54974, Nairobi.	Registration No.  (1) Companies Act: (2) Co-operative: (3) Business Name: (4) Partnership:
Name of Business	
Plot No	
Road/Street	
Address	
Telephone No	
Admin. Location	
Name and address of proprietor or par executive and directors	rtners; and in the case of companies, the chief
All commodities manufactured or to be	
Date upon which manufacture commen	
Total value of manufacture in the last ca	alendar year K£
If applicant has branches operating, giv	e name and address of branches
	O SCHEDULE
ار FORM SL. 2	r. 6(1)]
FURIVI SL. Z	

## STANDARDS LEVY RETURN

DATE	STAMP

1.	Name									
	Address	s								
	Telepho	one No								
	Entry N	o								
3		covered by t 4 tyQuantity Manufact	5	6 lue Rate of	7 Tota	ıl Levy able	8 Amou	nt	9 Balar	nce
	Explana	ation of bala	nce							
an	d comple	ete.		y certify tha	t the info	rmation	in this	return	is true	e, correct
	Signatu	ire and posi	tion							
Da		any stamp) Amount Paid	Receipt No.	Period of which Payable	Penalty Rate		nalty yable		unt	Balance Dr. Cr.

## THE STANDARDS ORDER

[Legal Notice 225 of 1991]

- 1. This Order may be cited as the Standards Order.
- 2. Kenya Standards having been declared for several commodities and methods and procedures set out in the first and second columns of the Schedule, no person shall manufacture or sell those commodities or use those methods and procedures on or after the date of publication of this Order unless than commodities and methods and procedures comply with the requirements of the relevant Kenya Standards.

	SCHEDULE	
Number	002022	Title of Specification or Code Practice
KS 06-09:1990		Kenya standard specification for liquefied petroleum gas (LPG) cylinders. Part 3: Kenya standard code of practice for filling, distribution and retailing of
KS 02-22: 1990		LPG in cylinders. Kenya standard specification for hot rolled steel bars for reinforcement of concrete. 1st Revision.
KS 01-62: 1990		Kenya standard specification for dairy cattle feed supplements.  1st Revision.
KS 08-68: 1990		Kenya standard textile care labelling code. 1st Revision.
KS 08-117: 1989		Kenya standard specification for blankets. Part 4: Blankets made from recycled fibres.
KS 01-138: 1990		Kenya standard specification for compounded pig feeds. 1st Revision.
KS 06-153: 1989		Kenya standard specification for steel wheel-barrows, 1st Revision.
KS 06-218: 1990		Kenya standard specification for steel hinges. 1st Revision.

Kenya standard specification for sound systems equipment.
Part 3: Amplifiers. Kenya standard specification for household electric ranges. 1st
Revision. Kenya standard specification for spark
plugs. 1st Revision. Kenya standard specification for steel
windows and doors. Kenya standard specification for tower
bolts. Kenya standard specification for galvanized mild steel cylinders for hot water
purposes. Kenya standard specification for power take-off for agricultural
tractors. Kenya standard code of practice for the protection of structures against lightning.
Part 2: Code of practice for earthing. Kenya standard
specification for gasohol. Kenya standard specification for hair oils.
Kenya standard specification for standard adjacent fabrics. Part 6: Secondary acetate. Part 7: Triacetate. Part 8: Cotton.
Kenya standard specification for gin.
Kenya standard specification for rum.
Kenya standard specification for brinjals (egg plants) or aubergines.

S	Standards
	[Subsidiary]
KS 01-671: 1989	Kenya standard
	specification for fresh
	capsicum.
KS 01-676: 1990	Kenya standard
	specification for grades of
	raw hides and skins.
	Part 1: Cattle hides and
1/0 04 077 4000	calf skins.
KS 01-677: 1990	Kenya standard
	specification for full-
VC 04 070, 4000	chrome upper leather.
KS 01-679: 1989	Kenya standard
	specification for sole
VC 01 604: 1090	leather.
KS 01-694: 1989	Kenya standard
	specification for
	groundnuts (peanuts). Part 1: Raw groundnuts
	for table use and oil
	milling.
KS 01-695: 1989	Kenya standard
10 01-093. 1909	specification for cut
	flowers and cut foliage.
	Part 1: Fresh cut flowers.
KS 06-700: 1990	Kenya standard
110 00 100. 1000	specification for inner
	tubes for motorized
	vehicles.
KS 04-743: 1989	Kenya standard
	specification for battery
	chargers.
KS 05-753: 1989	Kenya standard
	specification for chilli
	sauce.
KS 04-762: 1989	Kenya standard
	specification for copper
	strips for electrical
	purposes.
KS 02-766: 1990	Kenya standard
	specification for clay
1/0 04 704: 4000	flooring tiles.
KS 01-784: 1989	Kenya standard
VC 04 705: 4000	specification for fish meal.
KS 01-785: 1989	Kenya standard
	specification for bone
	meal for compounding animal feeds.
KS 01-786: 1989	Kenya standard
10 01-700. 1909	specification for blood
	meal for compounding
	animal feeds.
	ariiridi 100do.

	Standards	
[Subsidiary]		
KS 01-787: 1989		Kenya standard specification for fresh okra.
KS 03-796: 1989		Kenya standard specification for mineral oil for cosmetic industry.
KS 03-797: 1989		Kenya standard specification for sesame (simsim) oil for cosmetic industry.
KS 03-798: 1989		Kenya standard specification for groundnut (peanut) oil for cosmetic industry.
KS 03-800: 1989		Kenya standard specification for coconut oil for cosmetic industry.
KS 03-810: 1990		Kenya standard specification for printing inks for use on food wrappers.
KS 01-818: 1989		Kenya standard code of practice for preservation of raw cattle hides and calf skins. Part 1: By stack salting.
KS 01-838: 1989		Kenya standard specification for meat and bone-meal.
KS 04-869: 1990		Kenya standard specification for lead-acid traction batteries. Part 1: General requirements and methods of test. Part 2: Dimensions of cells and marking of polarity on cells.
KS 04-889: 1989		Kenya standard specification for cable trunking. Part 1: Steel surface trunking. Part 2: Steel underfloor (duct) trunking. Part 3: Trunking made of insulating materials.
KS 04-890: 1989		Kenya standard specification for classification of degrees

[Rev. 2022]	Standards	CAP. 496
	Staridards	[Subsidiary]
		of protection provided by
		enclosures.
KS 06-896: 1990		Kenya standard
		specification for periodic
		inspection, testing
		and maintenance of
		transportable gas
		containers (excluding
		dissolved acetylenes
		containers).
KS 06-897: 1990		Kenya standard
		specification for periodic
		inspection testing
		and maintenance of
		transportable gas
		containers for dissolved
		acetylenes.
KS 06-901: 1990		Kenya standard
		specification for malleable
		cast iron.
KS 06-902: 1990		Kenya standard
		specification for steel
		castings for general
		engineering purposes.
		Part 1: General
		requirements.
		Part 2: General technical
		delivery requirements.
		Part 3: Charpy impact test
		(V-notch) for steel.
KS 06-903: 1990		Kenya standard
		specification for aluminium
		and aluminium alloy ingots
140 00 004 4000		and castings.
KS 06-904: 1990		Kenya standard
		specification for cast
KC 06 00E. 1000		copper alloy.
KS 06-905: 1990		Kenya standard
		specification for wheel
		rims made of cast light
KS 06-963: 1990		alloy for passenger cars. Kenya standard
K3 00-903. 1990		•
		specification for industrial safety helmets.
KS 04-1021: 1990		Kenya standard
NO 04-1021. 1880		specification for general
		purpose steel wire strand.
KS 03-1024: 1990		Kenya standard
NO 00-1024. 1330		specification for vitreous
		specification for vitreous

china water closset pans

	Stariuarus
[Subsidiary]	
	Part 1: Wash down water
	closset pans.
	•
	Part 2: Squatting wash
KC 02 400F: 4000	down water closset pans.
KS 03-1025: 1990	Kenya standard
	specification for metre
	rules and rulers for school
	and office.
KS 03-1026: 1990	Kenya standard
	specification for
	protractors for use in
	schools.
KS 08-1033: 1990	Kenya standard
	specification for cotton
	Khanga.
KS 01-1040: 1990	Kenya standard
110 01 1040. 1000	specification for bee-hive
	Kenya top bar hive.
KS 08-1056: 1990	Kenya top bar nive. Kenya standard
KS 06-1050. 1990	
	specification for woven
	wrapping cloth.
	Part 1: Polypropylene
	cloth.
	Part 2: Jute cloth.
KS 09-1079: 1990	Kenya standard
	specification for depth
	micrometers.
KS 09-1080: 1990	Kenya standard
	specification for precision
	vernier depth gauges.
KS 09-1081: 1990	Kenya standard
	specification for precision
	vernier height gauges.
KS 09-1082: 1990	Kenya standard
. 10 00 1002	specification for spirit
	levels for use in precision
	engineering.
KS 09-1083: 1990	Kenya standard
1000-1000. 1990	specification for spirit level
	vials.
KC 00 4004: 4000	
KS 09-1084: 1990	pH measurement.
	Part 1: Specification for
	laboratory pH meters.
	Part 2: Specification for
	pH scale.
	Part 3: Specification for
	reference value standard
	solutions and operational
	reference standard
	solutions.

Part 4: Specification for glass and reference electrodes for the measurement of pH.

## THE STANDARDS (NO. 2) ORDER

[Legal Notice 113 of 1992]

- 1. This Order may be cited as the Standards (No. 2) Order.
- 2. Kenya Standards having been declared for several commodities and methods and procedures set out in the first and second columns of the Schedule, no person shall manufacture or sell those commodities or use those methods and procedures on or after the date of publication of this Order unless the commodities and methods and procedures comply with the requirements of the relevant Kenya Standards.

		•
	SCHEDULE	
Number	001125022	Title of Specification or
		Code of Practice
KS 06- 09: 1989		Kenya standard
		specification for L.P.G.
		cylinders.
		Part 2: Code of practice
		for safe use of L.P.G. in
		permanent dwellings.
KS 06-229: 1989		Kenya standard
		specification for edible
		salt. 1st Revision.
KS 06-259: 1989		Kenya standard
		specification for steel
		pipes for water and gas
		suitable for screwing. 1st
		Revision.
KS 05-702: 1989		Kenya standard
		specification for vinegar.
KS 06-756: 1989		Kenya standard
		specification for
		speedometer cables for
		automobiles.
KS 06-844: 1989		Kenya standard
		specification for hole
		sizes before threading in
		relation to machine parts.
KS 06-845: 1989		Kenya standard
		specification for grooved
		pulleys for classical and
		narrow veebelts.
KS 06-886: 1989		Kenya standard
		specification for widths
		across flats and
		mechanical properties of
		fasteners.
		Part 1: Dimensions across
		flats.

	Stariuarus
[Subsidiary]	
KS 06-886: 1989	Kenya standard specification for widths across flats and mechanical properties of fasteners.  Part 2: Mechanical
KS 06-886: 1989	properties of fasteners. Kenya standard specification for widths across flats and mechanical properties of fasteners. Part 3: Tolerance system
KS 06-895: 1989	for threaded fasteners. Kenya standard specification for bicycles (safety requirements).
KS 06-906: 1989	Kenya standard specification for motor- cycle (symbols for controls, indicators and tell-tales).
KS 08-132: 1989	Kenya standard specification for woven bags made from natural fibres for cereals and pulses. 1st Revision.
KS 08-367: 1989	Kenya standard specification for cotton canvas. 1st Revision.
KS 08-507: 1989	Kenya standard specification for sanitary towels. Part 1: Sanitary towels for external use.
KS 08-639: 1989	Kenya standard specification for gauze bandages. Part 1: Cotton gauze bandages.
KS 03-649: 1989	Kenya standard specification for automobile windscreens. Part 1: Toughened windscreens. Part 2: Laminated windscreens.
KS 08-779: 1989	Kenya standard specification for carpets. Part 2: Sisal carpets.

	Standards
	[Subsidiary]
KS 08-781: 1989	Kenya standard
	specification for cones.
	Part 2: Plastic cones.
KS 03-799: 1989	Kenya standard
	specification for castor oil
	for cosmetic industry.
KS 03-802: 1989	Kenya standard
	specification for cut-size
	office papers.
	Part 1: Bond papers.
KS 03-813: 1989	Kenya standard
	specification for matt
	solvent borne paints for
	interior and exterior use.
KS 03-915: 1989	Kenya standard
	specification for
	anhydrous lanolin for
	cosmetic industry.
KS 03-916: 1989	Kenya standard
	specification for shaving
	preparations.
	Part 1: Shaving creams.

**CAP. 496** 

[Rev. 2022]

**CAP. 496** 

## THE STANDARDS ORDER

[Legal Notice 112 of 1992]

- 1. This Order may be cited as the Standards Order.
- 2. Kenya Standards having been declared for several commodities and methods and procedures set out in the first and second columns of the Schedule, no person shall manufacture or sell those commodities or use those methods and procedures on or after the date of publication of this Order unless the commodities and methods and procedures comply with the requirements of the relevant Kenya Standards.

	SCHEDULE
Number	Title of Specification or Code of Practice
KS 05- 28 :1990	Kenya standard specification for cheese
	1st Revision.
	Part 1: General requirements for
	cheese.
KS 05- 39:1990	Kenya standard specification for tomato
	products.
	1st Revision.
	Part 1: General requirements for
	labelling.
	Part 2: Guidelines for
	Add II: Date marking.
	Add III: Nutrition labelling.
	Add III: Claims. Add IV: Non-retail containers of foods.
KS 08-117 :1990	
KS 06-117 .1990	Kenya standard specification for blankets.
	Part 6: Non-woven blankets.
KS 04-179 :1990	Kenya standard specification for rigid
10 04-170 .1000	PVC conduits and fittings for electrical
	wiring.
	Part 2: Fittings (1st Revision).
KS 04-194 : 1990	Kenya standard specification for PVC
	insulated cables for electricity supply.
	2nd Revision.
KS 01-227 : 1990	Kenya standard specification for cashew
	kernels.
	Part 2: Roasted cashew kernels.
KS 08-273 : 1990	Kenya standard specification for woven
	bags (100 per cent sisal) for clean
	coffee beans.
KS 04-468 :1990	Kenya standard specification for flexible
	PVC conduits for electricity wiring.
	Part 2: Corrugated conduits.
KS 05-522 : 1990	Kenya standard specification for canned
	fish.
	Part 3: Fish canned in oil.

	- Clarida do
[Subsidiary]	
KS 05-523 :1990	Kenya standard specification for
	breakfast cereals.
	Part 2: Flaked cereals (ready-to-eat).
KS 08-542 : 1990	Kenya standard specification for the
	national flag of Kenya.
	Part 1: Cotton, man-made fibres and
	blends.
	Part 2: Wool/Synthetic blends.
KS 08-597 : 1990	Kenya standard specification for
	mattress covers.
KS 05-609 : 1990	Kenya standard specification for still
	(grape) table wines.
KS 05-611 : 1990	Kenya standard specification for fruit
	wines.
KS 05-613 : 1990	Kenya standard specification for vodka.
KS 05-618 :1990	Kenya standard specification for cider
	and perry.
KS 08-629 : 1990	Kenya standard specification for
	sweaters.
KS 05-660 : 1990	Kenya standard specification on the
	schedule for safe use of food additives.
	Number
	KS 08-273 : 1990
	KS 04-468 :1990 KS 05-522 : 1990 KS
	05-523 :1990 KS 08-542 : 1990
	KS 08-597 : 1990 KS 05-609 : 1990 KS
	05-611 : 1990
	KS 05-613 : 1990 KS 05-618 :1990
	KS 08-629 : 1990 KS 05-660 : 1990
	Part 1: Part 2: Part 3: Part 4:
	General principles. Carry overs.
	Permitted preservatives. Permitted anti-
160 04 004 : 4000	oxidants.
KS 01-694 : 1990	Kenya standard specification for
	groundnuts.
KS 08-697 :1990	Part 2: Roasted groundnuts.  Kenya standard code of practice for
KS 00-097 .1990	grading of textile materials.
	Part 1: Fabrics.
KS 02-752 : 1990	Kenya standard code of practice for
NO 02-702 : 1000	laying and finishing of concrete and
	terrazo flooring tiles.
KS 02-767 : 1990	Kenya standard code of practice for
110 02 707 1 1000	laying clay flooring tiles.
KS 02-769 :1990	Kenya standard specification for
	bitumen road emulsions (anionic and
	cationic).
KS 01-868 : 1990	Kenya standard specification for
	macadamia kernels.
KS 01-870 :1990	Kenya standard specification for
	cucumbers and courgettes.
	· ·

	Standards
	[Subsidiary]
KS 08-892 : 1990	Kenya standard specification for fabrics for curtain and drapes. Part 1: Woven fabrics.
KS 03-911:1990	Kenya standard specification for paint brushes.
KS 03-924 : 1990	Kenya standard specification for motor vehicle chevrons and strips.
KS 08-933 : 1990	Kenya standard specification for tubes (bobbins) for ring frames.
KS 04-934: 1990	Kenya standard specification for cooker control units.
KS 04-936 :1990	Kenya standard specification for insulated cables and flexible cords for use in high temperature zones.
KS 01-938 : 1990	Kenya standard specification for roasted mixed nut kernels.
KS 01-940:1990	Kenya standard specification for head lettuce.
KS 08-942 :1990	Kenya standard specification for process colours for traffic signs.
KS 08-944:1990	Kenya standard specification for woven bags (100 per cent sisal) for green tea leaves. Part 1: Three dimensional type. Part 2: Two dimensional type.
KS 06-950 : 1990	Kenya standard specification for metallic materials. Part 1: Wire-wrapping test. Part 2: Tube-flattening test. Part 3: Bend test.
KS 04-1022 :1990	Part 4: Tube (in full section)—bend test. Kenya standard specification for 600/1000v PVC insulated single-phase concentric cables with copper or aluminium conductors for electricity supply.
KS 04-1023 : 1990	Kenya standard specification for aluminium drawing stock for electrical purposes.
KS 01-1078 : 1990	Kenya standard specification for flyer bobbins.
KS 01-1078 : 1990	Kenya standard specification for chillies.

## THE STANDARDS ORDER

[Legal Notice 198 of 1995]

- 1. This Order may be cited as the Standards Order.
- **2.** The Kenya Standard having been declared for the commodity set out here below, no person shall manufacture or sell the commodity on or after the date of publication of this Order unless the commodity complies with the requirements of the said Kenya Standard.

Number

KS 03–275

KS 03–275

KS 03–275

Kenya Standard specification (specification of the said Kenya Standard specification of the said Kenya Standard (specification of the said Kenya Standard (sp

[Rev. 2022] CAP. 496

[Subsidiary]

## THE STANDARDS ORDER

[Legal Notice 176 of 1997]

- 1. This Order may be cited as the Standards Order.
- 2. The Standards having been declared for several commodities and methods and procedures set out in the first and second columns of the Schedule, no person shall manufacture or sell those commodities or use those methods and procedures on or after the date of publication of this Order unless the commodities and methods and procedures comply with the requirements of the relevant Kenya Standards.

		_
	SCHEDULE	
Number	OONEDOLL	Title of Specification or
		Code of Practice
KS 04-180: 1991		Kenya standard
		specification for metallic
		conduits and fillings for
		electrical installations.
		Part 2: Fittings.
KS 04-185: 1991		Kenya standard
		specification for lead-acid
		starter batteries.
		Part 2: Dimensions of
		batteries, dimensions and marking of terminals.
KS 04-186: 1991		Kenya standard
100 04-100. 1001		specification for automatic
		fire alarm systems in
		buildings.
		Part 7: Methods of test of
		sensitivity to fire.
KS 03-647: 1991		Kenya standard
		specification for industrial
140 04 = 44 4004		oxygen. 1st revision.
KS 04-744: 1991		Kenya standard
		specification for earth-rods and their connectors.
		Part 1: Copper-clad earth
		rods.
KS 08-893: 1991		Kenya standard
. 10 00 0001 100 1		specification for upholstery
		fabrics.
		Part 1: Woven and knitted
		fabrics.
KS 08-894: 1991		Kenya standard
		specification for silver
160.00.000.4004		cans.
KS 03-909: 1991		Kenya standard
		specification for semi-

[Subsidiary]	
KS 03-910: 1991	gloss solvent borne paints for interior/exterior use. Kenya standard specification for super
	gloss solvent borne paints
1/0 00 040 4004	for interior/exterior use.
KS 03-912: 1991	Kenya standard specification for xylene.
KS 03-913: 1991	Kenya standard
KS 03-914: 1991	specification for toluene. Kenya standard
NO 00-914. 1991	specification for acetone.
KS 03-921: 1991	Kenya standard
KS 03-948: 1991	specification for kraft liner. Kenya standard
110 00 0 10. 100 1	specification for
	corrugated fibre-board boxes for horticultural
	export.
KS 08-1032: 1991	Kenya standard
	specification for cylindrical
	tubes for open-end spinning.
KS 08-1035: 1991	Kenya standard
KS 08-1062: 1991	specification for kitenge. Kenya standard
1000 1002. 1001	specification for infants'
VC 04 1067: 1001	outwear garments.
KS 04-1067: 1991	Kenya standard specification for lead-acid
	stationary batteries.
	Part 1: General requirements.
	Part 2: Requirements
	for pasted plate type
KS 04-1068: 1991	batteries. Kenya standard
	specification for domestic
	metallic meter boxes. Part 1: Single phase
	metering.
KS 04-1069: 1991	Kenya standard
	specification for PVC covered conductors for
1/0 04 4400 1551	overhead power lines.
KS 04-1109: 1991	Kenya standard specification for earthing
	clamps.
KS 04-1111: 1991	Kenya standard
	specification for household electrical appliances.

	[Subsidiary
	Part 5: Particular
	requirements for battery
	powered shavers, hair
	clippers and similar
	appliances and their
	charging and battery
	assemblies.
	Part 9: Requirements for
	a.c. electrical shavers,
	hair clippers and similar
I/O 00 4440: 4004	appliances.
KS 08-1118: 1991	Kenya standard
	specification for top and
	bottom aprons used in the
I/O 00 4440, 4004	textile industry.
KS 08-1119: 1991	Kenya standard
	specification for ring travelers.
	Part 1: Metallic travellers.
	Part 2: Plastic travellers.
KS 08-117: 1991	Kenya standard
NO 00-117. 1991	specification for woven
	blankets.
	Part 5: Blankets made
	from acrylic fibres.
KS 04-185: 1991	Kenya standard
	specification for lead acid
	starter batteries.
	Part 5: General
	requirements and
	methods of test.
KS 03-511: 1991	Kenya standard
	specification for plastic
	containers.
	Part 1: Buckets.
KS 02-749: 1991	Kenya standard
	specification for fibre
	concrete roofing tiles.
KS 03-920: 1991	Kenya standard
	specification for jute/sisal
KO 00 4007 4004	batching oil.
KS 03-1027: 1991	Kenya standard
	specification for auto
	refinishing paints.
	Part 1: Synthetic resin
KS 03-1101: 1991	type. Kenya standard
NO 00-1101. 1331	specification for titanium
	dioxide pigments for
	paints.
	ραιπιο.

## Standards

Standa	rds
[Subsidiary]	
KS 03-1102: 1991	Kenya standard specification for lithopone
KS 08-1107: 1991	pigments for paints. Kenya standard specification for two- pin reversible plugs and shaver socket outlets.
KS 06-08: 1992	Kenya standard specification for S.I. units.
KS 05-10: 1992 (second edition)	Kenya standard specification for unprocessed whole milk.
KS 03-24: 1992	Kenya standard specification for toilet paper in rolls and reels. (1st revision).
KS 05-28: 1992	Kenya standard specification for cheese. Part 2: Kenyan Cheddar
KS 06-52: 1992	cheese (1st revision) Kenya standard specification for exhaust systems. (1st revision). Part 1: Motor vehicle exhaust systems. Part 2: Steel pipes used in
KS 06-204: 1992	exhaust systems. Kenya standard specification for shovels. Part 1: Mild steel shovels. (1st revision). Part 2: Medium steel shovels. (1st revision).
KS 08-274: 1992 (second edition)	Kenya standard specification for sisal: Agriculture baler twines (1st revision)
KS 05-319: 1992 (second edition)	Kenya standard specification for sugar confectionery. (1st revision). Part 1: High boiled sweets. Part 3: Chewing gum and bubble gum.
KS 06-408: 1992 (second edition)	Kenya standard specification for towels. (1st revision).
KS 06-452: 1992 (second edition)	Kenya standard specification for filing

	[Subsidiary
KS 08-479: 1992 (second edition)	cabinets for general office purposes. (1st revision). Kenya standard specification for sewing threads. Part 1: Cotton sewing threads. Part 2: Sewing threads made wholly or partly
KS 08-520: 1992 (second edition)	from synthetic fibres. (1st revision). Kenya standard specification for woven fabrics used for suits, jackets and trousers. (1st
KS 03-588: 1992	revision). Kenya standard specification for PVC
KS 01-592: 1992	slippers. Kenya standard
KS 05-612: 1992	specification for cigarettes. Kenya standard
KS 05-616: 1992	specification for whisky. Kenya standard
KS 08-642: 1992	specification for brandy. Kenya standard specification for sisal
KS 03-650: 1992	packing twines. Kenya standard specification for glass globes for hurricane
KS 01-871: 1992	lamps. Kenya standard specification for compounded fish feeds.
KS 06-1086: 1992	Part 1: Trout feeds. Kenya standard specification for hacksaw blades.
KS 03-1099: 1992	Kenya standard specification for engine
KS 08-1120: 1992	oils. Kenya standard specification for doubling
KS 08-1124: 1992	and twisting bobbins. Kenya standard specification for sisal
KS 08-1125: 1992	polishing cloth. Kenya standard specification for carpet backing fabrics.

Standa	nrds
[Subsidiary]	
. ,,	
	Part 1: Jute fabrics.
KS 08-1127: 1992	Kenya standard
	specification for curtain
	tapes.
KS 08-1142: 1992	Kenya standard
	specification for polyolefin
	agricultural twines.
KS 08-1145: 1992	Kenya standard
10 00 1110. 1002	specification for three-
	strand (hawser-laid) and
	,
	eight-strand (plaited) poly
	propylene monofilament or
1/0 00 ///0 /000	film ropes.
KS 08-1146: 1992	Kenya standard
	specification for polyolefin
	woven sacks (bags) for
	packing fertilizer.
KS 08-1151: 1992	Kenya standard
	specification for transfer
	cones.
KS 03-1222: 1992	Kenya standard
	specification for ink
	pasteblack for stencil
	duplicating machine.
KS 05-30: 1993	Kenya standard
100000. 1000	specification for
	pasteurized liquid milk.
	(1st revision).
KC 05 210: 1002	,
KS 05-319: 1993	Kenya standard
	specification for sugar
	confectionery. (1st
	revision)
	Part 2: Caramel, toffee
	and fudge.
KS 05-326: 1993	Kenya standard
	specification for edible oils
	and fats.
	Part 7: Standard for palm
	oil.
KS 05-405: 1993	Kenya standard
	specification for fruit
	nectars preserved
	exclusively by physical
	means.
	Part 3: Specification for
	passion fruit nectar.
KS 05-435: 1993	Kenya standard
13 100. 1000	specification for
	dehydrated vegetables.
	denydrated vegetables.

[Rev. 2022]		CAP. 496
	Standards	
		[Subsidiary]
KS 05-436: 1993		Kenya standard
		specification for cocoa
		powder.
		Part 1: Unsweetened
		cocoa powder.
KS 05-703: 1993		Kenya standard
		specification for
		reconstituted/recombined
		pasteurized liquid milk.
KS 02-751: 1993		Kenya standard
		specification for concrete
		flooring titles.
KS 05-941: 1993		Kenya standard
		specification for fermented
		(cultured) milk.
KS 06-1020: 1993		Kenya standard
		specification for light
		gauge metal containers.
		Part 1: Definitions and
		determination methods for
		dimensions and capacities
		for open-top cans.
		Part 2: Capacities and
		related cross sections for
		open-top cans for general
		foods.
		Part 3: Capacities and
		related cross sections for
		cans for meat and meat
		products.
		Part 4: Capacities and
		related cross section for
		open-top cans for drinks. Part 5: Capacities and
		related cross section for
		open-top cans for edible oil.
		****
		Part 6 Capacities and related cross sections for
		open-top cans for fish and
		fishery products.
		Part 7: Capacities and
		related cross sections for
		open-top cans for milk.
		Part 8: Internal diameters
		of round open-top cans.
KS 03-1027: 1993		Kenya standard
NO 00 1027, 1000		specification for auto
		refinishing paints.
		Part 2: Nitrocellulose

Part 2: Nitrocellulose

resin.

CAP. 496	[Rev. 2022] Standards
[Subsidiary]	Stariuarus
KS 02-1070: 1993	Kenya standard
	specification for stabilized soil blocks.
KS 06-72: 1994	Kenya standard
NO 00-72. 1934	specification for steel nails
	(1st revision).
KS 02-95: 1994	Kenya standard
	specification for natural
	aggregates for concrete
	(1st revision).
KS 08-135: 1994	Kenya standard
	specification for woven
	polyolefin sacks for sugar
	(1st revision).
KS 03-352: 1994	Kenya standard
	specification for
1/0 00 070 1001	fluoridated tooth-paste.
KS 06-372: 1994	Kenya standard
	specification for matatu
KS 08-409: 1994	vehicles construction.
NS 00-409. 1994	Kenya standard specification for baby
	napkins. (1st revision).
KS 06-478: 1994	Kenya standard
100 470. 1004	specification for
	polyethylene plastic (PE)
	pipes for water supply.
	(Low and high density).
	Part 1: Requirements.
KS 08-528: 1994	Kenya standard
	specification for flat cotton
	wicks (1st revision).
KS 08-606: 1994	Kenya standard
	specification for bed
	sheets made from blended
	polyester/cellulosic or
	polyester and cellulosic
	combination fabric. (1st
KS 06 823: 1004	revision).
KS 06-823: 1994	Kenya standard specification for V-belts for
	industrial machines

industrial machines.

KS 08-893: 1994 Kenya standard

specification for upholstery

fabrics.

Part 2: Coated fabrics. Kenya standard specification for kikoi.

KS 06-1063: 1994 Kenya standard

KS 08-1034: 1994

specification for hurricane

lanterns.

	Standards
	[Subsidiary]
KS 06-1064: 1994	Kenya standard
	specification for non-
	pressure stoves.
KS 08-1152: 1994	Kenya standard
	specification for weft pins.
	Part 2: Automatic looms.
KS 02-1262: 1994	Kenya standard
	specification for ordinary
	portland cement.
KS 02-1263: 1994	Kenya standard
	specification for portland
	pozzolana cement.
KS 04-1111: 1994	Kenya standard
	specification for household
	and similar electrical
	appliances.
	Part 16: Particular
	requirements for
	commercial deep fat
KS 04-1229: 1994	fryers.
NS 04-1229. 1994	Kenya standard specification for reels and
	wooden drums, for electric
	cables, wires and bare
	conductors.
	Part 1: Wooden drums.
	Part 2: Metal drums
	(reels).
KS 03-1103: 1994	Kenya standard
	specification for aluminium
	pigments for paints.
KS 03-1180: 1994	Kenya standard
	specification for ethyl
	ketone.
KS 03-1181: 1994	Kenya standard
	specification for methyl
	isobutyl ketone.
KS 03-1182: 1994	Kenya standard
	specification for butyl
	alcohol.
KS 03-1183: 1994	Kenya standard
	specification for isobutyl
1/0 00 1101 1001	alcohol.
KS 03-1184: 1994	Kenya standard
	specification for isopropyl
KC 05 4404, 4004	alcohol.
KS 05-1121: 1994	Kenya standard
	specification for sparkling
	wines.

CAP. 496	Standards	[Rev. 202
[Subsidiary]		
KS 05-1122: 1994		Kenya standard specification for fortified
KS 05-1041: 1994		wines. Kenya standard specification for opaque
KS 05-1123: 1994		beers. Kenya standard
KS 05-1042: 1994		specification for buns. Kenya standard
KS 05-459: 1994		specification for cakes. Kenya standard specification for drinking water. Part 7: Specification for containerized mineral
KS 02-1228: 1994		water. Kenya standard specification for road
KS 06-292: 1994		aggregates. Kenya standard specification for joints and fittings for use with unplasticized PVC pressure pipes. Part 1: Injection moulded unplasticised PVC fittings for solvent welding for use with pipes, including portable water supply. Part 2: Fabricated unplasticized PVC fittings and mechanical joints made principally from unplasticized pipes. Part 3: Specification for solvent cement.
KS 01-1169: 1995		Kenya standard specification for garden peas. Part 1: Green peas in
KS 08-1257: 1995		pods. Kenya standard specification for umbrella fabrics.

KS 08-116: 1995

KS 08-505: 1995

Part 3: Silk fabrics.

Kenya standard specification for cotton drills. (Second revision). Kenya standard

specification for women's

S	tandards
	[Subsidiary]
	and girls' outwear
	garments. (1st revision).
KS 08-1264: 1995	Kenya standard
	specification for shuttles.
	Part 1: Shuttles for
	automatic looms.
KS 08-1233: 1995	Kenya standard
	specification for spinning
	doubling and twisting
	rings.
KS 05-1173: 1995	Kenya standard
	specification for canned
VO 05 4455 4005	plums.
KS 05-1175: 1995	Kenya standard
	specification for canned
KC 05 4470, 4005	guava.
KS 05-1176: 1995	Kenya standard
	specification for canned
KS 05-1178: 1995	peaches. Kenya standard
NS 05-1176. 1995	specification for canned
	tropical fruit salad.
KS 05-1088: 1995	Kenya standard
110 00 1000. 1000	specification for soups and
	broths.
KS 08-1094: 1995	Kenya standard
	specification for crips.
	Part 1: Potato crips.
KS 05-1159: 1995	Kenya standard
	specification for caraway.
KS 05-1160: 1995	Kenya standard
	specification for cumin.
KS 05-1161: 1995	Kenya standard
KO 05 4400 4005	specification for cinnamon.
KS 05-1162: 1995	Kenya standard
	specification for fenugreek
KS 05-1163: 1995	powder. Kenya standard
KS 05-1103. 1995	specification for thyme.
KS 05-1164: 1995	Kenya standard
10 00-110 <del>4</del> . 1000	specification for paprika.
KS 05-1046: 1995	Kenya standard
110 00 10 10 1000	specification for
	asparagus (vegetables).
KS 01-1048: 1995	Kenya standard
	specification for passion
	fruits.
KS 01-1050: 1995	Kenya standard
	specification for
	fresh whole carrots
	(vegetables).

Standa	ards
--------	------

	Stativatus
[Subsidiary]	
KS 01-949: 1995	Kenya standard
	specification for rice bran.
KS 04-314: 1995	Kenya standard
	specification for cables for
	vehicles (1st revision).
KS 04-1108: 1995	Kenya standard
	specification for isolating
	transformers and safety
	isolating transformers.
	Part 1: General
	requirements.
	Part 2: Supplementary
	requirements for isolating
1/0 04 4444 4005	transformers.
KS 04-1111: 1995	Kenya standard
	specification for household
	and similar electrical
	appliances. Part 17: Particular
	requirements for
	commercial electric
	griddles and griddle grills.
	Part 19: Particular
	requirements for
	commercial electrical
	forced convection ovens.
KS 03-1273: 1995	Kenya standard
	specification for
	unsaturated polyester
	resin for body fillers.
KS 03-1106: 1995	Kenya standard
	specification for water
	closet (WC) plastic seats
KO 00 544, 4005	and covers.
KS 03-511: 1995	Kenya standard
	specification for plastic containers.
KS 06-883: 1995	Kenya standard
110 00 000. 1000	specification for hook
	bolts.
KS 06-476: 1995	Kenya standard
	specification for uncoated
	aluminium holloware
	cooking utensils.
	Part 1: Domestic
	aluminium sufurias.
KS 06-1225: 1995	Kenya standard
	specification for domestic
1/0 04 4444 4005	thermos flasks.
KS 04-1111: 1995	Kenya standard
	specification for household

[1164. 2022]	Standards	OAI : 430
		[Subsidiary]
		and similar electrical
		appliances.
		Part 2: Particular
		requirements for electric
		clocks.
KS 06-992: 1995		Kenya standard
		specification for manually
		operated chaff cutter.
KS 06-1287: 1995		Kenya standard
		specification for non-
		destructive testing
		qualification and
		certification of personnel.
KS 08-1150: 1995		Kenya standard
		specification for
		condenser rubbers for
		cards.
KS 08-117: 1995		Kenya standard
		specification for woven
		blankets.
		Part 1: Blankets made
		from mixed fibres. (1st
		revision). Part 2: Blankets made
		from wool fibres. (1st
KS 08-988: 1995		revision). Kenya standard
NS 00-900. 1995		specification for silver and
		yarn dyeing beams.
KS 08-1126: 1995		Kenya standard
1120. 1000		specification for neckties.
		Part 1: Neckties made
		from woven fabrics.
KS 08-1128: 1995		Kenya standard
		specification for wicks for
		non-pressure stoves.
KS 08-1148: 1995		Kenya standard
		specification for fabrics for
		water resistant clothing.
KS 08-1149: 1995		Kenya standard
		specification for optical
		performance of high-
		visibility garments and
		accessories for use on the
		highway.
KS 08-1221: 1995		Kenya standard
		specification for crepe
		bandage.
KS 08-1232: 1995		Kenya standard
		specification for cylindrical
		tubes.

CAP. 496	[Rev. 2022
	Standards
[Subsidiary]	
KS 01-995: 1996	Kenya standard
	specification for green
VC 01 1040: 1006	grams.
KS 01-1049: 1996	Kenya standard specification for papaya.
KS 03-1266: 1996	Kenya standard
1000 1200. 1000	specification for body
	fillers.
KS 03-1267: 1996	Kenya standard
	specification for flexible
	polyurethane foam pillows
	for domestic use.
KS 03-1275: 1996	Kenya standard
	specification for emulsion
	distempers.
KS 03-1290: 1996	Kenya standard
	specification for bleaching
	agents. Part 1: Sodium
KS 06-884: 1996	hypochlorite solution. Kenya standard
NO 00-004. 1990	specification for draw-off
	taps and stop valves for
	water services.
KS 06-885: 1996	Kenya standard
	specification for
	underground stop valves
	for water services.
KS 06-1333: 1996	Kenya standard
	specification for punches.
	Part 1: Specification for
	wood and leather marking punches.
	Part 2: Specification for
	centre punches.
KS 06-1334: 1996	Kenya standard
	specification for engineer's
	squares.
KS 06-1335: 1996	Kenya standard
	specification for rivets.
KS 06-1337: 1996	Kenya standard
	specification for
140.00.4000.4000	continuous (piano) hinges.
KS 06-1338: 1996	Kenya standard
	specification for engineer's files.
KS 05-241: 1996	Kenya standard
10 00-241. 1990	specification for biscuits.
	(1st revision).
KS 05-1097: 1996	Kenya standard
	specification for pickles.
	1

	Standards
	[Subsidiary]
KS 05-1168: 1996	Kenya standard
110 00 1100. 1000	specification for beet
	extract.
KS 05-1157: 1996	Kenya standard
110 00 11011 1000	specification for mustard
	seed powder.
KS 05-1155: 1996	Kenya standard
	specification for whole and
	ground nutmeg.
KS 05-1154: 1996	Kenya standard
	specification for whole and
	ground ginger.
KS 05-1153: 1996	Kenya standard
	specification for coriander.
KS 05-1156: 1996	Kenya standard
	specification for whole and
	ground cloves.
KS 05-326: 1996	Kenya standard
	specification for edible oils
	and fats. (1st revision).
	Part 1: Shortenings and
	refined oils.
	Part 2: Vegetable ghee
	(vanaspali).
	Part 3: Mixed animal and
	vegetable ghee.
	Part 4: Edible tallow.
	Part 5: Lard.
	Part 6: Pork fat.
KS 05-1174: 1996	Kenya standard
	specification for canned
	pears.
KS 05-1177: 1996	Kenya standard
	specification for canned
	grape fruit.
KS 05-1179: 1996	Kenya standard
	specification for canned
	fruit cocktail.
KS 01-951: 1996	Kenya standard
	specification for soya
	beans.
KS 01-952: 1996	Kenya standard
	specification for wheat
	bran.
KS 03-1309: 1996	Kenya standard
	specification for diesel
	fuels.
	Part 1: Automotive gas oil
	(AGO).
	Part 2: Industrial diesel oil
	(IDO).

CAP. 496	[Rev. 2022]
	Standards
[Subsidiary]	
KS 03-1274: 1996	Kenya standard
	specification for epoxy
	paints for coffee
	fermentation tanks.
KS 03-807: 1996	Kenya standard
	specification for polishes.
	Part 1: Shoe polish wax
	solvent paste type.
	Part 2: Floor polish solvent
	type (liquid and paste).
	Part 3: Floor polish water
	emulsion buffable type.
KS 03-1310: 1996	Kenya standard
	specification for fuel oils.
KS 03-92: 1996	Kenya standard
	specification for synthetic
	detergents, powders
	for household use. (1st
	revision).
KS 03-1291: 1996	Kenya standard
	specification for butyl
	acetate.
KS 03-1292: 1996	Kenya standard
	specification for
1/0 00 1000 1000	ethylacetate.
KS 03-1293: 1996	Kenya standard
	specification for isobutyl
1/0 00 1000 1000	acetate.
KS 03-1296: 1996	Kenya standard
	specification for ethyl
KC 05 244: 4006	glycol.
KS 05-344: 1996	Kenya standard
	specification for honey.
KS 05-1311: 1996	(1st revision). Kenya standard
KS 05-1511. 1990	specification for canned
	beans in tomato sauce
	(baked beans).
KS 05-225: 1996	Kenya standard
10 00-220. 1000	specification for beer. (1st
	revision).
KS 05-459: 1996	Kenya standard
1.0 30 100. 1000	specification for drinking
	water.

Part 1: Specification for drinking water and containerized drinking water – (1st revision). Part 7: Specification for containerized mineral water. (1st revision).

Part 9: Code of hygienic practice for the collecting, processing and labelling of natural mineral water, mineral water and bottled drinking water.

[Rev. 2022] CAP. 496

[Subsidiary]

# THE QUALITY INSPECTION OF IMPORTS ORDER

[Legal Notice 155 of 1998]

- 1. This Order may be cited as the Quality Inspection of Imports Order.
- 2. All imports to Kenya shall be subjected to quality inspection by the Kenya Bureau of Standards at the port of entry.
- 3. The imported commodities will be allowed into the country upon issuance of a certificate of release by the Kenya Bureau of Standards.
- 4. Kenya Bureau of Standards shall ensure that all products meet the requirements of Kenya Standards and Standards approved by the Bureau.
- 5. The quality inspection fees for the imported commodities shall be 0.2 per cent of the C. & F. value for the final products and 0.1 per cent value of raw materials and intermediate goods and shall be payable before the issuance of the certificate of release.
- 6. The Cabinet Secretary may on the recommendation of the Nation Standards Council, exempt any imports from the provisions of this Order where he is satisfied that it is in the national interest to do so.
  - 7. Legal Notice No. 227 of 1995, is revoked.

[Rev. 2022] **CAP. 496** 

[Subsidiary]

## THE STANDARDS ORDER

[Legal Notice 53 of 2000]

1. This Order may be cited as the Standards Order.

2. Kenya Standards having been declared for the several commodities and methods and procedures set out in the first and second columns of the Schedule, no person shall manufacture or sell those commodities or use those methods and procedures on or after the date of publication of this Order unless the commodities and methods and procedures comply with the requirements of the relevant Kenya Standards.

	SCHEDULE	
Number	0000	Title of Specification or
		Code of Practice
KS 04-111: 1985		Part 2: Symbols (1st
		revision 1999).
		Part 3: Systems installed in clients premises (1st
		revision 1999).
		Part 4: Central stations
		(1st revision).
		Part 5: Detection devices
		for internal use (1st
		revision 1999).
		Part 7: Alarm transmission
		systems (1st revision
KS 04-464: 1982		1999). Kenya standard
NO 04-404. 1902		specification for tubular
		florescent lamps (1st
		revision 1999).
KS 08-508: 1984		Kenya standard
		specification for absorbent
		cotton wool for medical
140 00 505 4005		use (1st revision 1999).
KS 08-585: 1985		Kenya standard
		specification for zippers
KS 08-1076: 1999		(1st revision 1999). Kenya standard
10 00-1070. 1999		specification for fishing
		nets.
KS ISO 1711		Kenya standard
		specification for hand
		operated wrenches
		and sockets-technical
140 100 0 100		specifications.
KS ISO 3463		Kenya standard
		specification for wheeled
		tractors for agriculture and forestry—protective
		and lorestry—protective

	Starraurae
[Subsidiary]	
KS ISO 5700	structures—dynamic test method and acceptance conditions. Kenya standard specification for wheeled tractors for agriculture
KS ISO 8457-1	and forestry—protective structures—static test method and acceptance conditions. Kenya standard specification for steel wire rods
KS ISO 8457-2	Part 1: Dimensions and tolerances. Kenya standard specification for steel wire rods Part 2: Quality
	requirements for un- alloyed steel wire rods for conversion to wire.
KS ISO 11625	Kenya standard specification for gas cylinders—safe handling.
KS 06-259: 1981	Kenya standard specification for mild steel water pipes (1st revision 1999).
KS CODEX STAN 66-1981	Kenya standard for table olives (1st revision 1989).
KS CODEX STAN 67-1987	Kenya standard for raisins.
KS CODEX STAN 116-1981	Kenya standard for canned carrots.
KS CODEX STAN 159-1981	Kenya standard for canned mangoes.
KS 05-58: 1987	Kenya standard sampling methods and methods of chemical analysis for sugar (3rd revision 1999).
KS ISO 7932: 1993	Kenya standard methods for micro-biological examination of food and animal feed stuffs— enumeration of bacillus cereus.
KS ISO 8914: 1990	Kenya standard methods for micro-biological examination of food and animal feed stuffs

Standards

[Subsidiary] -detection of vibrio parahaemolticus. KS ISO 7937: 1985 Kenya standard methods for micro-biological examination of food and animal feed stuffsenumeration of clostridium perfrigens. KS 05-358: 1982 Kenya standard specification for carbonated and noncarbonated beverages (1st revision 1999). Kenya standard KS 05-224: 1980 specification for fruits squashes (1st revision 1999). KS 05-328: 1984 Kenya standard specification for fruitbased soft drink (1st revision 1999). KS 05-524: 1993 Kenya standard specification for pasta products (1st revision 1999). KS 05-1516: 1999 Kenya standard code of hygienic practice for the handling, processing, storage and marketing of fish and fishery products. KS 04-1278: 1999 Kenya standard specification for external television aerials in the frequency range 30 MHz to 1 GHz. KS 04-1451: 1999 Kenya standard specification for hot-rolled copper redraw rods for electrical purposes. KS 04-1430: 1999 Kenya standard specification for mechanical cable glands. Part 1: Metallic glands. Part 2: Polymeric mechanical glands. Part 3: Special corrosion resistant glands. Part 4: Code of practice

for selection, installation and inspection of cable

	Ctarradrad
[Subsidiary]	
	glands used in electrical
	installations.
KS IEC 950: 1999	Kenya standard
	specification for safety of
	information technology
	equipment, including
	electrical business
	equipment.
KS 03-82: 1978	Kenya standard
	specification for
	earthenware dinnerware
	(1st revision 1999).
KS 03-85: 1979	Kenya standard
	specification for aluminium
	sulphate (1st revision
	1999).
KS 03-86: 1979	Kenya standard
	specification for sulphuric
	acid (1st revision 1999).
KS 03-87: 1980	Kenya standard
	specification for
	hydrochloric acid (1st
	revision 1999).
KS 03-88: 1979	Kenya standard
	specification for distilled
1/0 00 00 10=0	water (1st revision 1999).
KS 03-89: 1979	Kenya standard
	specification for school
VC 02 04: 4005	chalks (1st revision 1999).
KS 03-91: 1985	Kenya standard
	specification for liquefied
	petroleum gases (LPG)
KS 03-155: 1978	(1st revision 1999). Kenya standard
NS 03-155. 1976	specification for sodium
	carbonate—technical
	grade (1st revision 1999).
KS 03-156: 1980	Kenya standard
1000 100. 1000	specification for caustic
	soda, pure and technical
	(1st revision 1999).
KS 03-163: 1981	Kenya standard colours
	for ready mixed paints (1st
	revision 1999).
KS 03-221: 1983	Kenya standard
	specification for lime for
	chemical industry (1st
	revision 1999).
KS 03-240: 1979	Kenya standard
	specification for glazed

•	Standards
	[Subsidiary]
	earthenware tiles (1st
	revision 1999).
KS 03-242: 1980	Kenya standard
	specification for sulphuric
	acid for use in lead-acid
	batteries (1st revision
KO 00 040-4000	1999).
KS 03-243: 1980	Kenya standard
	specification for PVC
	(vinyl) asbestos floor tiles
KS 03-289: 1980	(1st revision 1999). Kenya standard
NS 03-269. 1960	specification for unbacked
	flexible PVC floor covering
	(1st revision 1999).
KS 03-353: 1985	Kenya standard
1000-000. 1000	specification for crown
	finish glass bottles (1st
	revision 1999).
KS 03-375: 1982	Kenya standard
	specification for liquid
	carbon dioxide for
	industrial use (1st revision
	1999).
KS 03-377: 1982	Kenya standard
	specification for industrial
	and safety rubber knee
	boots (1st revision 1999).
KS 03-378: 1983	Kenya standard glossary
	of terms relating to glass
	industry (1st revision
140.00.070.4000	1999).
KS 03-379: 1982	Kenya standard
	specification for melamine
	plastic tableware (1st revision 1999).
KS 03-381: 1983	Kenya standard general
10 03-301. 1903	methods of test for
	pesticides and their
	formulations (1st revision
	1999).
KS 03-388: 1984	Kenya standard
	specification for base
	paper for waxed bread
	wrap (1st revision 1999).
KS 03-389: 1984	Kenya standard
	specification for waxed
	paper for bread wrap (1st
	revision 1999).

CAP. 496		[Rev. 2022
	Standards	
[Subsidiary]		
KS 03-390: 1983		Kenya standard methods of test for rubber boots (1st revision 1999).
KS 03-391: 1983		Kenya standard specification for general purpose rubber knee boots (1st revision 1999).
KS 03-398: 1983		Kenya standard specification for thermosetting plastic buttons (1st revision 1999).
KS 08-665: 1986		Kenya standard specification for textile labels (1st revision 1999).
KS ISO 14123-1: 1998		Kenya standard for safety of machinery—reduction of risks to health from hazardous substances emitted by machinery. Part 1: Principles and specifications for machinery manufacturers.
KS ISO 14123-2: 1998		Kenya standard for safety of machinery —reduction of risks to health substances emitted by machinery. Part 2: Methodology leading to verification procedures.
KS ISO 8759-1: 1988		Kenya standard for agricultural wheeled tractors—front mounted equipment. Part 1: Power take off.
KS ISO 8759-2: 1998		Kenya standard for agricultural wheeled tractors—front mounted equipment. Part 2: Front linkage.
KS ISO 4954: 1993		Kenya standard for steels for cold heading and cold extruding.
KS ISO 6788: 1988		Kenya standard for assembly tools for screws and nuts—four-way socket wrenches—dimensions and torque test.
KS 06-1512: 1999		Kenya standard for specification for general requirements for steel,

[Rev. 2022]		CAP. 496
	Standards	
		[Subsidiary]
VO 00 4540 4000		carbon and high-strength low-alloy hot-rolled sheet and cold-rolled sheet.
KS 06-1513: 1999		Kenya standard for specification for steel sheet and strip, heavy-thickness coils, carbon, hot-rolled.
KS ISO 3779: 1995		Kenya standard for road vehicles—Vehicle Identification Number (VIN).
KS 03-315: 1981		Kenya standard for motor vehicle brake fluids (1st revision 1999).
KS 03-581: 1986		Kenya standard for pure petroleum jelly for human use (1st revision 1999).
KS 03-698: 1987		Kenya standard specification for liquid detergent for household hand/dish washing (1st revision 1999).
KS 03-1507: 1999		Kenya standard specification for automotive multipurpose gear lubricants (extreme pressure gear oil).
KS 03-1508: 1999		Kenya standard specification for automotive multipurpose lithium soap greases.
KS 03-1408: 1999		Kenya standard specification for dimethoate. Part 1: Technical grade. Part 2: Emulsifiable concentrates.
KS 03-815: 1987		Kenya standard specification for portable reflective warning triangles for motor vehicles (1st revision 1999).
KS 03-653: 1986		Kenya standard specification for household insecticidal aerosols (1st revision 1999).
KS 03-578: 1986		Kenya standard specification for nail polish (1st revision 1999).

## Standards

	Starraaras
[Subsidiary]	
KS 03-1473: 1999	Kenya standard
	specification for lipstick.
KS ISO-11418: 1996	Kenya standard
	specification for containers
	and accessories
	for pharmaceutical
	preparations.
	Part 1: Drop-dispensing
	bottles.
	Part 2: Screw-neck bottles
	for syrups.
	Part 3: Screw-neck bottle
	(veral) for solid and liquid
	dosage forms.
	Part 4: Table bottles.
	Part 5: Dropper
KC 02 02: 4070	assemblies.
KS 03-03: 1976	Kenya standard
	specification for trimmed sizes of paper for writing
	and printing (1st revision
	1999).
KS 03-04: 1976	Kenya standard
110 00 04. 1070	specification for
	substances of paper and
	board (1st revision 1999).
KS 03-23: 1976	Kenya standard
	specification for mailing
	envelopes (1st revision
	1999).
KS 03-45: 1977	Kenya standard method
	of analysis for soap (1st
	revision 1999).
KS 03-400: 1983	Kenya standard
	specification for acetic
1/0 00 101 100=	acid (1st revision 1999).
KS 03-421: 1987	Kenya standard
	specification for newsprint
KS 03-484: 1984	(1st revision 1999). Kenya standard
NS 03-404. 1904	specification for carbon
	paper (1st revision 1999).
KS 03-513: 1985	Kenya standard
110 00 010. 1000	specification for glass
	tableware (1st revision
	1999).
KS 03-517: 1984	Kenya standard
	specification for ball point
	pens (1st revision 1999).
KS 03-575: 1985	Kenya standard
	specification for

[Rev. 2022]		CAP. 496
	Ctandarda	

Standards		
	[Subsidiary]	
	corrugated fibreboard	
	boxes (1st revision 1999).	
KS 03-275	Kenya standard	
	specification for motor	
	gasolines (petrol or spirit).	
	Part 1: Leaded petrol.	
	Part 2: Unleaded petrol.	
KS 08-1434	Kenya standard	
	specification for coated	
	tarpaulin fabrics.	
KS 08-1435	Kenya standard	
	specification for coated	
140.00.4500	fabric for shoes.	
KS 08-1532	Kenya standard code of	
	practice for inspection	
	and acceptance criteria	
	for used textile products (mitumba).	
	Part 1: Garments.	
KS 08-1533: 1999	Kenya standard code of	
NS 00-1555. 1999	practice for inspection and	
	acceptance criteria for	
	used footwear.	
KS 04-1386	Kenya standard	
110 01 1000	specification for	
	flashlights.	
KS 04-1450	Kenya standard	
	specification for lamps for	
	flashlights.	
	<u> </u>	

# THE STANDARDS (NO. 1) ORDER, 2001

[Legal Notice 69 of 2001]

- 1. This Order may be cited as the Standards (No. 1) Order, 2001.
- 2. The Kenya Standard having been declared as set out in the first and second column of the Schedule, no person shall manufacture or sell the commodity or use the methods and procedures on or after the date of publication of this Order unless the commodity or methods or procedures comply with the requirement of the relevant Kenya Standard.

Number
KS-1515:2000

SCHEDULE

Code of practice
Kenya standard code of practice for inspection of road vehicles

## THE STANDARDS ORDER

[Legal Notice 122 of 2002]

- 1. This Order may be cited as the Standards Order.
- 2. Kenya standards having been declared as set out in the first and second columns of the Schedule, no person shall manufacture or sell the commodities or use the methods or procedures on or after forty-two (42) days of the date of publication of this Order unless the commodities, methods or procedures comply with the requirements of the relevant Kenya Standard.

	SCHEDULE	
Number		Title of Specification
KS ISO 3527/2000		or Code of Practice Kenya standard specification for oil of parsley fruits (Petroselinum sativum hoffm).
KS ISO 3714/1976		Kenya standard specification for oil of pennyroyal.
KS ISO 3757/1978		Kenya standard specification for oil of patchouli.
KS ISO 8773/1991		Kenya standard specification for polypropylene (PP) pipes and fittings for buried drainage and sewerage systems —specifications
KS ISO 7165/1999		Kenya standard specification for fire fighting—portable fire extinguishers—performance and construction.
KS ISO 11601/2002		Kenya standard specification for wheeled fire extinguishers — performance and construction.
KS ISO 3761/1997		Kenya standard specification for oil of rosewood, Brazilian type [Anibarosaeodora Ducke

KS ISO 12480-1/1997

oil of coriander fruits (Coriandrum sativum L.).

Kenya standard specification for cranes—safe use. Part 1: General

	Standards	
		[Subsidiary]
KS ISO 3475/1975		Kenya standard specification for oil of aniseed.
KS ISO 3214/2000		Kenya standard specification for oil of Litsea cubeba (Litsea cubeba pers).
KS ISO 3518/1979		Kenya standard specification for oil of sandalwood (Santalum album Linnaeus).
KS ISO 7-1/1994		Kenya standard specification for pipe threads where pressure-tight joints are made on the threads.Part 1: Dimensions, tolerances and designation.
KS ISO 13563-1/2001		Kenya standard specification for single side loading fork-lift trucks. Part 1: Stability tests.
KS ISO 9926-1/1990		Kenya standard specification for cranes—training of drivers. Part 1: General.
KS ISO 7-2/2000		Kenya standard specification for pipe threads where pressure-tight joints are made on the threads. Part 2: Verification by means of limit gauges.
KS ISO 3528/1997		Kenya standard specification for oil of mandarin, Italian type (Citrus reticulata blanco).
KS ISO 885/2000		Kenya standard specification for general purpose bolts and crews—

04-	اء ء.		-1-
Sta	na	aro	วร

[Subsidiary] metric series-radii under the head. KS ISO 65/1981 Kenya standard specification for carbon steel tubes suitable for screwing in accordance with ISO 7-1. KS ISO 888/1976 Kenya standard specification for bolts, screws and studs—nominal lengths and thread lengths for general purpose bolts. KS ISO 2604-2/1975 Kenya standard specification for steel products for pressure purposes— quality requirements. Part 2: Wrought seamless tubes. KS ISO 2604-3/1975 Kenya standard specification for steel products for pressure purposes—quality requirements. Part 3: Electric resistance and induction-welded tubes. KS ISO 7279/1984 Kenya standard specification for polypropylene (pp) fittings for pipes under pressure sockets for fusion using heated tools - metric series —dimensions of sockets. KS ISO 7671/1991 Kenya standard specification for polypropylene (pp) pipes and fittings (jointed by means of elastomeric sealing rings) for

[Subsidiary] soil and waste discharge (low and high temperature) systems inside buildingsspecifications. Kenya standard KS ISO 3519/1997 specification for oil of lime (Citrus aurantifolia (christm) swingle), obtained by distillation. KS ISO 3520/1998 Kenya standard specification for oil of bergamot [citrus aurantium L. subsp. Bergamia (Wight et Arnott) Engler], Italian type. KS ISO 3517/1975 Kenya standard specification for oil of neroli. KS ISO 3526/1991 Kenya standard specification for oil of sage (Salvia lavandulifolia). KS ISO 3525/1979 Kenya standard specification for oil of amyris. KS ISO 3524/1977 Kenya standard specification for oil of cinnamon leaf. KS 179-2/2001 Kenya standard specification for non-metallic conduits and fittings used in electrical installations. Part 2: Fittings (2nd revision, 2001). KS 1059/2001 Kenya standard specification for general requirements for apparatus for connection to the public switched telephone networks. Part 1: General requirements.

CAP. 496	[Rev. 2022]
[Subsidiary]	anuarus ————————————————————————————————————
	Vanya atandard
KS 472/2001	Kenya standard specification for
	lamp holders for
	tubular
	fluorescent lamps
	and starter holders
	(1st revision, 2001).
KS 1590/2001	Kenya standard
	specification for
	siting of radio
	communication
	facilities.
	Part 1: Low
	frequency, medium
	frequency and
	high frequency
	ransmitting and
	high frequency
	receiving facilities.
	Part 2: Guidelines
	for fixed, mobile
	and broadcasting
	services operating
	at frequencies
	above 30 MHz.
KS 1625/2001	Kenya standard
	specification for
	voltage bands
	for electrical
	installations in
VC 4000/0004	buildings.
KS 1666/2001	Kenya standard
	specification for
	alarm systems for road vehicles—
	passenger cars.
KS 184-3/2001	Kenya standard
10 104-3/2001	specification for
	primary batteries.
	Part 3: Watch
	batteries.
KS 184-4/2001	Kenya standard
	specification for
	primary batteries.
	Part 4: Safety
	standard for lithium
	hattariaa

KS ISO IEC 12119/1994

batteries.

technology

Kenya standard specification for information

Standards	
	[Subsidiary]
KS 662-4/2001	—software packages—quality requirements and testing Kenya standard specification for wiring regulations. Part 4: Protection
KS ISO IEC 12119/1994	for safety. Kenya standard specification for information technology —software
KS IEC 60947-4-1/1996	packages—quality requirements and testing. Kenya standard specification for low-voltage switch gear. Part 4: Contactors and motor-starters.
KS IEC 60947-4-2/1995	Section 1: Electromechanical contractors and motor-starters. Kenya standard specification for low-voltage switch gear. Part 4: Contactors
KS IEC 60947-4- 3/1999	and motor-starters. Section 2: A. C. semi-conductor motor controllers and starters. Kenya standard specification for low-voltage switch gear.
KS 1588-1/2001	Part 4: Contactors and motor-starters. Section 3: A.C. Semi-conductor controllers and contactors for non-motor loads. Kenya standard specification for

CAP. 496	Standards	[Rev. 2022]
[Subsidiary]	Claridardo	
. ,,		4-1
		telecommunications installations.
		Part 1: Integrated
		telecommunications
		cabling systems
		for commercial
		premises.
KS 1588-2/2001		Kenya standard
1000 2/2001		specification for
		telecommunications
		installations.
		Part 2:
		Telecommunications
		pathways and
		spaces for
		commercial
		buildings.
		Part 3: Integrated
		telecommunications
		cabling systems
		for small office/
		residential
		premises.
KS 1588-3/2001		Kenya standard
		specification for
		telecommunications
140 4500 440004		installations.
KS 1590-1/2001		Kenya standard
		specification for
		siting of radio communication
		facilities.
		Part 1: Low
		frequency, medium
		frequency and
		high frequency
		transmitting and
		high frequency
		receiving facilities.
KS 1590-3/2001		Kenya standard
		specification for
		siting of radio
		communication
		facilities.
		Part 2: Guidelines
		for fixed mobile

for fixed, mobile and broadcasting services at frequencies above

30 MHz.

[1.64. 2022]	Standards	OAI : 430
		[Subsidiary]
KS 1590-3/2001		Kenya standard specification for siting of radio
		communication
		facilities.
		Part 3: Fixed
		location satellite
KC 100 IEO 0505/4000		earth stations.
KS ISO IEC 9595/1998		Kenya standard specification for
		open systems
		interconnection
		— common
		management
		information
		services.
KS 1535-8/2001		Kenya standard
		specification for
		glass for use in
		buildings.
		Part 8: specification for safety glazing
		materials.
KS 1494/2001		Kenya standard
110 110 11200 1		specification for
		code of practice
		for storage and on-
		site treatment of
		solid waste from
		buildings.
KS 1609/2001		Kenya standard
		specification for
		standard sand for the testing of
		cement.
KS 1605/2001		Kenya standard
NO 1003/2001		specification for
		hardwood poles,
		droppers, laths,
		guardrail posts and
1/0 4000/0004		spacer blocks.
KS 1606/2001		Kenya standard
		specification for wood blocks for
		floors.
KS 831/2001		Kenya standard
- <del> </del>		specification for
		refractory bricks
		and shapes.
		Part 1: Fireclay
		bricks and shapes.

	Standard
[Subeidian/]	

[Subsidiary]	
	Part 2: Insulating bricks and shapes.
	Part 3: High alumina bricks and
	shapes. Part 4: Silica bricks
	and shapes. Part 5: Magnesite,
	chrome bricks and shapes.
KS 1027-1/2001	Kenya standard specification for
	auto refinishing paints.
	Part 1: synthetic resin-based (1st
KS 1027/2001	revision, 2001).
KS 1027/2001	Kenya Standard specification for
1/0.100.0000.4/4000	auto refinishing paints.
KS ISO 3262-4/1998	Kenya standard specification for
	extenders for paints — specifications
	and methods of test.
KS ISO 4226/1993	Part 4: Whiting. Kenya standard
	specification for air quality—general
	aspects— units for measurement.
KS 1SO 3930/2000	Kenya standard specification for
	road vehicles— instruments for
	measuring vehicle exhaust emissions.
KS ISO 6148/1993	Kenya standard specification for
	photography— film dimensions
KS ISO 3772/2000	micrographics. Kenya standard
	specification for photography—
	rolls of sensitized material for the
	pre-press industry —dimensions

-	[Subsidiary
KS ISO 686/1985	and related requirements. Kenya standard
K3 130 000/1903	specification for photography 35
	mm filmstrips— specifications for double-frame
1/0 100 <b>T</b> 00/0000	and single- frame formats.
KS ISO 732/2000	Kenya standard specification for photography—120
KS ISO 1008/1992	size and 220- size films—dimensions. Kenya standard
NO 100 1000/1332	specification for photography—
	paper dimensions— pictorial sheets.
KS ISO 1009/2000	Kenya standard specification for photography—
	paper dimensions—rolls for printers.
KS ISO 1012/1998	Kenya standard specification for
	photography—films in sheets and rolls for general use—
KS ISO 3665/1996	dimensions. Kenya standard specification for
	photography— intra-oral dental radiographic film—
KS ISO 1007/2000	specification. Kenya standard
	specification for photography— 135-size film
KS 422/2001	and magazine— specifications. Kenya standard
NO 422/2001	Kenya standard specification for exercise books.
KS 1695/2001	Kenya standard specification for

Stant	uarus
[Subsidiary]	
	solvent emulsion
	degreasers.
KS 1696/2001	Kenya standard
	specification
	for detergent
	for industrial
	dishwashing
	equipment.
KS 1581-1/2001	Kenya standard
	specification for
	thermoplastic
	dustbins and lids.
	Part 1:
	Thermoplastic
	dustbin.
KS 1581-2/2001	Kenya standard
	specification for
	thermoplastic
	dustbins and lids.
	Part 2: Plastic and rubber dustbins lids.
KS 512/2001	
NS 512/2001	Kenya standard specification for
	rubber-based
	flooring tiles (1st
	revision, 2001).
KS 511-3/2001	Kenya standard
1.6 511 6/2001	specification for
	plastic containers.
	Part 3: Plastic
	bottles (up to 5
	liters).
KS ISO 2000/1989	Kenya standard
	specification for
	rubber, raw natural
	—specification.
KS 1524-2/2001	Kenya standard
	specification for
	gloves.
	Part 2: Disposable
	examination and
VC 4527/2004	surgical gloves.
KS 1527/2001	Kenya standard
	specifications
	for mouth wash
KS 1571/2001	preparations. Kenya standard
NO 137 1/2001	specification for
	cologne.
	cologne.

	Standards
	[Subsidiary]
KS 1570/2001	Kenya standard specification for skin powders. Part 1: Body and
KS 1572/2001	face powders. Kenya standard specification for chemical
KS 1604/2001	depilatories. Kenya standard specification for henna powder. Part 1: Pure henna
KS 1707/2001	powder. Kenya standard specification for labeling of cosmetic
KS ISO 3140/1990	products. Kenya standard specification for oil of sweet orange [Citrus sinensis (Linnaeus) obsbeck], obtained by mechanical
KS ISO 3065/1974	treatment. Kenya standard specification for oil of Australian eucalyptus, 80 to 85% cineole content.
KS ISO 3064/2001	Kenya standard specification for oil of petitgrain, Paraguayan type (Citrus aurantium L. ssp. Aurantium, syn. Citus aurantium L. ssp. Amara var pumilia).
KS ISO 3063/1983	Kenya standard specification for oil of Ylang- Ylang [cananga odorata (Lamark,) D. Hooker and Thomson].

	Standards
[Subsidiary]	
KS ISO 3061/1979	Kenya standard specification for oil
KS ISO 3054/1987	of black pepper. Kenya standard
	specification for oil of [La vandula latifolia (linnaeusf.)
KS ISO 3053/1975	medikus], France. Kenya standard specification for
	oil of grape fruit (obtained by
KS ISO 3044/1997	expression). Kenya standard specification for oil
	of eucalyptus cirio- dora hook.
KS ISO 3043/1975	Kenya standard specification for oil of pimento berry.
KS ISO 1342/2000	Kenya standard specification for
	oil of rosemary (Rosmarinus officinalis L).
KS ISO 3033/1988	Kenya standard specification for
	oil of spearmint (Mentha spicata Linnaeus).
KS ISO 856/1981	Kenya standard specification for
	oil of peppermint, France, Italy, United Kingdom and
KS ISO 855/1981	U.S.A. Kenya standard specification
	for oil of lemon, Italy, obtained by
KS ISO 770/1980	expression. Kenya standard specification for
VO 100 TOS :: 25	oil of eucalyptus globules.
KS ISO 590/1981	Kenya standard specification for oil of Brazilian
KS ISO 4785/1987	sassafras. Kenya standard specification

	[Subsidiary]
	for laboratory glassware—
	straight-bore glass
	stopcocks for
	general purposes.
KS ISO 4796/2000	Kenya standard
	specification
	for laboratory
	glassware—bottles.
KS ISO 4797/1981	Kenya standard
	specification
	for laboratory
	glassware—flasks with conical ground
	joints.
KS ISO 4799/1978	Kenya standard
10 100 47 33/10/10	specification
	for laboratory
	glassware—
	condensers.
KS ISO 4803/1978	Kenya standard
	specification
	for laboratory
	glassware—
	borosilicate glass
1/0 100 4000/4000	tubing.
KS ISO 4800/1998	Kenya standard
	specification for laboratory
	glassware—
	separating funnels
	and dropping
	funnels.
KS ISO 6556/1981	Kenya standard
	specification
	for laboratory
	glassware—filer
1/0 100 4770/4007	flasks.
KS ISO 1773/1997	Kenya standard
	specification for laboratory
	glassware—narrow-
	necked boiling
	flasks.
KS ISO 1772/1975	Kenya standard
	specification for
	laboratory crucibles
	in porcelain and
	silica.
KS ISO 1775/1975	Kenya standard
	specification for

	Standards
Subsidiary]	

[Subsidiary]	
	porcelain laboratory apparatus— requirements and methods of test.
KS ISO 4142/1997	Kenya standard specification for laboratory glassware—test tubes and culture
KS 24/2001	tubes. Kenya standard specification for toilet paper (3rd
KS ISO 1237/1981	revision, 2001). Kenya standard specification for mustard seed—
KS ISO 6576/1984	specification. Kenya standard specification for laurel (Laurus nobilis L.)— whole and pounded leaves—
KS ISO 5561/1990	specification. Kenya standard specification for black caraway and blond caraway (Carum carvi I.) —whole— specification.
KS ISO 6574/1986	Kenya standard specification for celery seed (Apium graveolens I.)— specifications.
KS ISO 2256/1984	(Mentha spicata linaeus syn. Menthe viridis linaeus)— specifications.
KS ISO 3632-1/2001	Kenya standard specifications. Kenya standard specification for saffron (crocus sativus Part 1: Specification.
KS 319/2001	Kenya standard specification for sugar confectionery.

Standards [Subsidiary]

Part 3: Chewing gum and bubble gum (2nd revision,

2001).

KS 612/2001 Kenya standard

specification for whisky (1st revision,

2001).

KS 608/2001 Kenya standard

specification for neutral spirit for manufacture of alcoholic beverages (1st revision, 2001). Kenya standard

KS CODEX STAN 146

specification for general standard for the labeling and claims for prepackaged foods for special dietary uses.

KS CODEX STAN 09

Kenya standard specification for general standard for the addition of essential nutrients

to foods.

KS ISO 7703/1995 Kenya standard

specification for dried peaches specification and test methods. Kenya standard

KS 1551/2001

code of practice for handling and distribution of fresh fruits and fresh fruit products.

KS ISO 4251-1/1998

Kenya standard specification for tyres (ply rating marked series) and rims for agricultural tractors and machines.

Part 1: Tyre designation and dimensions, and approved rim contours.

KS ISO 4251-2/1998 Kenya standard

specification for tyres (ply rating marked series) and rims for agricultural tractors and machines.

Part 2: Type load

ratings.

KS ISO 42-3/1994 Kenya standard

specification for tyres (ply rating marked series) and rims for agricultural tractors and

tractors and machines.
Part 3: Rims.

Part 3: Rims. Kenya standard specification for tractors, machinery

for agriculture and forestry, powered lawn and garden equipment —location and method of operation of operation

of operation controls.

Part 1: Common

controls.

Kenya standard specification for tractors, machinery for agriculture and forestry, powered lawn and garden equipment —location and method of operation of operator controls.

and machinery. Kenya standard specification for tractors, machinery for Agriculture and forestry, lawn and garden equipment

-symbols for

Part 2: Controls for agricultural tractors

KS ISO 3767-1/1998

KS ISO 3789-1/1982

KS ISO 3789-2/1982

Standards [Subsidiary]

> operator controls and other displays. Part 1: Common

symbols.

KS ISO 3767-2/1991 Kenya standard specification for

tractors, machinery for agriculture and forestry, powered lawn and garden equipment

-symbols for operator controls and other displays.

Part 2: Symbols for agricultural tractors and machinery.

KS ISO 3600/1996 Kenya standard specification for

tractors, machinery for agriculture and forestry, powered lawn and garden equipment

operators and manuals—content and presentation. Kenya standard

specification for agricultural tractors and machinery—

track widths. Kenya standard milking machine installationsconstruction and

performance. Kenya standard specification for

refrigerated bulk milk tanks.

KS 1647/2001 Kenya standard

> specification for code of practice for animal feed processing storage and distribution.

Kenya standard

specification for fully forged plain and fork hoes

KS 4004/1983

KS ISO 5707/1996

KS ISO 5708/1983

KS 154/2001

(jembes) (3rd
revision, 2001).
Kenya standard
specification for
crow-bars and claw-
bars.
Kenya standard
specification for
low carbon steel
gas cylinders
exceeding 5 liters
water capacity
for low pressure
liquefiable gas.
Part 3: Code of
practice for filling,
distribution and
retailing of liquefied
petroleum gas
cylinders (1st
revision, 2000).
Kenya standard
specification for
test probes to
verify protection by
enclosures.
Kenya standard specification for
classification
of degrees of
protection provided
by enclosures (1st
revision, 2000).
Kenya standard
specification
for safety of
household and
similar electrical
appliances.
Part 1: Particular
requirements for
microwave ovens.
Dowl C. Dowllow
Part 6: Particular
requirements for
requirements for toasters, grills
requirements for toasters, grills roasters and similar
requirements for toasters, grills roasters and similar appliances.
requirements for toasters, grills roasters and similar appliances. Kenya standard
requirements for toasters, grills roasters and similar appliances.

Standards [Subsidiary] Part 2: Expulsion fuses. KS 1502/2000 Kenya standard specification for electro-mechanical all-or-nothing relays. Part 5: Dimensions for general purpose all-or nothing relays. KS 1504/2000 Kenya standard specification for limits and methods of measurements of radio disturbance characteristics of electrical lighting and similar equipment. KS 1505/2000 Kenya standard specification for radio interference characteristics of overhead power lines and highvoltage equipment. Part 1: Description of the phenomenon. Part 2: Methods of measurement and procedure for determining limits. KS 1589/2000 Kenya standard specification for safety practices in the operation and maintenance of radio transmitters and similar equipment. KS 1511/2000 Kenya standard specification for chemical hair relaxes and hair waving products. KS 1528/2000 Kenya standard specification for nail polish removers.

Stariuarus	•
[Subsidiary]	
	Part 1: Solvent-
	based.
KS 1529/2000	Kenya standard
	specification for
	pomades and solid
	brilliantines.
KS 1524/2000	Kenya standard
	specification for
	gloves.
	Part 3: Artificial
	insemination (A.I.)
	gloves.
KS 917/2000	Kenya standard
	specification
	for after-shave
	preparations.
	Part 1: Lotions.
KS 1568/2000	Kenya standard
	specification for
	sterile hypodermic
	syringes for single
	use only.
	Part 1: Sterile
	hypodermic
	syringes for manual
KO 100 0740/4005	use only.
KS ISO 6710/1995	Kenya standard
	specification
	for single use containers for
	venous blood
	specimen
	collection.
KS ISO 15223/1999	Kenya standard
100 10220/1000	specification for
	medical devices—
	symbols to be used
	with medical device
	labels, labeling and
	information to be
	supplied.
KS ISO 8009-9/1985	Kenya standard for
	re-usable rubber
	contraceptive
	diaphragm.
	Part 9: Packaging
	and labeling.
KS CODEX STAN 62/1981	Kenya standard
	specification
	for canned
	strawberries.

[Rev. 2022]	Standards	CAP. 496
		[Subsidiary]
KS CODEX STAN 188/1983		Kenya standard specification for baby corn.
KS 1552/2000		Kenya standard code of hygienic practice for production, handling and distribution of milk
KS 543/2000		and milk products. Kenya standard specification for embroidery threads.Part 1: Cotton embroidery- threads (1st
KS 507/2000		revision, 2000). Kenya standard specification for sanitary towels Incorp. Am. No. 1: 2001. Part 1: Sanitary towels for external use (1st revision,
KS 1534/2000		2000). Kenya standard specification for
KS 1305/2000		menstrual tampons. Kenya standard specification for mosquito netting. Part 1: Round mesh
KS 416/2000		cotton netting. Kenya standard specification for knitted polyester fabrics (1st revision,
KS 417/2000		2000). Kenya standard specification for knitted polyester / cellulosic blended fabric (1st revision,
KS 1393/2000		2000). Kenya standard specification for bales. Part 1: Dimensions

Part 1: Dimensions

and density of cotton bales.

	Clarida
[Subsidiary]	
	Part 2: Dimensions of bales of man- made fibres.
KS 1620/2000	Kenya standard specification for bathroom slippers.
KS 1623/2000	Kenya standard code of practice for the grading of raw hides and skins. Part 1: Bovine
KS 476/2000	hides. Kenya standard specification for uncoated aluminum hollow-ware utensils. Part 1: Domestic aluminum cooking pot sufuria and lids.
KS ISO 4190-1/1990	Kenya standard specification for lifts (U.S.elevator) installation. Part 1: Class I, II, III and IV lifts.
KS ISO 4190-2/1982	Kenya standard specification for passenger lifts and service lifts. PART 2: Lifts of class IV.
KS ISO 4190-3/1982	Kenya standard specifications for passenger lift installations. Part 3: Service lifts class V.
KS ISO 4190-5/1987	Kenya standard specification for lifts and service lifts (U.S.A. elevators and dumbwaiters). Part 5: Control devices, signals and additional fittings.
KS ISO 4190-6/1984	Kenya standard specification for lifts and service lifts

(U.S.A. elevators and dumbwaiters). Part 6: Passenger lifts to be installed in residential buildings—planning and selection. Kenya standard specification for non-destructive

non-destrutesting—

qualification and certification of personnel.

Kenya standard specification for gas cylinders—non-refillable metallic gas-cylinders— specification and test methods.

Kenya standard specification for cylinders for acetylene—basic requirements. Part 1: Cylinders without fusible

plugs. Part 2: Cylinders

with fusible plugs. Kenya standard specification for pipes and fittings made of unplasticized polyvinyl chloride (PVC-U) for water supply (2nd revision, 2000). Part 1: General requirements. Part 2: Dimensions, nominal outside diameters, wall thickness and

nominal pressures (metric series).

Tolerances for building.

KS ISO 3443-1/1979

KS ISO 9712/1992

KS ISO 11118/1999

KS ISO 3807/1980

KS 149/2000

[Subsidiary]	
	Part 1: Basic
	principles for
	evaluation and
	specification.
KS ISO 10545/1995	Kenya standard
NO 100 10043/1990	specification for
	ceramic tiles.
KS ISO 1251/2000	
NS 150 123 1/2000	Kenya standard
	specification for un-
	reinforced concrete
	—porous pipes for
1/0 77 4/0000	under-drainage.
KS 774/2000	Kenya standard
	specification for
	road speed bumps.
KS 1555/2000	Kenya standard
	specification for
	gully tops and
	manhole tops
	for vehicular and
	pedestrian areas.
KS 1554/2000	Kenya standard
	specification
	for inspection
	chambers.
KS 1610/2000	Kenya standard
	specification for
	road marking
	material—drop on
	materials—glass
	beads, antiskid
	aggregates and
	mixtures of the two.
KS 1537/2000	Kenya standard
	code of practice
	for laying precast
	concrete flags,
	kerbs, channels,
	edgings and
	quadrants.
KS 829/2000	Kenya standard
	specification for
	precast concrete
	flags, kerbs,
	channels, edgings
	and quadrants.
KS 1535/2000	Kenya standard
	specification for
	glass for use in
	building.
	Sanding.

[Subsidiary] Part 2: Specification for float glass. Part 3: Specification for polished wire glass. Part 4: Specification for drawn sheet glass. Part 5: Specification for patterned glass. Part 6: Specification for wired patterned glass. KS 1516/2000 Kenya standard specification for code of hygienic practice for the handling, processing, storage and the placing on the market of fish and fishery products (1st revision, 2000). KS 1544/2000 Kenya standard specification for fresh cauliflower. **KS ISO 1496** Kenya standard specification for freight containers -specification and testing. KS ISO 1496-1/1990 Part 1: General cargo containers for general purposes. KS ISO 1496-2/1996 Part 2: Thermal containers. KS ISO 1496-3/1995 Part 3: Tank containers for liquids, gases and pressurized dry bulk. KS ISO 1496-4/1991 Part 4: Nonpressurized containers for dry bulk. KS IOS 4209-1/1993 Kenya standard specification for truck and bus tyres and rims (metric

series).

[Subsidiary]	
KS 46/2000	Part 1: Tyres. Kenya standard
	specification for granulated
	superphosphate fertilizers (1st
VC 100 4464/4005	revision 2000).
KS ISO 1161/1985	Kenya standard specification for
	series 1 freight
	containers—corner fittings.
KS ISO 8323/1985	Kenya standard
	specification for containers air/
	surface (Intermodal)
	general purpose containers-
	specification and
VC ICO 669/400E	tests.
KS ISO 668/1995	Kenya standard specification for
	series I freight
	containers— classification,
	dimensions and
KS ISO 6346/1995	ratings. Kenya standard
	specification for
	freight containers —coding,
	identification and
KS ISO 5906/1980	marking. Kenya standard
100 0000/1000	specification
	for gymnastic equipment surfaces
	for floor exercises—
KS ISO 5905/1980	mats. Kenya standard
10 100 0909/1900	specification
	for gymnastic equipment—landing
	mats (2,000 mm
	x 1,250 mm x 60 mm).
KS ISO 5904/1981	Kenya standard
	specification for gymnastic
	equipment—landing
	mats and surfaces

[Cubaldian]

[Subsidiary] for floor exercises -determination of resistance to slipping. KS ISO 5903/1981 Kenya standard specification for gymnastic equipment—landing mats and surfaces for floor exercises -determination of hardness and impact damping. KS 1623/2000 Kenya standard specification for code of practice for the grading of raw hides and skins. Part 2: Caprine ovine skin. KS 1600/2000 Kenya standard specification for polyolefin bags for salt. Kenya standard KS 481/2000 specification for woven bags (natural fibres) for seeds. KS 132/2000 Kenya standard specification for woven bags made from natural fibres for cereals and pulses (2nd revision 2000). KS ISO 8421/ Kenya standard specification for fiber protection vocabulary. KS ISO 8421-2/1987 Part 2: Structural fire protection. KS ISO 8421-3/1989 Part 3: Fire detection and alarm. KS ISO 8421-4/1990 Part 4: fire extinction equipment.

Part 5: Smoke control.

KS ISO 8421-5/1987

Standards
-----------

'	Stanuarus
[Subsidiary]	
KS ISO 8421- 6/1987.	Part 6: Evacuation and means of escape.
KS ISO 8421-7/1987	Part 7: Explosion detection and suppression means.
KS ISO IEC 17025/1999	Kenya standard specification for general requirements for the competence of testing and calibration
KS ISO 9657/1989	laboratories. Kenya standard specification for pliers and nippers for electronics— general technical requirements.
KS ISO 9243/1988	Kenya standard specification for pliers and nippers—carpenter's pincers—dimensions and test values.
KS ISO 9242/1988	Kenya standard specification for pliers and nippers —construction worker's pincers— dimensions and test values.
KS ISO 8976/1988	Kenya standard specification for pliers and nippers —multiple slip joint pliers—dimensions and test values.
KS ISO 5749/1988	Kenya standard specification for pliers and nippers—diagonal cutting nippers—dimensions and test values.
KS ISO 5748/1988	Kenya standard specification for pliers and nippers—end cutting nippers

-dimensions and test values.

KS ISO 5747/1995 Kenya standard specification for pliers and nippers-

lever assisted side cutting pliers, end and diagonal cutting

nippers—dimension and test values.

KS ISO 5746/1988 Kenya standard specification for pliers and nippers -engineer's and

> lineman's pliers dimensions and test

values.

KS ISO 5745/1988 Kenya standard specification for pliers and nippers —pliers for gripping

and manipulatingdimensions and test

values.

KS 5743/1988 Kenya standard specification for

pliers and nippers -general technical requirements.

KS ISO 3574/1986 Kenya standard

specification for cold-reduced carbon steel sheet of commercial and drawing qualities. Kenya standard

specification for assembly tools for screws and nuts—adjustable wrenches-width across flats up to 50

mm.

KS ISO 11450/1999 Kenya standard

KS ISO 6787/1995

equipment for harvesting and conservation -round balers -terminology and commercial specifications.

## Standards

[Subsidiary]	
KS ISO 1085/1985	Kenya standard assembly tools for screws and nuts —double ended wrenches—size
KS ISO 14122/1999	pairing. Kenya standard specification for safety of machinery —permanent means of access to machines and industrial plants.
KS ISO 14122-1/1999	Part 1: Choice of a fixed means of access between two levels.
KS ISO 14122-2/1999	Part 2: Working platforms and walkways.
KS ISO 14122-3/1999	Part 3: Stairways, stepladders and guard-rails.
KS ISO 14122-4/1999	Part 4: Fixed ladders.
KS 1064/2000	Kenya standard specification for non-pressure stoves.
KS 1063/2000	Kenya standard specification for paraffin lighting appliances for domestic use.
KS ICE/CISPR25/1995	Kenya standard specification for limits and methods of measurement of radio disturbance characteristics for the protection of receivers used on board vehicles.
KS IEC/CISPR 12/1997	Kenya standard specification for vehicles, motorboats, and spark ignited engine-driven devices—radio disturbance

		fOurte at all and d

	[Subsidiary]
KS ISO 9060/1990	characteristics— limits and methods of measurement. Kenya standard specification and classification for solar energy instruments for measuring
KS IEC 61558/1998	hemispherical solar radiation and direct solar radiation. Kenya standard specification for safety of power transformers, power supply units and
KS IEC 61558/1998	similar apparatus. Part 2-3: Particular requirements for ignition transformers for gas
KS IEC 61558/1999	and oil burners. Part 2-8: Particular requirements for bell and chime
KS IEC 61558/1999	transformers. Part 2-13: Particular requirements for auto-transformers
KS IEC 61558/1999	for general use. Part 2-15: Particular requirements for isolating transformers for the
KS IEC 61558/1999	supply of medical locations. Kenya standard specification for safety of power transformers, power
KS 1624/2000	supply units and similar devices. Kenya standard specification for current
KS 1626/2000	transformers. Kenya standard specification for jets fans and regulators.

KS ISO 2775/1977

Kenya standard specification for office machines and printing machines used for information processingwidths of one-time paper or plastic printing ribbons and marking to indicate the end of the ribbons.

KS ISO 3527/2000

Kenya standard specification for adding machineslayout of function

KS ISO 3791/1976

keyboard.

Kenya standard specification for office machines and data processing equipmentkeyboard layouts for numeric applications.

KS IEC 60704-1/1997

Kenya standard specification for household and similar electrical appliancestest code for the determination of airborne acoustical

noise.

requirements. Kenya standard specification for household and similar electrical appliancestest code for the determination of airborne acoustical

Part 1: General

noise.

Part 2-11: Particular requirements for electrically-operated food preparation appliances.

KS IEC 60704-2-11/1998

Standards [Subsidiary]

Part 3: Procedure for determining and verifying declared noise emission

values.

Kenya standard specification for household and similar electrical appliances—test code for the determination of

noise.

Part 2: Particular requirements for electric shavers. Kenya standard specification for household and similar electrical appliances—test code for the determination of airborne acoustical

airborne acoustical

noise.

Part 2: Particular requirements for

fans.

Kenya standard specification for household and similar electrical appliances test code for the determination of airborne acoustical

noise.

requirements for tumble-dryers. Kenya standard specification for household and similar electrical appliances test code for the determination of airborne acoustical

Part 2: Particular

noise.

KS IEC 60704-2-8/1997

KS IEC 60704-2-7/1997

KS IEC 60704-2-6/1994

KS IEC 60704-2-5/1989

KS IEC 60704-2-4/1989

KS IEC 60704-2-3/1987

KS IEC 60704-2-2/1985

KS IEC 60704-2-1/1984

Part 2: particular requirements for room heaters of the storage type. Kenya standard specification for household and similar electrical appliancestest code for the determination of airborne acoustical noise. Part 2: particular requirements for washing machines

washing machines and spin extractors. Kenya standard specification for household and similar electrical appliances—test code for the determination of airborne acoustical noise.

Part 2: Particular

requirements for dishwashers.
Kenya standard specification for household and similar electrical appliances—test code for the determination of airborne acoustical noise.
Part 2: Particular

forced draught convection heaters. Kenya standard specification for household and similar electrical appliances—test code for the determination of airborne acoustical

requirements for

noise.

[Subsidiary] Part 2: Particular requirements for vacuum cleaners. KS 453/2000 Kenya standard specification for **PVC-insulated** cables (nonarmoured) for electric power and lighting (2nd revision, 2000). KS 1641/2000 Kenya standard specification for direct current and low-frequency electronic measuring instruments with a digital display. KS 1602/2000 Kenya standard specification for electrode holders. KS 1603/2000 Kenya standard specification for coupling devices for welding cables. KS 1601/2000 Kenya standard specification for welding power sources for industrial and professional use. KS IEC 60947/1999 Kenya standard specification for low-voltage switchgear and controlgear. KS IEC 60947-1/1999 Part 1: General requirements. KS IEC 60947-2/1998 Part 2: Circuit breakers. KS IEC 60947 Part 3: Switches, disconnectors, switch disconnectors and fuse combinations.

KS CODEX

Alimentarius Volume 3/1995

foods.

<b>CAP. 496</b> Stan	[Rev. 2022]
[Subsidiary]	
KS 1560/2000	Kenya standard
1000/2000	specification for
	code of general
	hygienic practice
	for the horticultural
	food industry.
KS 592/2000	Kenya standard
	specification for
	cigarettes (1st
	revision, 2000).
KS 1643/2000	Kenya standard
	specification for
	frozen octopus.
KS 1054/2000	Kenya standard
	specification for
	glucose-based
	energy drinks.
KS 346/2000	Kenya standard
	specification for
	baking power (1st
	revision, 2000).
KS 426/2000	Kenya standard
	specification for
	custard power (1st
	revision, 2000).
KS 54/2000	Kenya standard
	specification for
	infant food formula
	(2nd revision,
	2000).
KS 285/2000	Kenya standard
	specification for
	milk-based baby
	foods (1st revision,
140.040/0000	2000).
KS 349/2000	Kenya standard
	specification for
	processed cereal- based foods for
	infants and children
KS ISO 5530/1997	(1st revision, 2000).
KO 100 0000/ 188/	Kenya standard specification
	for wheat flour
	—physical
	—priysical characteristics of
	doughs.
KS 1650/2000	Kenya standard
1030/2000	specification for
	ostrich feeds.
	USILICII ICCUS.

ostrich feeds.

[Rev. 2022]		CAP. 496
	Standards	
		[Subsidiary]
KS 1487/2000		Kenya standard code of practice for aquaculture.
KS CODEX STAN 115/1981		Kenya standard specification for
KS CODEX STAN 121/1981		pickled cucumbers. Specification for concentrated blackcurrant juice preserved exclusively by physical means.
KS 1652/2000		Kenya standard code of hygienic practices on commercial fishing
KS CODEX STAN 83/1981		vessels. Kenya standard specification for concentrated grape juice reserved exclusively by
KS CODEX STAN 110/1981		physical means. Kenya standard specification for quick frozen
KS CODEX STAN 41/191		broccoli. Kenya standard specification for quick frozen peas.
KS CODEX STAN 68/1981		Kenya standard specification for canned mandarin
KS CODEX STAN 63/1981		oranges. Kenya standard specification for concentrated apple juice preserved exclusively by
KS CODEX STAN 64/1981		physical means. Kenya standard specification for concentrated orange juice preserved exclusively by
KS ISO 13542/1995		physical means. Kenya standard specification for

paper and board for

	Stariuarus
[Subsidiary]	
KS ISO 2068/1972	internal diameters of cores for reels. Kenya standard specification for barium chromatic
KS ISO 788/1974	pigments for paints. Kenya standard specification for ultramarine
KS ISO 1249/1974 Corr. 1/1992	pigments for paints. Kenya standard specification for zinc chromate pigments—basic zinc tetrahydroxy-
KS ISO 6754/1990	chromate pigments. Kenya standard specification for zinc phosphate pigment for paints and methods of test.
KS ISO 2040/1977	Kenya standard specification for strontium chromate pig mates for
KS ISO 4619/1980	paints. Kenya standard specification for driers for paints and varnishes.
KS 1535/2000	Kenya standard specification for glass for use in building. Part 7: Specification for wired or unwired channel-shaped
KS 163/2000	glass. Kenya standard specification for colours for ready mixed paints (1st
KS 998/1998	revision, 2000). Kenya standard specification for chocolates.
KS 1095/1994	Kenya standard specification for food-seasoning mixtures.

Stand	dards
	[Subsidiary]
KS 1074/1994	Kenya standard specification for millet flour.
KS 1073/1994	Kenya standard specification for sorghum.
KS ISO 8367/1993	Kenya standard specification for packaging —dimensional tolerances for general purpose sacks. Part 1: Paper sacks. Part 2: Sacks made from thermoplastic flexible film.
KS ISO 594/1986	Kenya standard specification for conical fitting with a 6 per cent (luer) taper for syringes, needles and certain other medical
KS ISO 594-1/1986	equipment. Part 1: General
KS ISO 594-2/1998 KS ISO 3171/1988	requirements. Part 2: Lock fittings. Kenya standard specification for petroleum liquids— automatic pipeline sampling.
KS ISO 3262/1997	Kenya standard specification for extenders for paints —specification and methods of test.
KS ISO 3262-1/1997	Part 1: Introduction and general test methods.
KS ISO 3262-2/1998	Part 2: Barytes (natural barium sulphate).
KS ISO 3262-3/1998 KS ISO 3262-5/1998	Part 3: Blank fixe. Part 5: Natural crystalline calcium carbonate.
KS ISO 3262-6/1998	Part 6: Precipitated calcium carbonate.

Stand	ards	
-------	------	--

	Standards
[Subsidiary]	
KS ISO 3262-7/1997 KS 42/1999	Part 7: Dolomite. Kenya standard specification for dry shelled maize (1st revision, 1999).
KS ISO 3262-9/1998	Part 9: Calcined clay.
KS ISO 6697/1994	Kenya standard specification for cycles—hubs and free wheels — assembly dimensions.
KS ISO 6590/1983	Kenya standard specification for packaging-sacks —vocabulary and types.
KS ISO 6590-1/1983	Part 1: Paper sacks.
KS ISO 6590-2/1986	Part 2: Sacks made from thermoplastic flexible film.
KS ISO 6591-2/1984	Kenya standard specification for packaging—sacks —description and method of measurements.
KS ISO 6591-1/1984	Part 1: Empty paper sacks.
KS ISO 6591-2/1985	Part 2: Empty sacks made from thermoplastic flexible film.
KS ISO 3696/1987	Kenya standard water for analytical laboratory use— specifications and test methods.
KS ISO 211/1999	Kenya standard specification for essential oils —labelling and
KS ISO 210/1999	marking containers. Kenya standard specification for essential oils— packing.
KS ISO 4131/1979	Kenya standard specification for

road vehicles dimensional codes for passengers

cars.

KS ISO 4100/1980 Kenya standard

specification for road vehicles —world parts manufacturers identifier (WPMI)

code.

KS ISO 10555/1995 Kenya standard

specification for sterile, single-use intravascular

catheters.

KS ISO 10555/1995 Amd 1/1999 Part 1: General

KS ISO 10555-2/199

KS ISO 10555-3/1996

KS ISO 10555-4/1996

KS ISO 10555-5/1996

KS ISO 7864/1993

requirements.

Part 2:

Angiographic catheters.
Part 3: Central

venous catheters.
Part 4: Balloon
dilatation catheters
Part 5: Over-

needle peripheral

catheters.

KS ISO 4586/1997 Kenya standard specification for

specification for high pressure-decorative laminates—sheets made from thermosetting resins.

Part 1: Classification and

specifications.
Kenya standard
specification for
sterile hypodermic

needles for single

use.

KS ISO 6009/1992 Kenya standard

specification for hypodermic needles for single use colour coding for identification.

173

Standards	
[Subsidiary]	
KS ISO 1998/1998	Kenya standard specification for petroleum
KS ISO 1998-2/ 1998	terminology. Part 2: Properties
KS ISO 1998-3/1998	and tests. Part 3: Exploration and production.
KS ISO 1998-4/1998 KS ISO 1998-5/1998	Part 4: Refining. Part 5: Transport, storage and distribution.
KS ISO 9884/1994	Kenya standard specification for tea sacks. Part 1: Reference sack for palletized and containerized transport of tea.
KS ISO 9413/1998	Kenya standard specification for tyre valves—dimensions and designation.
KS ISO 4997/1999	Kenya standard specification for cold-reduced steel sheet of structural quality.
KS ISO 11949/1995	Kenya standard specification for cold-reduced electrolytic tinplate.
KS ISO 3573/1999	Kenya standard specification for hot- rolled carbon steel of commercial and drawing qualities.
KS 1452/1999	Kenya standard code of practice for road lighting. Part 2: Code of practice for lighting of traffic routes. Part 4: Code of practice for lighting of single-level road Junctions including roundabouts. Part 5: Code of practice for lighting

[Rev. 2022] CAP. 496

[Subsidiary]

of grade-separated junctions. Part 6: Code of practice for lighting of bridges and elevated roads. Part 7: Code of practice for lighting of tunnels and underpasses. Part 8: Code of practice for lighting of roads near aerodromes, railways, docks and navigable waterways. Part 9: Code of practice for lighting of urban centre and public amenity areas. Part 10: Code of

practice for lighting of motorways. Kenya standard specification for connecting devices for low voltage circuits for household and similar purposes. Part 4: particular requirements for connecting devices with insulation—piercing clamping

units.
Kenya standard
specification for
primary batteries.
Part 1: General.
Part 2: Specification
sheets.

Kenya standard specification for electromechanical all-or-nothing

relays.

KS 1432/1999

KS 184/1999

KS 1502/1999

[Subsidiary] Part 1: General requirements and tests. Part 2: Section 1: Test and measurement procedures. Part 3: Insulation tests. Part 4: Application of quality assessment system for electronic components to allor-nothing relays. KS 1591/1999 Kenya standard specification for safety requirements for audio, video and electronic apparatus. KS 1586/1999 Kenya standard specification for radio interference measuring apparatus and measurement methods. Part 1: Radio disturbance and immunity measuring apparatus. KS 136/1999 Kenya standard specification for grades of wheat grain (1st revision, 1999). Kenya standard KS 1290/1999 specification for bleaching agents. Part 1: sodium hypochlorite solutions (1st revision, 1999). KS 809/1999 Kenya standard specification for toilet cleaners. Part 2: Acidic liquid toilet cleansers (1st revision, 1999).

[	Standards	57.11.100
		[Subsidiary]
KS 802/1999		Part 3: Alkaline and neutral liquid toilet cleansers. Kenya standard specification for cut size office papers. Part 2: Photocopy
KS 352/1999		paper Kenya standard specification for fluoridated toothpaste (1st
KS 794/1999		revision, 1999). Kenya standard specification for formulated powder hair dyes, aryl di- amine-based (1st revision, 1999).
KS 948/1999		Kenya standard specification for corrugated fiberboard boxes for export of horticultural produce (1st revision, 1999).
KS 698/1999		Kenya standard specification for liquid synthetic detergent. Part 2: General purpose liquid synthetic detergent.
KS 47/1999		Kenya standard specification for calcium ammonium nitrate fertilizer (1st revision, 1999).
KS 793/1999		Kenya standard specification for liquidation oxidation hair dyes, aryl diamine-based (1st revision, 1999).
KS 51/1999		Kenya standard specification for ammonium sulphate nitrate fertilizer (1st revision, 1999).

CAP. 496	<b>-</b>	[Rev. 2022]
	Standards	
[Subsidiary]		
KS 1455/1999		Kenya standard specification for glass cleanser. Part 1: Liquid glass
KS 1578/1999		cleanser. Kenya standard specification for metal polishes. Part 1: Ordinary liquid metal polishes. Part 2: Special
KS 1452/1999		metal polishes. Kenya standard code of practice for road lighting. Part 3: Code of practice for lighting subsidiary roads and associated pedestrian areas.
KS 1518/1999		Kenya standard specification for sunflower oil- based long oil alkyd resins.
KS 376/1999		Kenya standard specification for flexible polyurethane foams. Part 0: General requirements. Part 1: Mattresses. Part 2: Reconstituted flexible
KS 1522/1999		polyurethane foam. Kenya standard specification for rubber-based adhesives for tyres and tubes. Part 1: Non-curing.
KS 1520/1999.		Part 2: Curing. Kenya standard specification for safflower oil-based long oil alkyd resin.
KS 1519/1999.		Kenya standard specification for

Standa	ards
	[Subsidiary]
KS 158/1999	soyabean oil-based long oil alkyd resin. Kenya standard specification for solid compound
KS 287/1999	fertilizers. Kenya standard specification for ammonium sulphate (sulphate of ammonia) fertilizer grade (1st
KS 288/1999	revision, 1999). Kenya standard specification for urea fertilizer grade.
KS 350/1999	Kenya standard specification for potassium chloride (muriate of potash) fertilizer grade.
KS 351/1999	Kenya standard specification for potassium sulphate (sulphate of potash)
KS 1526/1999	fertilizer grade. Kenya standard specification for toothbrush.
KS 1530/1999	Kenya standard specification for adhesives for use with ceramic tiles.
KS 1446/1999	Kenya standard specification for health drinks. Part 1: Vitamin C- based health drinks.
KS 1516/1999	Kenya standard code of hygienic practice for the handling, processing, storage and the placing on the market of fish and fishery products.
KS 169/1999	Kenya standard specification for wheat flour (1st revision, 1999).

[Subsidiary]	
KS 1565/1999	Kenya standard specification for frozen fillets of cuttle fish and fillets
KS 1564/1999	and tubes of squids. Kenya standard code of practice for the handling, processing, storage and distribution of
KS 36/1999	molluscan shellfish. Kenya standard specification for dairy ice-cream and ice milk.
KS 1550/1990	Kenya standard specification for carbon dioxide for carbonation of beverages.
KS 433/1999	Kenya standard specification for edible cassava starch.
KS 1485/1999	Kenya standard specification for fruit flavored drinks.
KS 55/1999	Kenya standard specification for canned corned beef (1st revision, 1999).
KS 172/1999	Kenya standard specification for bread (2nd revision, 1999).
KS 1540/1999	Kenya standard specification for knapsack sprayers.
KS ISO 10571/1995	Kenya standard specification for tyres for mobile cranes and similar specialized machines.
KS 1498/1999	Kenya standard specification for rollers and shafts for sugar-cane crushers.
KS 02/1999	Kenya standard specification for

galvanized plain and corrugated steel sheets (2nd revision, 1999).

Kenya standard specification for edible ices and ice

mixes.

KS 1449/1999 Kenya standard

KS 1517/1999

KS IEC 61558/1997

KS IEC 61558/1997

code of practice for wall and floor tiling with natural stone

tiles.

KS IEC 60282/1998 Kenya standard

specification for high voltage fuses. Part 1: Currentlimiting fuses.

Part 3:

Determination of short-circuit power factor for testingcurrent limiting fuses and expulsion

and similar fuses.

Kenya standard

Kenya standard specification for safety of power transformers, power supply units and similar apparatus. Part 1: General requirements and

tests.

KS IEC 61558/ Kenya standard

specification for safety of power transformers,power supply units and similar apparatus. Part 2-17: Particular requirements for transformers for switch mode power

supplies.

Kenya standard

specification for safety of power transformers, supply units and similar apparatus.

181

Standards [Subsidiary] Part 2-7 Particular requirements for transformers to tovs. KS IEC 61558/1997 Kenya standard specification for safety of power transformers, power supply units and similar apparatus. Part 2-6: Particular requirements for safety isolating transformers for general use. KS IEC 61558/1997 Kenya standard specification for safety of power transformers, power supply units and similar apparatus. Part 2-5: Particular requirements for shaver transformers and shaver supply units. KS IEC 61558/1997 Kenya standard specification for safety of power transformers, power supply units and similar apparatus. Part 2-4: Particular requirements for isolating transformers for general use. KS IEC 61558/1997 Kenya standard specification for safety of power transformers, power supply units and similar apparatus. Part 2-2 Particular requirements for control transformers.

KS IEC 61558/1997

Kenya standard specification for safety of power transformers power

[Subsidiary] supply units and similar apparatus. Part 2-1: Particular requirements for separating transformers fo general use. KS CODEX STAN 181/1991 Kenya standard specification for formular foods for use in weight control diets. KS CODEX STAN 180/1991 Kenya standard specification for the labelling of and claims of foods for special medical purposes. KS CODEX STAIN 11/1976 Kenya standard for code of hygienic practice for fresh meat. Kenya standard KS CODEX STAN 129/1981 specification for canned apricots KS CODEX STAN 6/1972 Kenya standard for code of hygienic practice for tree nuts. KS CODEX STAN 165/1989 Kenya standard specification for quick frozen blocks of fish fillet, minced fish flesh and mixtures of fillets and minced fish flesh. KS CODEX STAN 166/1989 Kenya standard specification for quick frozen fish sticks (fish fingers) and fish portionsbreaded or in batter. KS CODEX STAN 111/1981 Kenya standard specification for quick frozen cauliflower.

Kenya standard specification for canned sweet corn.

KS CODEX STAN 18/1981

Standards [Subsidiary] KS 580 Kenya standard specification for cosmetic creams, lotions and gels for skin care (2nd revision, 2001). KS 1474 Part 3/2001 Kenya standard classification of cosmetic raw materials and adjuncts. Part 3: List of substances which cosmetic products must not contain except subject to the restrictions and conditions laid down (1st revision, 2001). KS 1432/1999 Kenya standard specification for connecting devices for low voltage circuits for household and similar purposes. Part 1: General requirements. Part 2: Particular requirements for connecting devices with screw-type clamping units. Part 3: Particular requirements for twist-on connecting devices. KS 247/1981 Kenya standard specification for switches for domestic and similar purposes (2nd revision, 1999). KS 473/1983 Kenya standard specification for starters for

fluorescent lamps (1st revision, 1999).

Stan	dards
	[Subsidiary]
KS 910/1990	Kenya standard specification for gloss solvent borne paints for interior
KS 601/1988	and exterior use (1st revision, 1999). Kenya standard specification for hair creams, lotions and gels (1srevision,
KS 602/1989	1999). Kenya standard specification for hair oils (1st revision, 1999).
KS 429/1983	Kenya standard specification for code of marketing of breast-milk substitutes (1st revision, 1999).
KS 1484/1999	Kenya standard specification for canned asparagus.
KS 35/1977	Kenya standard specifications for dairy cream for direct consumption
KS 27/1977	(1st revision, 1999). Kenya standard specification for butter (1st revision, 1999).
KS 273/1990	Kenya standard specification for woven bags (100 per cent sisal) for clean coffee beans (2nd revision,
KS OIML R 111/1994	1999). Kenya standard specification for weights of classes E1, E2, F1, F2, M1,
KS OMIL R 76/1992	M2, M3. Kenya standard specification for non-automatic weighing instruments.

CAP. 496		[Rev. 2022]
	Standards	-
[Subsidiary]		
		Part 1:  Meteorological  and technical  requirements—  tests.

KS CODEX STAN 37/1981

KS CODEX STAN 70/1981

specification for canned shrimps or prawns.

KS CODEX STAN 90/1981 Kenya standard

specification for canned crap meat. Kenya standard specification for

Kenya standard

canned tuna and bonito in water or

oil.

KS CODEX STAN 94/1981 Kenya standard

> specification for canned sardines and sardine-type

products.

Part 1: Moisture meters for cereals.

KS ISO 7700-1/1984 Kenya standard

specification for check of the calibration of moisture meters. Part 2: Moisture meters for oilseeds.

KS ISO 6789/1992 Kenya standard

specification for assembly tools for screws and nutshand torque tools requirements and tests methods. Kenya standard specification for

KS ISO 6479/1984

shelled sweet kernels of apricots. Kenya standard

KS ISO 7701/1994 specification for

dried applesspecification and test methods.

KS ISO 7702/1995 Kenya standard

specification for dried pearsStandards

[Subsidiary]

KS ISO 500/1991 test methods.
Kenya standard

specification for agricultural tractors —specification for rear mounted power take-off types 1, 2

specification and

and 3.

KS ISO 5682/1996 Kenya standard

specification for equipment for crop protection —spraying equipment. Part 1: Test

methods for sprayer

nozzles.
Part 2: Test
methods for
hydraulic sprayers.
Part 3: Test
methods for
volume/hectare
adjustment systems
of agricultural
hydraulic pressure

sprayers

KS ISO 730/1994 Kenya standard

specification for agricultural wheeled tractors —specification for rear mounted three point linkages. 1/1994 Part 1:

Categories 1, 2,

and 3.

KS ISO 730- 2/1979 Part 2: Category 1

KS ISO 730-

KS 44/1998

N (Narrow hitch). Kenya standard specification for baby soaps.

KS 804/1998 Kenya standard

specification for antibacterial toilet

soap.

KS 1290/1998 Kenya standard

specification for bleaching agents.

[Subsidiary]	
	Part 2: Sodium
	hypochlorite
	solution for water
	treatment.
	Part 3: Chlorinated
	lime (bleaching
	powder for water
	treatment).
	Part 4: Calcium
	hypochlorite for
	water treatment.
KS 1407/1998	Kenya standard
NO 140771000	specification for
	chlorpyrifos.
	Part 1: Technical
	grade.
	Part 2: Emulsifiable
	concentrates
KS 1410/1998	Kenya standard
	specification for
	marathion.
	Part 1: Technical
	grade.
	Part 2: Emulsifiable
	concentrates
	Part 3: Dusting
	powders.
KS 1411/1998	Kenya standard
	specification for
	diazinon.
	Part 1: Technical
	grade.
	Part 2: Emulsifiable
	concentrates.
KS 186/1998	Kenya standard
	specification for
	automatic fire
	alarm systems in
	buildings.
	Part 5: Self-
	contained smoke
KO 070/4000	detectors.
KS 279/1998	Kenya standard
	specification for
	electric irons for
	household use (1st
KC 240/4000	revision, 1998).
KS 340/1998	Kenya standard
	specification for
	edible maize starch.

[	Standards
	[Subsidiary]
KS 1470/1998	Kenya standard
	specification
	for fresh dried
	rastrineobola
	argentea (omena/
	dagaa).
KS 1399/1998	Kenya standard
	specification for
	fresh fin fish.
	Part 1: Fresh whole
	fish.
	Part 2: Fresh fish
	fillet
KS 1339/1998	Kenya standard
	specification for
	hand hammers.
KS 1439/1998	Kenya standard
	specification
	for general
	requirements
	for domestic
	and commercial
	equipment for use
140 445044000	with L. P.G.
KS 1456/1998	Kenya standard
	specification for
	non-destructive
	testing of welded
	joints minimum
	requirement for
	non-destructive
KS CODEX STAN 23/1981	testing methods.
KS CODEX STAIN 23/1961	Kenya standard specification for
	edible sunflowers
	seed oil.
KS CODEX STAN 25/1981	Kenya standard
NO CODEX STAIN 23/1901	specification for
	edible maize oil.
KS CODEX STAN	Kenya standard
NO OODEN OTHER	specification for
	edible sesame seed
	oil.
KS CODEX STAN 124/1981	Kenya standard
	specification for
	edible coconut oil.
KS CODEX STAN 126/1981	Kenya standard
	specification for
	edible palm kernel
	oil.

KS CODEX STAN 147/1981 Kenya standard

specification for cocoa butter confectionery.

KS ISO 2726/1995

Kenya standard specification for woodworking tools —metal bodied bench planes, plane cutters and cap irons.

KS ISO 10103/1990

Kenya standard specification for assembly tools for screws and nuts—double headed, deep offset and modified offset, box wrenches.

KS ISO 10104/1990

Kenya standard specification for assembly tools for screws and nuts—double headed, deep offset and modified offset, box wrenches.

KS ISO 2344/1992

Kenya specification for road vehicles —specification for M 14 X 1, 25 spark-plugs with conical seating and their cylinder head housings.

KS ISO 1919/1998

Kenya standard specification for road vehicles—specification for M 14 X 1, 25 spark-plugs with flat seating and their cylinder head

KS ISO 2704/1998

Kenya standard specification for road vehicles specification for M 10 X 1 spark-plugs with fat seating and

housing.

[Subsidiary] their cylinder head housing. KS ISO 2705/1999 Kenya standard specification for road vehicles -specification for M 12 X 1, 25 spark plugs with flat seating and their cylinder head housings. KS ISO 1126/1970 Kenya standard specification for recommended symbolic designation of direction of closing and faces of doors, windows and shutters. KS ISO 9051/1990 Kenya standard specification for glass in buildingglazed assemblies containing fire-resistant transparent or translucent glass, for use in building. KS 983/1999 Kenya standard specification for performance requirements for incineration plant for the destruction of hospital waste. KS 154/1997 Kenya standard specification for both plain and fork

KS 151/1999 Kenya standard specification for machetes (2nd revision, 1999).

KS 986/1999 Kenya standard for code of practice for the design, specification, and installation and

hoes (2nd revision,

1999).

for the destruction of hospital waste.

Kenya standard specification for

radio information

incineration plant

technology equipment disturbance

characteristics-

limits ad methods of measurement.

KS IEC/CISPR 23/1987 Kenya standard

> specification for determination of limits for industrial, scientific and

medical information

technology equipment -immunity characteristicslimits and methods for measurement.

Kenya standard specification for characteristics of information technology

equipment—limits and methods. Kenya standard

specification

for electromagnetic immunity requirements of sound and

television broadcast receivers and

associated equipment. Kenya standard for

industrial, scientific and medical (ISM) radi frequency equipmentelectromagnetic disturbance characteristicslimits and methods

of measurement.

KS IEC/CISPR 22/1997

KS IEC/CISPR 24/1987

KS IEC/CISPR 20/1988

KS IEC/CISPR11/1997

KS IEC/CISPR14-2/1997

KS IEC/CISPR14-1 amd 1/1996: amd 2/1998

KS 827/1994

KS 1642/2000

Kenya standard specification for electromagnetic compatibilityrequirements for household appliances, electric tools and similar apparatus. Kenya standard specification for limits and methods of measurement of radio disturbance characteristics of electric motoroperated and thermal appliances for household and similar purposes, electric tools and similar electric apparatus. Kenya standard

Kenya standard specification for concrete paving blocks.

Kenya standard specification for frozen tuna loin.

[Rev. 2022] **CAP. 496** 

[Subsidiary]

## THE STANDARDS ORDER

[Legal Notice 3 of 2003]

- 1. This Order may be cited as the Standards Order.
- 2. Kenya standards having been declared for the several commodities and methods and procedures set out in the first and second columns of the Schedule, no person shall manufacture or sell those commodities or use those methods or procedures on or after fortytwo (42) days of the date of publication of this Order unless the commodities and methods or procedures comply with the requirements of the relevant Kenya Standards.

Number	Schedule	Title of Specification
Number		or Code of Practice
KS 05-1499/1998		Kenya standard
		code of practice
		for processing,
		handling and
		distribution
		of alcoholic
		beverages.
KS 01–458/1987		supplements for
		ruminant livestock
		(1st revision, 1998).
KS 05–1398/1998		Kenya standard
		specification for
KC 05 4242/4000		dressed poultry.
KS 05–1313/1998		Kenya standard specification for
		dessicated coconut.
KS 05-436 Part 2/1998		Kenya standard
100 400 1 art 2/1000		specification for
		cocoa-sugar
		mixtures.
KS 05-1094 Part 2/1998		Kenya standard
		specification for
		banana crisps.
KS 05–1094 Part 3/1998		Kenya standard
		specification for
1/0 00 400/4000		cassava crisps.
KS 03–162/1982		Kenya standard
		specification for road marking paints
		(1st revision, 1998).
KS 03-927/1998		Kenya standard
1.5 55 52.7.1555		specification for
		disinfecting general-
		purpose detergents.
KS 03-929/1998		Kenya standard
		specification

[Subsidiary]	
	for QAC-
	based aromatic
	disinfectant liquid.
KS 03-426/1998	Kenya standard
1.0 00 1.20/1.000	specification for
	paraffin wax.
KS 03-1427/1998	Kenya standard
	specification for
	, microcrystalline
	of wax petroleum
	origin.
KS 03-1454/1998	Kenya standard
	specification for
	shoe cream.
KS 03-1443/1998	Kenya standard
	specification for
	washing bars.
KS 03–240/1979	Kenya standard
	specification
	for glazed dust-
	pressed wall tiles
KC 00 450/4000	(1st revision, 1998).
KS 06–452/1992	Kenya standard
	specification for stainless steel
	sianness steer sinks for domestic
	purposes (2nd revision, 1998).
KS 06-1322/1998	Kenya standard
1000 1022/1000	specification for
	charcoal burning
	ironing presses.
KS 06-1348/1998	Kenya standard
	specification for
	parallel action flat
	nose pliers.
KS 06-1349/1998	Kenya standard
	specification for
	scissors for general
	purposes.
KS 06–205/1979	Kenya standard
	specification for
	retread car and
	commercial vehicle
	tyres (2nd revision,
KS 06-1350/1998	1998). Kenya standard
KO 00-1990/1990	Kenya standard specification
	for tow-rope
	assemblies for
	addefinated for

Standards [Subsidiary] towing passenger cars and light vans. KS 06-1347/1998 Kenya standard specification for metric steel tape measures (winding type). KS ISO 8442/1997 Kenya standard specification for materials and articles in contact with foodstuffscutlery and table hollowware. Part 1: Requirements for cutlery for the preparation of food. Part 2: Requirements for stainless steel and silver-plated cutlery. Part 3: Requirements for silver-plated table and decorative hollowware. Part 4: Requirements for gold-plated cutlery. KS ISO 9994/1995 Kenya standard lighters—safety specification. KS 02-979/1998 Kenya standard specification for gypsum plaster board for direct surface decoration or gypsum finishes. Kenya standard KS 02-980/1998 specification for gypsum plasters. KS 02-931/1998 Kenya standard specification for determination of mechanical

properties of gypsum plasters.

Kenya standard specification for flexible non-

	Statiuatus
[Subsidiary]	
	metallic conduits for electrical wiring. Part 1: Plain conduits.
KS 04-1329/1998	Kenya standard specification for stationary thermal storage electric water heaters.
KS 04–1384/1998	Kenya standard specification for hand tools for live working up to 1000 V a.c. and 1500 V d.c.
KS 04-1383/1998	Kenya standard specification for safety hand-held motor operated electric tools. Part 1: General requirements. Part 2: Particular requirements for drills. Part 3: Particular requirements for grinders and disktype senders. Part 4: Particular requirements for circular saws and circular knives. Part 5: Particular required for screw drivers and impact
KS 04–280/1982	wrenches. Kenya standard specification for controls for heating units in household electric ranges (1st
KS 04-1431/1998	revision, 1998). Kenya standard specification for junction boxes for use in electrical installations.
KS 08-1113/1998	Kenya standard specification for staple spun yarns.

[Rev. 2022]	CAP. 496
Standar	
	[Subsidiary]
	Part 2: 100% wool
	(worsted) yarns.
KS 08-607/1998	Kenya standard
	specification for
	adjacent fabric.
	Part 9: Multifibre
	fabric.
KS 1738/2001	Kenya standard
	specification for
	ceramic floor and
	wall tiles.
	Part 1: Definitions,
	classification,
	characteristics and
	marking.
KS 104/2001	Kenya standard
	specification for
	cold rolled steel
	sections.
KS ISO IEC 14598-5/1998	Kenya standard
	information
	technology software
	product evaluation.
	Part 5: Process for
140 470 47004	evaluators.
KS 1724/2001	Kenya standard
	specification for
	multi-frequency
	tone signalling
	protocol for social alarm systems.
KS 1722/2001	Kenya standard
NS 1722/2001	alarm systems
	—social alarm
	systems.
	Part 2: Trigger
	devices.
KS 184/2001	Kenya standard
	specification for
	primary batteries.
	Part 4: Safety of
	lithium batteries.
KS 1709/2001	Kenya standard
	specification for
	batteries for use
	in photovoltaic
	systems.
KS 1637/2001	Kenya standard
	specification for
	welding cables.

[Subsidiary]	
KS ISO 8536-3/1999	Kenya standard specification for infusion equipment for medical use. Part 3: Aluminium caps for infusion bottles.
KS ISO 8536–2/2001	Kenya standard specification for infusion equipment for medical use. Part 2: Closures for infusion bottles.
KS ISO 8536-1/2000	Kenya standard specification for infusion equipment for medical use. Part 1: Infusion glass bottles.
KS ISO 10990-4/1999	Kenya standard specification for animal (mammal) traps. Part 4: Methods for testing killing-trap systems used on land or underwater.
KS ISO 8322-6/1991	Kenya standard building construction —measuring instruments— procedures for determining accuracy in use. Part 6: Laser instruments.
KS ISO 8322-10/1995	Kenya standard building construction —measuring instruments— procedures for determining accuracy in use. Part 10: Difference between nonglass reflectors and electronic distancemeasuring prisms (traditional glass

. ,,

prisms) to distance up to 150 m.

building constructionmeasuring instruments procedures for

Kenya standard

determining accuracy in use.
Part 4: Theodolites.

KS ISO 8322–3/1989 Kenya standard

building
construction
measuring
instruments—
procedures for
determining
accuracy in use.
Part 3: Optical
levelling
instruments.
Kenya standard

Kenya standard

building construction measuring instruments procedures for determining accuracy in use. Part 2: Measuring

tapes. Kenya standard

refillable welded steel gas cylinders.

Kenya standard

cranes—
competency
requirements
for crane drivers
(operators),

slingers, signallers and assessors. Kenya standard

specification for ceramic floor and wall tiles.

Part 9: Dustpressed tiles with water absorption of

E > 10%.

NS 130 6322-3/1969

KS ISO 8322-4/1991

KS ISO 8322-2/1989

KS ISO 4706/1989

KS ISO 15513/2000

KS 1738/2001

CAP. 496		[Rev. 2022
	Standards	
[Subsidiary]		
KS 1738/2001		Kenya standard specification for ceramic floor and wall tiles.
KS 1738/2001		Part 8: Dust- pressed tiles with water absorption of 6 < E ≤ 10%. Kenya standard specification for ceramic floor and wall tiles.
KS 1738/2001		Part 7: Dust- pressed tiles with water absorption 3% ≤ E ≤ 6%. Kenya standard specification for ceramic floor and
		wall tiles. Part 6: Dust- pressed tiles with low water absorption (E ≤ 3%).
KS 1738/2001		Kenya standard specification for ceramic floor and wall tiles. Part 5: Extruded ceramic tiles with water absorption of
KS 1738/2001		E > 10%. Kenya standard specification for ceramic floor and wall tiles. Part 4: Extruded ceramic tiles with water absorption of
KS ISO 140-2/1991		6 < E ≤10%. Kenya standard acoustics— measurements of sound insulation in buildings and of building elements. Part 2: Determination

Determination, verification and

[Rev. 2022] Standards [Subsidiary] application of precision data. KS ISO 2776/1974 Kenya standard modular coordination-coordinating sizes for door-sets-external and internal. KS ISO 140-1/1997 Kenya standard acousticsmeasurement of sound insulation in buildings and of building elements. Part 1: Requirements for laboratory test facilities with suppressed flanking transmission. KS 1725/2001 Kenya standard cement. Part 1: Composition, specifications and conformity criteria for common cements. KS 1725/2001 Kenya standard cement. Part 2: Conformity evaluation. KS 1738/2001 Kenya standard

specification for ceramic floor and

wall tiles.

Part 3: Extruded ceramic tiles with a water absorption of 3% ≤ E ≤6%.

KS 1738/2001 Kenya standard specification for ceramic floor and

wall tiles.

Part 2: Extruded ceramic tiles with low water absorption (E ≤

3%).

KS 34/2001 Kenya standard

specification for

Stan	dai	rds
Stari	uai	us

[Subsidiary] KS 551/2001	yoghurt (2nd revision, 2001). Kenya standard specification for mayonnaise and
KS 551/2001	revision, 2001). Kenya standard specification for mayonnaise and
KS 551/2001	revision, 2001). Kenya standard specification for mayonnaise and
KS 551/2001	Kenya standard specification for mayonnaise and
	specification for mayonnaise and
	mayonnaise and
	-
	mayonnaise-like
	products (1st
	revision, 2001).
KS ISO 11165/1995	Kenya standard
	dried sage (salvia
	officinalis L.)—
	specification.
KS ISO 11416/1995	Kenya standard
	tennis rackets—
	racket components
	and physical
	parameters.
KS ISO 5970/1979	Kenya standard
	furniture—chairs
	and tables for
	educational
	institutions—
	functional sizes.
KS ISO 9202/1991	Kenya standard
	jewellery—fineness
	of precious metal
	alloys.
KS ISO 8653/1986	Kenya standard
	jewellery-ring-
	sizes—definition,
	measurement and
	designation.
KS 1656/2001	Kenya standard
	specification
	for general and
	industrial lined and
140 4005/0004	unlined PVC boots.
KS 1635/2001	Kenya standard
	specification for
	moulded rubber
KC ICO CE20/4000	heels and soles.
KS ISO 6530/1990	Kenya standard
	protective clothing
	<ul><li>—protection against liquid chemicals</li></ul>
	—determination
	of resistance
	of materials to
	nenetration by
	penetration by liquids.

Standards	
	[Subsidiary]
KS 1088/2001	Kenya standard specification for soups and broths. Part 1: Dehydrated
KS 29/2001	soups and broths (1st revision, 2001). Kenya standard specification for milk powders and cream powders
KS 1715/2001	(2nd revision, 2001).  Kenya standard code of practice for the sensory evaluation of fish and shellfish in
V0.0055V.051V.400V4000	laboratories.
KS CODEX STAN 189/1993	Kenya standard for dried shark fins.
KS CODEX STAN 202/1995	Kenya standard for
KS CODEX STAN 114/1981	couscous. Kenya standard specification for quick-frozen French
KS 1740/2001	fried potatoes. Kenya standard specification for
KS 1088/2001	dried mangoes. Kenya standard specification for soups and broths. Part 2: Canned
KS 650/2001	soups and broths. Kenya standard specification for glass globes for paraffin lighting appliances for
KS 802/2001	domestic use (1st revision, 2001). Kenya standard specification for cutsize papers. Part 2: Photocopy
KS 802/2001	paper (1st revision, 2001). Kenya standard specification for cutsize papers.

Standards [Subsidiary] Part 1: General purpose paper (1st revision, 2001). KS 945/2001 Kenya standard specification for sack kraft paper. Part 1: Natural and extensible sack kraft paper. Kenya standard KS ISO 3143/1997 oil of clove stems [Syzygium aromaticum (L.) Merret Perry, syn. Eugenia caryophyllus (Sprengel) Bullock et S. Harrison]. KS ISO 3142/1997 Kenya standard oil of clove buds [Syzygium aromaticum (L.) Merr. et Perry, syn. Eugenia caryophyllus (Sprengel) Bullock et S. Harrison]. KS IEC 60947-5-3/1996 Kenya standard specification for low-voltage switchgear and controlgear. Part 5: Control circuit devices and switching elements. Section 3. Requirements for proximity devices with defined behaviour under fault conditions (PDF).

KS IEC 60947-5-4/1996

Kenya standard specification for low-voltage switchgear and controlgear. Part 5: Control circuit devices and switching elements. Standards

[Subsidiary]

KS IEC 60947-5-5/1997

KS IEC 60947-5-6/1999

KS IEC 60947-6-2/1992

KS IEC 60947-6-1/1998

Section 4: Methods of assessing the performance of lowenergy contactsspecial tests. Kenya standard specification for low-voltage switchgear and controlgear. Part 5: Control circuit devices and switching elements. Section 5: Electrical emergency stop device with mechanical latching function.

function.
Kenya standard
specification for low

voltage switchgear and controlgear. Part 5: Control circuit devices and switching elements. Section 6: DC interface for proximity sensors and switching amplifiers (namur). Kenya standard specification for low-voltage switchgear and controlgear. Part 6: Multiple

function equipment. Section 2: Control and protective

switching devices (or equipment) (CPS).

Kenya standard specification for low-voltage switchgear and controlgear. Part 6: Multiple function equipment.

Section 1: Automatic

equipment. KS IEC 60947-7-1/1989

Kenya standard specification for low-voltage switchgear and controlgear. Part 7: Ancillary equipment.

transfer switching

Section 1: Terminal blocks for copper

conductors.

KS IEC 60947-5-1/1999 Kenya standard

specification for low-voltage switchgear and controlgear. Part 5: Control circuit devices and switching elements.

Section 1:

Electromechanical control circuit

devices.

KS IEC 60947-5-2/1997 Kenya standard

specification for low-voltage switchgear and controlgear. Part 5: Control circuit devices and switching elements. Section 2: Proximity

switches.

KS ISO 6867/2000 Kenya standard

> animal—animal feeding stuffsdetermination of Vitamin E content method using highperformance liquid chromatography. Kenya standard low-voltage

KS IEC 60439-5/1996

controlgear assemblies. Part 5: Particular requirements for assemblies intended to be

switchgear and

Standards [Subsidiary]

> installed outdoors in public places cable distribution cabinets (CDCs) for

> power distribution in

networks.

Kenya standard

low-voltage switchgear and controlgear assemblies.

Part 4: Particular requirements for assemblies for construction sites

(ACS).

KS IEC 60439-3/1990

KS IEC 60439-4/1999

Kenya standard

specification for low-voltage switchgear and controlgear assemblies.

Part 3: Particular requirements for low-voltage switchgear and controlgear assemblies intended to be installed in places where unskilled persons have access for their

use—distribution

boards.

KS IEC 60439-2/1987 Kenya standard low

voltage switchgear and controlgear assemblies. Part 2: Particular requirements busbar trunking systems (busways).

Kenya standard low-voltage switchgear and controlgear assemblies.

Part 1: Type-tested and partially typetested assemblies.

KS IEC 60439-1/1999

CAP. 496 Standard	[Rev. 2022]
[Subsidiary]	<u>~</u>
KS IEC 62151/2000	Kenya standard safety of equipment electrically connected to a telecommunication network.
KS IEC 60244-1/1968	Kenya standard methods of measurement for radio transmitters. Part 1: General characteristics for broadcast
KS IEC 60947-7-2/1995	transmitters. Kenya standard specification for low-voltage switchgear and controlgear. Part 7: Ancillary equipment. Section 2: Protective conductor terminal blocks for copper conductors.
KS ISO 11163/1995	Kenya standard dried sweet basil (Ocimum basilicum
KS CODEX STAN 143/1985	L.)— specification. Kenya standard for dates.
KS ISO 7713/1985	Kenya standard laboratory

KS 1723/2001

glassware-disposal

serological pipettes. Kenya standard code of practice

for documentation for social alarm systems.

# THE STANDARDS (KENYA ACCREDITATION SERVICE) REGULATIONS

# ARRANGEMENT OF REGULATIONS

## Regulation

- 1. Citation
- 2. Interpretation
- 3. Establishment of KENAS
- 4. Appointment of a Chief Executive Officer and staff
- 5. Functions of the KENAS
- 6. Registration
- 7. Certificates
- 8. Powers and functions of the Board
- 9. The Board to establish committees
- 10. Financial provisions
- 11. Immunity from actions done in good faith
- 12. Delegation
- 13. Appeals
- 14. Revocation

[Rev. 2022] CAP. 496

[Subsidiary]

## THE STANDARDS (KENYA ACCREDITATION SERVICE) REGULATIONS

[Legal Notice 26 of 2005]

#### 1. Citation

These Regulations may be cited as the Standards (Kenya Accreditation Service) Regulations.

#### 2. Interpretation

In these Regulations, unless the context otherwise require—

"accreditation" means the procedure by which KENAS gives formal recognition that a conformity assessment body or person is competent to carry out specific tasks;

"assessment" means a process undertaken by KENAS to assess the competence of a conformity assessment body or persons based on particular standard(s) and or other normative documents and for a defined scope of accreditation;

"assessor" means any person qualified and authorized to perform all or any part of assessment:

"certification body" means a body corporate accredited by KENAS to certify management systems processes and products;

"conformity assessment" means demonstration that specified requirements relating to a product, process, system, person or body are fulfilled;

"conformity assessment body" means a body that performs conformity assessment activities such a laboratory, certification or inspection body;

"fees" includes royalties, subscription, application and any other fee prescribed by the Board;

"inspection body" means a body corporate accredited by KENAS to inspect products, items or structures against specifications or requirements;

"KENAS" means Kenya Accreditation Service established under Regulation(3);

"laboratory" means an establishment, which does one, a combination or all of the following; measures, examines, tests, calibrates or otherwise determines the characteristics or performance of materials or products;

"lead assessor" means an assessor who is qualified and authorized to manage quality systems management;

"person" means an individual, firm or organization;

#### 3. Establishment of KENAS

- (1) There is established a body to be known as the Kenya Accreditation Service.
- (2) The Board of KENAS shall consist of the following members—
  - (a) a Chairperson who shall be appointed by the Cabinet Secretary;
  - (b) the Chief Executive Office of the Kenya Bureau of Standards;
  - (c) not more than three people, appointed by the Cabinet Secretary on the advice of the Council, who possess knowledge and competence in conformity assessment systems and competence in conformity assessment systems and who shall not be members of the Council nor officers employed by the Kenya Bureau of Standards;
  - (d) not more than four people, appointed by the Cabinet Secretary, representing conformity assessment bodies;
  - (e) the Chief Executive Officer of KENAS who shall be the secretary.

## 4. Appointment of a Chief Executive Officer and staff

The Board shall appoint a Chief Executive Officer and such members of staff as the Board may deem necessary for the proper performance of the function of KENAS

#### 5. Functions of the KENAS

KENAS shall—

- develop and regulate the criteria or requirement for the registration of assessors, conformity assessment inspectors, auditors and training providers and review such criteria or requirements from time to time;
- develop and regulate criteria or requirements for accrediting conformity assessment bodies;
- register all assessors, conformity assessment inspectors, auditors and training providers;
- (d) design and issue identification numbers and certificates to all registered assessors, conformity assessment inspectors, auditors and training providers and conformity assessment bodies;
- (e) accredit conformity assessment bodies;
- open, maintain and update a register of all registered assessors, conformity assessment inspectors, auditors and training providers and accredited conformity assessment bodies;
- (g) publish annually in the Gazette all the assessors, conformity assessment inspectors, auditors, training providers and conformity assessment bodies who have been registered or accredited in that particular year;
- establish arrangements promoting the use of the marks and certificates issued by registered persons and accredited conformity assessment bodies;
- establish and nurture relations and cooperation with regional and international accreditation bodies, persons, associations and organizations that the Board may consider desirable or appropriate and in furtherance of the objectives and purposes for which KENAS is established;
- organize activities aimed at raising awareness on the importance and purpose of registration and accreditation;
- (k) establish a Secretariat to administer these Regulations.

## 6. Registration

- (1) Every person or firm wishing to be registered or accredited shall make an application to the Board in the prescribed forms.
- (2) An application for registration or accreditation shall be accompanied by such fees as the Board may, from time to time, prescribe.
- (3) All registered persons or every accredited conformity assessment body shall pay such type and amount of fees and subscription as shall be determined, from time to time, by the Board.
- (4) No person or conformity assessment body shall undertake any certification or conformity assessment activity unless authorised and duly registered or accredited by the Board.
- (5) Any person or conformity assessment body who undertakes certification or conformity assessment activity without first being registered or accredited shall commit an offence and shall, on conviction, be liable to punishment as provided for under the Act.

## 7. Certificates

- (1) All registered persons and every accredited conformity assessment body under these Regulations shall be issued with—
  - (a) a certificate of accreditation in the prescribed form; and

[Rev. 2022] CAP. 496

[Subsidiary]

- (b) an identification number specified by the Board.
- (2) A certificate issued under these Regulations shall contain such terms and conditions as the Board may prescribe and shall be conclusive evidence of authority to operate as a duly registered person or accredited body.

#### 8. Powers and functions of the Board

- (1) The Board shall have powers to cancel the registration or accreditation where—
  - (a) registration or accreditation has been obtained by fraud;
  - (b) the registered person or accredited conformity assessment body does not comply with specified criteria, requirement or condition for registration or accreditation as the Board may prescribe or having complied with the criteria, requirement or condition at the time of registration or accreditation ceases to comply by any other reason;
  - (c) the registered person has been adjudged bankrupt;
  - (d) the accredited conformity assessment body is declared insolvent or has had a receiving order issued against it;
  - (e) the registered person or accredited conformity assessment body has refused or neglected to pay specified fees as the Board may, from time to time, prescribe.
- (2) The Board shall have power to supervise and control the administration and financial management of KENAS.
- (3) The Board may advice and obtain advice from the Cabinet Secretary in regard to any matter in his purview under these Regulations.
- (4) The Board shall formulate matters of policy for the purpose of providing general or specific guidance to KENAS for the better performance of its functions under these Regulations.
  - (5) The Board—
    - (a) shall administer the assets and funds of KENAS in such a manner and for such purposes as will promote the objectives and interests of KENAS in accordance with these Regulations;
    - (b) may receive donations and other monies, property and equipment on behalf of KENAS and shall have power to make legitimate disbursements thereform.
- (6) The Board shall have powers to establish committees to which it may delegate specific tasks.
- (7) The Board shall have powers to grant, renew, extend, withdraw or cancel an registration or accreditation.

### 9. The Board to establish committees

The Board shall establish-

- (a) a committee to be known as the registration and accreditation committee which shall comprise of not less than four but not more than six members who shall be persons knowledgeable in conformity assessment actives and which shall have powers to—
  - make rules to regulate its own procedure and affairs to ensure independence and impartiality;
  - (ii) review applications for registration and accreditation; and
  - recommend to the Board whether or not to grant, renew, extend, withdraw or cancel registration or accreditation and the manner with which to deal with the certificate issued thereto;
- (b) an advisory committee of such members not being members of the Board and not being more than five to—

 hear all disputes regarding any person or body seeking registration or accreditation or any person or body registered or accredited by the Board; and

(ii) make recommendations to the Board and the Board shall consider such recommendations and make a decision.

### 10. Financial provisions

- (1) The funds of KENAS shall consist of all monies received or recovered under these Regulations by or on behalf of KENAS or any other monies that may be made available to KENAS.
- (2) The Board shall cause to be kept all proper books of accounts and other books and records in relation to the funds and all the undertakings, activities and property of KENAS and shall, within such period after the end of each financial year, as the Cabinet Secretary shall specify, cause to be prepared—
  - a balance sheet showing in detail the assets and liabilities of KENAS as at the end of that year;
  - (b) such other statements of accounts as may be necessary to indicate the financial status of KENAS as at the end of that year.
- (3) The accounts of KENAS shall be examined audited and reported upon annually by the Controller and Auditor-General.

## 11. Immunity from actions done in good faith

- (1) No matter or thing done by the Board or any officer or employee or agent of KENAS shall, if the matter or thing is done *bonafide* for executing the functions, powers and duties of KENAS render the member, officer, employee or agent or any person acting by his directions personally liable to any action, claim or demand.
- (2) The provisions of these Regulations shall not relieve KENAS of the liability to pay compensation or damages to any person for injury or loss caused to him, his property, or any of his interest by the exercise of powers conferred by these Regulations by reason of negligence whether wholly or partially of its officers or employees.

### 12. Delegation

The Board may by resolution either generally or in any specific case delegate to a Committee of KENAS or to any member, officer employee or agent the exercise of any of the powers or the performance of any of the functions or duties for which it is authorised by these Regulations to exercise or perform.

### 13. Appeals

Any registered person or accredited conformity assessment body aggrieved by any decision made by the Board and wishes to challenge the same shall within twenty one days from the date of the decision of the Board, appeal to the Standards Tribunal.

#### 14. Revocation

The following are revoked—

- (a) the Standards (National Calibration Service) Regulations (L.N. No. 8/1984);
- (b) the Standards (National Scheme for the Registration of Assessors) Regulations (L.N. No. 90/1995).

# THE VERIFICATION OF CONFORMITY TO KENYA STANDARDS OF IMPORTS ORDER, 2005

# ARRANGEMENT OF SECTIONS

- 1. Citation
- 2. Publication of a list
- 3. Compliance with standards
- 4. Appointment of an inspection body
- 5. Verification of conformity
- 6. Certificate of conformity and non-conformity report
- 7. Destination inspection
- 8. Exemption
- 9. Revocation. L.N. 155/1998

# THE VERIFICATION OF CONFORMITY TO KENYA STANDARDS OF IMPORTS ORDER, 2005

[Legal Notice 78 of 2005]

#### 1. Citation

This Order may be cited as the Verification of Conformity to Kenya Standards of Imports Order.

#### 2. Publication of a list

The Kenya Bureau of Standards shall publish a list of goods which shall be subjected to verification of conformity to Kenya Standards or approved specifications.

#### 3. Compliance with standards

A person who imports goods must ensure that the goods meet Kenya Standards or approved specifications.

### 4. Appointment of an inspection body

The Kenya Bureau of Standards shall appoint an inspection body or bodies in the country of origin of goods to undertake verification of conformity to Kenya Standards or approved specifications.

#### 5. Verification of conformity

All goods which are specified by the Kenya Bureau of Standards in accordance with paragraph 2 shall be subjected to verification of conformity to Kenya Standards or approved specifications in the country of origin by an inspection body authorized by the Bureau, and may be re-inspected at the port of entry by the Bureau if it is deemed necessary.

## 6. Certificate of conformity and non-conformity report

- (1) The Kenya Bureau of Standards shall issue a certificate of conformity in respect of goods that conform with Kenya Standards or approved specifications and a non conformity report in respect of goods which do not.
- (2) No Goods that do not conform to the Kenya Standards or approved specifications shall be permitted into Kenya, and shall be re-shipped, returned or destroyed at the expense of the importer.

#### 7. Destination inspection

- (1) Goods specified in accordance with paragraph 2 arriving at the port of entry without a certificate of conformity shall be subjected to destination inspection at a fee of 15% of the Cost, Insurance and Freight value of the goods.
- (2) The importer of such goods shall, in addition to the fee imposed in paragraph (1), execute a security bond equivalent to the said fee.
- (3) Where goods subjected to destination inspection under subparagraph (1) fail to conform to Kenya Standards or approved specifications, they shall be re-shipped, returned or destroyed at the expense of the importer.

#### 8. Exemption

The Cabinet Secretary may, on the advice of the National Standards Council, exempt any imports from the provisions of this Order where the Cabinet Secretary is satisfied that it is in the national interest to do so.

#### 9. Revocation. L.N. 155/1998

The Quality Inspection of Imports Order, 1998, is revoked.



CAP. 496

[Subsidiary]

# THE STANDARDS (QUALITY INSPECTION OF IMPORTS) REGULATIONS

[Legal Notice 142 of 2009]

- 1. These Regulations may be cited as the Standards (Quality Inspection of Imports) Regulations.
- **2.** The goods set out in the Schedule shall, when imported into Kenya, be subjected to quality inspection by the Kenya Bureau of Standards at the port of entry.
- **3.** The Bureau shall ensure that all products inspected under these Regulations meet the requirements of Kenya Standards or standards approved by the Bureau.
- **4.** The quality inspection fees for the imported commodities shall be as set out in the second column of the Schedule.
- **5.** The Bureau shall issue a Certificate of Release in respect of all goods inspected and approved by it for entry into Kenya.
- **6.** The Bureau shall develop appropriate forms for use under these Regulations, and may develop different forms for different kinds of goods.

	SCHEDULE	
	[rr. 2, 5.]	
Goods	• •	Fees payable
Petroleum and petroleum prices		0.675% of cost, insurance and freight (cif)
		- , ,
		3 3 (3 )

[Subsidiary]

# THE STANDARDS TRIBUNAL (PRACTICE AND PROCEDURE) RULES

# ARRANGEMENT OF RULES

#### PART I – PRELIMINARY

- 1. Citation
- 2. Interpretation
- 3. Application
- 4. Objective
- 5. Duty of the Tribunal
- 6. Role of Chairperson
- 7. Role of Secretary
- 8. Register

#### PART II - APPEALS AND REFERENCES TO THE TRIBUNAL

- 9. Appeals
- 10. Recognized Representatives
- 11. Language
- 12. Statement of Appeal
- 13. Reference of a matter by the Director
- 14. Dismissal of appeal
- 15. Service
- 16. Statement of response

#### PART III - DIRECTIONS AND PRELIMINARY OBJECTIONS

- 17. Directions
- 18. Defective Pleading
- 19. Failure to comply with directions
- 20. Varying or setting aside of orders

#### PART IV - JOINDER AND CONSOLIDATION

- 21. Joinder of parties
- 22. Consolidation

#### PART V - HEARING PROCEDURE

- 23. Hearing
- 24. Hearing to be in public

# Procedure at hearing

- 25. Conduct of hearings
- 26. Expert Evidence
- 27. Contempt of Tribunal

### PART V - DECISIONS

28. Decision

#### Review

- 29. Application for Review
- 30. Decision on review
- 31. Costs.
- 32. Consent orders
- 33. Interim orders
- 34. Supporting affidavit

[Subsidiary]

35. Interlocutory Applications

# PART VI - MISCELLANEOUS

- 36. Computation of time
- 37. Irregularities
- 38. Prescribed forms
- 39. Recording of proceedings
- 40. Protection from personal liability
- 41. Practice directions
- 42. Oath of Office
- 43. Powers of Tribunal
- 44. Disclosure of interest
- 45. Quorum of the Tribunal
- 46. Official seal
- 47. Fees

**SCHEDULES** 

FIRST SCHEDULE —

**FORMS** 

**FEES** 

# THE STANDARDS TRIBUNAL (PRACTICE AND PROCEDURE) RULES

[Legal Notice 195 of 2013]

PART I - PRELIMINARY

#### 1. Citation

These Rules may be cited as the Standards Tribunal (Practice and Procedure) Rules.

#### 2. Interpretation

In these Rules, unless the context otherwise requires—

"Act" means the Standards Act (Cap. 496);

"appellant" means any person who has filed an appeal to the Tribunal;

"business day" means any day except Saturday, Sunday or a public holiday between 8 a.m. and 5 p.m.;

"Bureau" means the Kenya Bureau of Standards as established under section 3 of the Act:

"chairperson" means the person appointed as the chairperson of the Tribunal in accordance with section 16A of the Act;

"Council" means the National Standards Council as established under section 6 of the Act;

"Director" means the Director of the Kenya Bureau of Standards appointed under section 5 of the Act;

"expert" means a person who has comprehensive knowledge of or skills in matters relating to a specific field of standardization;

"hearing" means a sitting of the Tribunal constituted to-

- (a) receive evidence;
- (b) hear submissions from a party;
- (c) deliver a decision; or
- (d) do anything lawfully required to enable the Tribunal to reach a decision;

"KENAS" means Kenya Accreditation Service as established under the Kenya Accreditation Service Order, 2009 (L.N. 55/2009);

"KENAS Order" means the Kenya Accreditation Service Order 2009 (L.N. 55/2009);

"party" in relation to an appeal, includes the appellant, the respondent and any person joined to the proceedings as an appellant respondent or joinder;

"pleading" includes the statement of appeal of the appellant, the statement of response by the respondent, application to join and any other motion or reply thereto;

"recognized representative" means a person authorized to represent a party in accordance with Rule 10;

"reference" means a reference by the Director to the Tribunal where a matter appears to involve a point of law or to be of unusual importance or complexity;

"registry" means the place where all pleadings and supporting documents and all orders and decisions of the Tribunal are kept in accordance with these Rules;

"respondent" refers to the Director, Council, Bureau, KENAS and any party to the proceedings other than the appellant;

"Secretary" means the secretary to the Tribunal;

"Standards" means the standards declared under section 9(1) of the Act;

"Standards Levy Order" means an order made by the Cabinet Secretary under the Act; and

"Tribunal" means the Standards Tribunal as established by section 16A of the Act.

#### 3. Application

- (1) These Rules shall apply to all proceedings brought before the Tribunal under the Act or KENAS Order.
- (2) Nothing contained in these Rules shall limit or otherwise affect the inherent power of the Tribunal to make such orders as may be necessary for the ends of justice or to prevent abuse of the process of the Tribunal.

# 4. Objective

- (1) The overriding objective of these Rules is to facilitate the just, expeditious, proportionate and affordable resolution of disputes.
- (2) The Tribunal shall, in the exercise of its powers under the Act and these Rules or in the interpretation of any of the provisions, seek to give effect to the overriding objective in paragraph (1).
- (3) A party to proceedings under these Rules or an advocate for such a party is under a duty to assist the Tribunal to further the overriding objective and to that effect, to participate in the processes of the Tribunal and to comply with the directions and orders of the Tribunal.

#### 5. Duty of the Tribunal

For the purpose of furthering the overriding objective specified in Rule 4, the Tribunal shall handle all matters presented before it for the purpose of attaining the following aims—

- (a) the just determination of the proceedings:
- (b) the efficient disposal of the business of the Tribunal;
- (c) the efficient use of the available judicial and administrative resources;
- (d) the timely disposal of the proceedings, and all other proceedings in the Tribunal, at a cost affordable by the respective parties; and
- (e) the use of suitable technology.

#### 6. Role of Chairperson

- (1) The Chairperson shall coordinate the work of the Tribunal and shall—
  - (a) assign the business of the Tribunal to the members;
  - (b) preside over the sittings of the Tribunal:
  - (c) exercise all functions given under the Act and these Rules.
- (2) The Tribunal may authorize the Chairperson to do any act required or authorized by these Rules to be done by the Tribunal, not being an act which is required to be done by the Tribunal itself.
- (3) The Chairperson may assign any roles or duties not required by the Act to be personally performed by the Chairperson to any member or officer of the Tribunal.

#### 7. Role of Secretary

- (1) The Secretary shall be the registrar of the Tribunal.
- (2) In relation to the proceedings before the Tribunal, the Secretary shall in particular be responsible to the Tribunal for—
  - (a) establishment and maintenance of the registry;
  - acceptance, transmission, service and custody of documents in accordance with these Rules;

[Subsidiary]

- (c) certifying that any order, direction or decision is an order, direction or decision of the Tribunal, the Chairperson or a member of the Tribunal, as the case may be;
- (d) causing to be kept records of the proceedings and minutes of the meetings of the Tribunal and such other records as the Tribunal may direct;
- (e) assessment of the costs awarded by the Tribunal; and
- (f) undertaking any other duties as may be assigned by the Tribunal.
- (3) The Secretary may with the authorization of the Tribunal consider and dispose of procedural or administrative matters in accordance with these Rules.

#### 8. Register

- (1) The Tribunal shall cause to be prepared a register with regard to any disputes or appeals before the Tribunal which shall contain—
  - (a) the names of the parties;
  - (b) the serial number;
  - (c) date of claim or appeal;
  - (d) the relief sought; and
  - (e) the final determination and the date thereon.
- (2) There shall be a separate register for references under section 16B of the Act which shall contain the—
  - (a) names of the parties;
  - (b) serial Number;
  - (c) date of the Reference;
  - (d) nature of the Reference; and
  - (e) opinion of the Tribunal.

PART II - APPEALS AND REFERENCES TO THE TRIBUNAL

#### 9. Appeals

- (1) A person aggrieved by a decision of the Bureau, or the Council may appeal to the Tribunal within fourteen days of notice of the decision.
- (2) A person aggrieved by an order for destruction of goods as provided for in the Act may, within fourteen days of the notice of the order appeal to the Tribunal.
- (3) A person who is aggrieved by a decision under a Standards Levy Order may appeal to the Tribunal within fourteen days of notice of the decision.
- (4) An Accredited Conformity Assessment Body aggrieved by a decision of KENAS may within twenty one days from the date of such decision appeal to the Tribunal.
- (5) Appeals to the Tribunal shall be filed by presenting a statement of appeal signed by the appellant or their recognized representative in Form ST. 2. set out in the First Schedule.
- (6) Where any decision or order by the Bureau, Council or KENAS is appealed against, the execution of the decision or order shall not be carried out until the Tribunal has heard and determined the appeal.

#### 10. Recognized Representatives

- (1) In any proceedings before the Tribunal, a party may appear in person or be represented by—
  - (a) an advocate of their own choice; or
  - (b) in the case of a corporate body or a firm, an officer of the corporate body or firm duly authorized in writing by such body or firm.

- (2) Despite paragraph (1), a party may, with the leave of the Tribunal, appoint any other person knowledgeable in the subject matter of the proceedings before the Tribunal to represent them in such proceedings.
- (3) Appointment of an advocate or recognized representative shall be in the prescribed Form ST 1 set out in the First Schedule.

#### 11. Language

- (1) The language of the Tribunal is English.
- (2) If a party or a witness does not understand English, the Tribunal shall provide an interpreter at no cost to the party or witness.

#### 12. Statement of Appeal

- (1) The statement of appeal shall contain—
  - (a) names and addresses of the parties;
  - (b) names and addresses of their recognized representatives (if any);
  - (c) copies of any written record of the decision being appealed against;
  - (d) the grounds on which the appellant relies;
  - (e) the relief sought; and
  - (f) a schedule listing all the documents annexed to the statement of appeal.
- (2) Unless the Tribunal otherwise directs, the statement of appeal shall be in five copies, signed by the appellant or the appellant's recognized representative.
  - (3) Upon receipt of a statement of appeal, the Secretary shall—
    - acknowledge receipt by stamping on the statement of appeal the date of receipt which date shall be the date of filing.
    - (b) enter the particulars of the appeal in a register kept by the Tribunal for that purpose;
    - (c) inform the parties in writing of the case number of the appeal as entered in the register; and
    - advise the parties of the address to which notices and communications to the Tribunal shall be sent.
- (4) The appellant may include in their statement of appeal, or in a separate application to the Tribunal—
  - (a) an application for an early hearing of the appeal; and
  - (b) the reasons for that application.
- (5) The appellant shall, within fourteen days of filing an appeal, serve the statement of appeal and the supporting documents on the respondent.

#### 13. Reference of a matter by the Director

- (1) Where a matter is referred to the Tribunal for directions under section 16D of the Act, the Director shall provide the Tribunal with copies of all the relevant documentation relating to the matter and such other material as the Tribunal may require in order to determine the matter.
- (2) The Director shall specify whether the matter appears to involve a point of law or is of unusual importance or complexity while referring the matter to the Tribunal.
- (3) The Director shall serve any party interested in the matter with a copy of the documents provided to the Tribunal under paragraph (1) within fourteen days of referring the matter to the Tribunal.
- (4) An interested party shall file a response within thirty days of notice of the reference from the Director.
- (5) The Tribunal shall, after satisfying itself that all the necessary procedures have been followed set the matter for directions on the manner to proceed with the reference.

[Subsidiary]

- (6) The Tribunal shall thereafter determine the matter and give the necessary directions to the Director.
- (7) The Tribunal shall inform any party, who had responded in accordance with this Rule of its directions made to the Director.
- (8) A party dissatisfied with the decision of the Tribunal under this Rule may appeal to the High Court within fourteen days of the notice of the direction.

#### 14. Dismissal of appeal

- (1) The Tribunal may dismiss all or part of an appeal without holding a hearing if it decides that—
  - (a) the appeal is outside the jurisdiction of the Tribunal;
  - (b) the appeal was not filed within the time stipulated in the Act or KENAS Order;
  - (c) the appeal is frivolous, scandalous, vexatious, trivial or an abuse of the due process of the Tribunal;
  - (d) the appeal was made in bad faith or for an improper purpose; or
  - (e) the appeal does not disclose a reasonable cause of action.
- (2) Where an appeal is dismissed under paragraph (1), the Tribunal shall notify the parties in writing giving reasons for the dismissal.
- (3) In exercise of its power under this Rule, the Tribunal may act either on its own motion or on an application.

#### 15. Service

- (1) A document required to be sent to or served on any person under these Rules may be—
  - (a) delivered personally at the person's address for service;
  - (b) mailed to the person's address for service by registered post, or courier service:
  - (c) where authorized by the Tribunal, sent to the person by facsimile or other electronic means; and
  - (d) served through such other means as may be authorized by the Tribunal.
- (2) A document which is sent or served in accordance with these Rules shall be deemed to have been received by or served on that person—
  - (a) in the case of personal delivery, on the date of delivery;
  - (b) when sent by registered post or courier service, on the seventh day after it was posted or dispatched;
  - (c) in the case of a facsimile transmitted on a business day before 5 p.m., on that day or, in any other case, on the business day after the day on which it is transmitted;
  - in the case of electronic mail or similar means, on the second day after the day on which it is transmitted; and
  - (e) where any other method of service is permitted under paragraph (1)(d) above, such time as shall be specified by the Tribunal.
- (3) Where the Tribunal has to proceed on the basis that there was service, the party shall prove to the satisfaction of the Tribunal that there was indeed service.
- (4) If a document is served after 5 p.m. on a business day, or at any time on a Saturday, Sunday or a public holiday, the document shall be deemed to have been served on the next business day.
- (5) The address for service for the purposes of proceedings before the Tribunal shall be in the case of any document addressed to—
  - (a) the Secretary, Standards Tribunal;

- the appellant or to their recognized representative, the address stated in the statement of appeal or such other address as may be provided to the Tribunal;
- (c) the respondent, or their recognized representative the address stated in the statement of response, or such other address as may be provided to the Tribunal;
- (d) an interested party, the address stated in the application for joinder of party or such other address as may be provided to the Tribunal.
- (6) An item or document required to be sent to or served on a company is deemed as duly sent or served if it is sent to or left at the company's registered address or it is served on a director or the company secretary.
- (7) An item or document required to be sent to or served on a partnership is deemed to be duly sent or served if it is sent to or served on any of the partners.
- (8) The Tribunal may dispense with service of a document if the interests of justice so require for reasons to be recorded.

#### 16. Statement of response

- (1) A respondent who wishes to oppose an appeal has fourteen days from the date of service of the statement of appeal to file and serve a statement of response containing the particulars prescribed under these Rules in the Form ST. 3. as set out in the First Schedule.
- (2) Where no statement of response is received from the respondent, the Tribunal may proceed to hear the appeal or issue such directions as it may deem appropriate in the circumstances
- (3) The statement of response shall be signed and dated by the respondent, or the respondent's recognized representative and shall contain—
  - (a) names and addresses of the parties:
  - (b) names and addresses of their recognized representatives (if any);
  - (c) the grounds of opposition, if any;
  - a summary of the arguments of fact and law upon which the respondent intends to rely on; and
  - (e) a schedule listing all the documents annexed to the statement of response.
- (4) There shall be annexed to the statement of response copies of the following documents-
  - (a) the documents the respondent wishes to rely on during hearing;
  - (b) any relevant statements;
  - (c) a case summary;
  - (d) an affidavit by the respondent verifying the facts contained in the statement of response and the authenticity of documents filed therewith;
  - (e) minutes of meetings or proceedings, if any, which arrived at the decision being appealed against.
- (5) The Tribunal shall have the power to call for the record comprising any document in respect of which a decision appealed against was made.
- (6) The respondent or recognized representative shall file six copies of signed statements of response.
- (7) Despite paragraph (6), the respondent shall provide sufficient copies to be served on every party.

#### PART III - DIRECTIONS AND PRELIMINARY OBJECTIONS

### 17. Directions

(1) Within seven days of service of the statement of response the appellant shall with notice to the respondent set the matter for directions on the manner of hearing.

[Subsidiary]

- (2) The Tribunal may give directions—
  - (a) on the manner in which the proceedings are to be conducted, including any time limits to be observed in the conduct of the oral hearing;
  - that the parties file a response, reply, rejoinder or other additional pleadings or particulars;
  - (c) for the preparation and exchange of skeleton arguments;
  - (d) requiring persons to attend and give evidence or to produce documents;
  - (e) on the evidence which may be required or admitted in proceedings before the Tribunal and the extent to which it shall be oral or written;
  - on the submission in advance of the hearing of any witness statements or expert reports;
  - (g) on the examination or cross-examination of witnesses;
  - (h) on the fixing of time limits with respect to any aspect of the proceedings;
  - (i) on the reduction or extension of any time limits;
  - (j) to enable a decision to be referred back in whole or in part to the person by whom it was made;
  - for the disclosure between, or the production by, the parties of documents or classes of documents;
  - for the appointment and instruction of experts, whether by the Tribunal or by the parties and the manner in which expert evidence is to be given;
  - (m) for the award of costs or expenses, including any allowances payable to persons in connection with their attendance before the Tribunal; and
  - (n) for hearing a person who is not a party where, in any proceedings, it is proposed to make an order or give a direction in relation to that person; or
  - (o) as to the place of hearing of the appeal.
- (3) The Tribunal may, of its own motion—
  - (a) put questions to the parties;
  - (b) invite the parties to make written or oral submissions on certain aspects of the proceedings;
  - (c) ask the parties or third parties for information or particulars;
  - (d) ask for documents or any papers relating to the case to be produced;
  - (e) summon the parties or their recognized representatives to appear before the Tribunal.
- (4) If an appellant does not comply with paragraph (1), the respondent may—
  - (a) apply for the appeal to be dismissed for want of prosecution; or
  - (b) set the appeal down for hearing.
- (5) The Tribunal may at any time of its own motion give such directions as it thinks fit to secure the just and expeditious conduct of proceedings.

#### 18. Defective Pleading

If the Tribunal considers that any pleading—

- (a) does not comply with the Rules;
- (b) is materially incomplete; or
- (c) is unduly long-winded or lacking in clarity, the Tribunal may give such directions as may be necessary to ensure that those defects are remedied.

## 19. Failure to comply with directions

(1) If a direction given to a party under these Rules is not complied with by such a party, the Tribunal may dismiss the whole or any part of the appeal, or, as the case may be, strike

out the whole or any part of a respondent's statement of response, and, where appropriate, give such directions as may be necessary in the circumstances.

(2) Despite paragraph (1), the Tribunal shall not dismiss an appeal or strike out a statement of response or give such a direction unless it has given notice to the party who has not complied with the direction a notice to show cause why it should not do so.

#### 20. Varying or setting aside of orders

- (1) Where a person to whom an order is addressed has not had an opportunity of objecting to the making of such order, the person may apply to the Tribunal to vary it or set it aside.
  - (2) Despite paragraph (1), the Tribunal shall not vary or set aside the order without—
    - (a) notifying the person in writing who had applied for the order; and
    - (b) taking into account any representations made by both parties.
- (3) An application under this rule shall be made in Form ST. 4 as set out in the First Schedule.

#### PART IV - JOINDER AND CONSOLIDATION

#### 21. Joinder of parties

- (1) Where it appears to the Tribunal, on the application of a party or on its own motion, that it is necessary that a person be made a party to the proceedings, the Tribunal may order such person to be enjoined as a party and may give directions including directions on the delivery and service of documents.
- (2) A person who considers that they have sufficient interest in the outcome of an appeal may apply to the Tribunal for leave to be enjoined in the proceedings.
- (3) An application for leave to be enjoined shall be in Form ST 5 as set out in the First Schedule and shall state—
  - (a) the title of the proceedings to which that application relates;
  - (b) the name and address for service of the person wishing to join or intervene;
  - (c) grounds for seeking to intervene;
  - (d) a copy of every document on which the person relies; and
  - (e) the relief sought.
- (4) The applicant shall, within seven days from the date of filing, serve a copy of the application on every party to the proceedings.
- (5) Every party served under paragraph (4) may, within fourteen days of service, file a response in Form ST 6 as set out in the First Schedule.
- (6) Where the Tribunal is satisfied, that the proposed joinder has sufficient interest in the matter before it, it may permit the joinder on such terms and conditions as it deems fit.
- (7) The procedure for filing and service under Rule 15 shall apply with necessary modifications to an application and response under this Rule.

#### 22. Consolidation

- (1) Where two or more proceedings are pending in respect of the same subject of appeal, or which involve the same or similar issues, the Tribunal may, on the request of a party or of its own motion, order that the proceedings or any particular issue or matter raised in the proceedings be consolidated and heard together,
- (2) Before making an order under this rule, the Tribunal shall invite the parties to the proceedings to make submissions as appropriate.

**CAP. 496** 

[Subsidiary]

#### PART V - HEARING PROCEDURE

#### 23. Hearing

- (1) The time and place of a hearing in a proceeding shall be determined by the Secretary in consultation with the Chairperson.
  - (2) The Secretary shall give the parties at least fourteen days notice of a hearing.
  - (3) A hearing may be adjourned by the Tribunal on such terms as the Tribunal deems fit.

# 24. Hearing to be in public

- (1) The proceedings of the Tribunal shall be open to the public except where the Tribunal, for sufficient cause, otherwise directs, taking into account
  - information the disclosure of which would in the Tribunal's opinion, be contrary to public interest:
  - commercial information the disclosure of which would in the Tribunal's opinion, significantly harm the legitimate business interests of the undertaking to which the information relates;
  - information relating to the private affairs of an individual the disclosure of which would, or might, in the Tribunal's opinion, significantly harm their interests
  - (2) The hearing of any application for an interim order may be held in Chambers.

#### Procedure at hearing

#### 25. Conduct of hearings

- (1) At the beginning of the hearing, the chairperson shall explain the order of proceeding which the Tribunal proposes to adopt.
- (2) Subject to paragraph (1), the Tribunal shall conduct its hearings in such manner as it considers most suitable to the clarification of the issues before it and generally to the just handling of the proceedings.
- (3) The parties shall be heard in such order as the Tribunal shall determine and shall be entitled to give evidence, to call witnesses, to guestion any witnesses and to address the Tribunal on the evidence and the subject matter of the appeal.
- (4) Evidence before the Tribunal may be given orally or, if the Tribunal so orders, by affidavit or written statement.
- (5) The Tribunal may at any stage of the proceedings require the personal attendance of any deponent or author of a written statement.
- (6) At any hearing the Tribunal may, if it is satisfied that it is just to do so, permit a party to rely on grounds not stated in the statement of appeal or, the reply where such grounds were not within the knowledge of the party at the time of filing.
- (7) The Tribunal may make orders to secure the attendance of any person before the Tribunal, discovery or production of any document concerning a matter before the Tribunal as it deems necessary.
- (8) The Tribunal shall require any witness giving evidence to swear an oath or make an affirmation.
- (9) Unless the Tribunal otherwise directs, no witness shall be heard unless the relevant witness statement or expert report has been submitted in advance of the hearing and in accordance with any directions of the Tribunal.

#### 26. Expert Evidence

(1) The Tribunal may seek the opinion or advice of experts on a technical matter before it, from persons who have been appointed in accordance with the Act.

- (2) The experts referred to in paragraph (1) may be cross-examined by any of the parties and shall disclose any interest in the matter before the Tribunal or any subsequent interest acquired relating to the matter in question.
  - (3) An expert shall be paid such remuneration as the Cabinet Secretary may determine.

#### 27. Contempt of Tribunal

- (1) A person shall be held to be in contempt of the Tribunal where that person—
  - (a) fails to attend the Tribunal after having been required to do so under Rule 26;
  - (b) refuses to take an oath or affirmation before the Tribunal;
  - fails to produce any article or document when lawfully required to do so by the Tribunal;
  - knowingly gives false evidence or information which the person knows to be misleading before the Tribunal;
  - at any sitting of the Tribunal willfully insults any member or officer of the Tribunal or willfully interrupts the proceedings;
  - (f) fails or neglects to comply with a decision, order, direction or notice confirmed by the Tribunal.
- (2) The Tribunal may exclude from the hearing or any part of it any person who is in contempt under paragraph (1) until the contempt is purged.

#### PART V - DECISIONS

#### 28. Decision

- (1) Unless a unanimous decision is reached, a decision on any matter before the Tribunal shall be by a majority of votes of the members present and in case of an equality of votes, the Chairperson or the person presiding shall have a casting vote.
- (2) The decision of the Tribunal shall be delivered in public on a date fixed for that purpose.
  - (3) The decision shall—
    - (a) be in writing;
    - (b) contain a summarized statement of the reasons for the decision; and
    - (c) be signed and dated by the chairperson and every member who heard the matter.

#### Review

#### 29. Application for Review

- (1) Any person aggrieved by a decision of the Tribunal from which an appeal is allowed, but from which no appeal has been preferred and who from the discovery of new and important matter or evidence which, after the exercise of due diligence, was not within his knowledge or could not be produced by him at the time when the decision was made, or on account of some mistake or error apparent on the face of the record, or for any other sufficient reason, desires to obtain a review of the decision may apply for a review of judgment to the Tribunal without unreasonable delay.
- (2) A party who is not appealing the decision of the Tribunal may apply for a review of the decision notwithstanding the pendency of an appeal by some other party except where the ground of such appeal is common to the applicant and the appellant, or when, being respondent, he can present to the High Court the case on which he applied for the review.
- (3) An application for review of a decision of the Tribunal upon some ground other than discovery of such new and important matter or evidence as is referred to in paragraph (1), or the existence of a clerical or arithmetic mistake or error apparent on the face of the decision, shall be made in Form ST 7 as set out in the First Schedule.
- (4) Where it appears to the Tribunal that there is no sufficient ground for a review, it shall dismiss the application.

[Subsidiary]

- (5) Where the Tribunal is of the opinion that the application for review should be granted, it shall grant the same, provided that no such application shall be granted on the ground of discovery of new matter or evidence which the applicant alleges was not within his knowledge, or could not be adduced by him when the decision was passed or made without strict proof of such allegation.
- (6) The applicant shall within fourteen days of filing the application serve the application for review and the supporting documents on all the parties to the application.
- (7) A party served under paragraph (6) has fourteen days from the date of service of the application to file and serve a statement of response.
- (8) The statement of response under paragraph (7) shall be in Form ST 8 as set out in the First Schedule.
- (9) When the application for review is granted, the Tribunal shall make such order in regard to the review as it thinks fit.
- (10) No application to review a decision made on an application for a review of a decision shall be entertained.

# 30. Decision on review

- (1) The decision of the Tribunal under Rule 29 may be made in the absence of the parties unless special circumstances render a hearing desirable.
- (2) Where the decision is made in the absence of any party, the Secretary shall notify the absent party of the decision.

#### 31. Costs.

- (1) The Tribunal may, at any stage of the proceedings, make any order it may deem fit in relation to the payment of costs by one party to another in respect of the whole or part of the proceedings including an order for security for costs.
- (2) The Tribunal may direct any party against whom an order for costs is made to pay such costs to any other party in a lump sum or such proportion of the costs as may be just.
  - (3) Where the Tribunal makes an order for costs under this Rule, the Tribunal may—
    - (a) assess the costs at the time of making the order; or
    - (b) direct that the costs be assessed on conclusion of the matter.
- (4) Any costs required by an order under this Rule to be assessed may be assessed by the Secretary.
  - (5) The Tribunal may direct that witnesses' expenses be paid to any witness.

#### 32. Consent orders

- (1) Where the parties agree the terms on which to settle proceedings, either wholly or in part, the parties may request the Tribunal to record a consent order.
  - (2) A request for a consent order shall be made by sending or delivering to the Secretary
    - (a) a draft consent order; and
    - (b) a statement signed by all the parties to the proceedings or their recognized representatives requesting that an order be recorded in accordance with the draft consent order.
- (3) The Tribunal shall, after ensuring that the consent is within the law, adopt the consent order as a decision of the Tribunal.

#### 33. Interim orders

- (1) The Tribunal may make an interim order—
  - (a) suspending, in whole or part, the effect of any decision which is the subject matter of an appeal or any other proceedings before it; or

[Subsidiary]

- (b) granting any remedy which the Tribunal would have the power to grant in its final decision.
- (2) The Tribunal may make such orders or give such directions as it considers appropriate to—
  - (a) prevent substantial loss or irreparable damage to a particular person or category of persons; or
  - (b) protect the public interest;
- (3) The Tribunal shall exercise its power under this Rule taking into account all the relevant circumstances, including—
  - (a) the urgency of the matter;
  - (b) the effect on the party making the request if the relief sought is not granted;
  - (c) the effect on any interested party or the Bureau, Council or KENAS if the relief is granted.
- (4) A party shall apply for an order or directions under paragraphs (1) and (2) above by filing an application with the Tribunal for interim relief stating the matters set out in paragraph (5);
- (5) The application for interim relief shall be in form ST 9 as set out in the First Schedule and shall state—
  - (a) the subject matter of the proceedings;
  - (b) grounds relied on; and
  - (c) the relief sought.
  - (6) The Tribunal may, for the purposes of this Rule, join any party to the proceedings.
- (7) Subject to paragraph (6), an order or direction for interim relief may be made against a person who is not a party to the proceedings, provided that such a person shall be accorded an opportunity to participate in subsequent proceedings.
  - (8) An application for an interim order may be heard in chambers.
  - (9) Ex parte interim Orders shall not be sustained for a period exceeding fourteen days.

### 34. Supporting affidavit

Every application or request under these Rules shall be supported by the affidavit of the applicant or the person making an application.

#### 35. Interlocutory Applications

- (1) Interlocutory matters arising in the course of proceedings before the Tribunal may be heard and determined by the chairperson.
- (2) All interlocutory applications made to the Tribunal shall be by notice of motion in the prescribed Form ST 4 as set out in the First Schedule, signed by the applicant, their advocate or a duly authorized agent, and shall be supported by an affidavit.
- (3) Any party who wishes to oppose an application shall file and serve a replying affidavit or grounds of opposition at least three clear days before the date of the hearing unless the Tribunal otherwise directs.
- (4) Despite paragraph (3) the Tribunal may hear a party who has not filed a replying affidavit or grounds of opposition if the ends of justice so require.
- (5) Upon making an application, the party shall within seven days or such other period as the Tribunal may direct, serve a copy of the application on all the other parties to the proceedings.
  - (6) The Tribunal shall give directions as to the manner of disposal of the application.

[Subsidiary]

#### PART VI - MISCELLANEOUS

#### 36. Computation of time

- (1) Where a period expressed in days, weeks or months is to be calculated from the moment at which an event occurs or an action takes place, the day during which that event occurs or that action takes place shall not be counted as falling within the period in question.
- (2) A period expressed in weeks or months shall expire at intervals of seven or thirty days respectively.
- (3) Where the time prescribed by the Tribunal, the chairperson, the Secretary or by these Rules, for doing any act expires on an excluded day the act is on time if done on the next day immediately after the excluded day.
- (4) The Tribunal may for good reason shown, on application, extend the time appointed by these Rules for doing any act or taking any proceedings, and may do so upon such terms and conditions, if any, as appear to it just and expedient.
- (5) The extension of time referred to in paragraph (4) does not include time limited by the Act.

#### 37. Irregularities

- (1) Any irregularity resulting from failure to comply with any provision of these Rules shall not render the proceedings void where the irregularity does not occasion a miscarriage of justice.
- (2) Where any irregularity comes to the attention of the Tribunal, it shall, if it considers any person may have been prejudiced by the irregularity, give such directions as it deems just, to cure or waive the irregularity before reaching its decision.
- (3) Clerical mistakes in any document recording a direction, order or decision of the Tribunal, or errors arising in such a document from an accidental slip or omission, may be corrected by the chairperson, by certificate under the chairperson's hand.

#### 38. Prescribed forms

- (1) The forms prescribed in the First Schedule to these Rules shall, with such modifications as may be necessary, be used for the purposes of filing appeals, applications, responses or any other documents.
- (2) Despite paragraph (1), an instrument or document which deviates from the prescribed form shall not be void by reason of a deviation that does not affect the substance of the instrument or document, unless it is calculated to mislead.

#### 39. Recording of proceedings

The proceedings before the Tribunal shall be recorded in such form or manner as the Tribunal may determine.

#### 40. Protection from personal liability

The chairperson, member or secretary of the Tribunal, shall not be personally liable for any act done or omitted to be done by them in the discharge of their duty as chairperson, member or Secretary of the Tribunal, whether or not within the limits of their jurisdiction if at the time, in good faith, believed themselves to have jurisdiction to do or order the act complained of.

#### 41. Practice directions

The Chairperson may issue practice directions in relation to the procedures provided for by these Rules.

#### 42. Oath of Office

A person, who is appointed chair person, member or secretary of the Tribunal, shall take and subscribe to an oath of allegiance to the office before assuming the duties of that office, administered by the Chief Justice.

[Subsidiary]

#### 43. Powers of Tribunal

- (1) The Tribunal may, at its discretion where both or all the parties to an appeal agree in writing upon the terms on which an appeal or issue should be decided, confirm the agreement reached by such parties and decide accordingly.
  - (2) The Tribunal shall enforce its orders and decisions.

#### 44. Disclosure of interest

Where a member of the Tribunal, has any interest, that could conflict with the proper performance of the member's functions, the member shall disclose the interest to the parties to the proceedings and shall not participate during any deliberations on the matter by the Tribunal.

#### 45. Quorum of the Tribunal

Except where otherwise specifically provided for in these Rules, for purposes of proceedings before the Tribunal, quorum shall be the Chairperson and two members.

#### 46. Official seal

The Tribunal shall have an official seal.

#### 47. Fees

- (1) There shall be paid to the Tribunal such filing and other fees, including fees for service by the Tribunal of any notice or process, as prescribed in the Second Schedule.
- (2) The Tribunal may, if it considers it to be in the interest of justice, and for reasons to be recorded waive or postpone on all or any of the fees payable to the Tribunal.

FIRST SCHEDULE **FORMS** FORM ST I (r. 10)REPUBLIC OF KENYA IN THE STANDARDS TRIBUNAL AT..... TRIBUNAL APPEAL NO...... OF 20 ...... **BETWEEN** ......APPELLANT AND ......RESPONDENT NOTICE OF APPOINTMENT OF ADVOCATE/RECOGNIZED REPRESENTATIVE TAKE NOTICE THAT the appellant/respondent has appointed ...... to act for him in this matter. Address for service ..... Dated at ...... day of ...... ADVOCATE/RECOGNIZED REPRESENTATIVE DRAWN AND FILED BY: ..... TO BE SERVED UPON: .....

	Standards
	[Subsidiary]
FORM ST 2 REPUBLIC OF KENYA	(r. 9)
IN THE STANDARDS	S TRIBUNAL AT
TRIBUNAL APPEAL NO	D OF 20
	BETWEEN
	APPELLANT
	AND
	RESPONDENT
STATE	MENT OF APPEAL
(Being an appeal against the respon	ndent's decision dated)
Appellant's address for service	
2. Names and address of appellant's re	ecognized representative (where applicable)
3. Respondent's addrcss for service	
Grounds of appeal and concise argu	ments in support thereof:
5. Relief sought:	
-	
Dated at this Day	v of 20
*attach schcdule listing all documen	
<b>3</b>	
	Appellant/Appellant's Recognized representative
Drawn & Filed by: To served upon:	representative
FORM ST 3	(r. 16)
REPUBLIC OF KENYA	
IN THE STANDARDS	S TRIBUNAL AT
TRIBUNAL APPEAL NO	D OF 20
	BETWEEN
	APPELLANT
	AND
	ENT OF RESPONSE
Respondent's address for service	

[Sı	ubsidiary]	
2.	Name and address of Respondent's recog	nized representative (where applicable)
3.	Grounds of opposition	
4.	CROSS APPEAL- (where applicable)	
	Grounds	
5.	Relief sought:	
	Dated at This Day of	20
	*Attach list of documents in support of the	statement of response
		 Respondent/Respondent's Recognized representative
To FC	rawn & Filed by: ) served upon: DRM ST 4 EPUBLIC OF KENYA	(r. 20, 35)
	IN THE STANDARDS TRIE	BUNAL AT
	TRIBUNAL APPEAL NO	OF 20
	BETV	VEEN
		APPELLANT
	AN	ID
		RESPONDENT
	NOTICE O	F MOTION
	(under rule of the Sta	ndard Tribunal Rules)
for	TAKE NOTICE that this Tribunal s renoon or soon thereafter by for order	hall be moved on the day ofin the ers that
	1	
	2	
	3	
gro	This application is supported by the affida ounds:	vit of and based on the following
	1	
	2	
	3	
	Dated at This	day 20
	awn & Filed by:	
	be served upon: DRM ST 5	(r. 21)
-(	ONINI O I O	(r. 21)

[Subsidiary]

REPUBLIC OF KENYA				
IN THE STANDARDS TRIBUNAL AT				
TRIBUNAL APPEAL NO OF 20				
BETWEEN				
APPELLANT				
AND				
RESPONDENT				
APPLICATION FOR JOINDER OF PARTIES				
Name and address for /proposed interested party				
Matters in the appeal affecting proposed interested party				
3. Grounds for seeking to be enjoined				
Prayer in the appeal whose position proposed interested party supports:				
This application is supported by the affidavit of and based on the following grounds:				
1				
2				
3				
Dated at This Day of 20				
Applicant/ Recognized representative				
Drawn & Filed by:				
To served upon: FORM ST 6 (r. 21)				
FORM ST 6 (r. 21) REPUBLIC OF KENYA				
IN THE STANDARDS TRIBUNAL AT				
TRIBUNAL APPEAL NO OF 20				
BETWEEN				
APPELLANT				
AND				
RESPONSE ON APPLICATION FOR JOINDER OF PARTIES				
Name and address for /proposed interested party				
Matters in the appeal affecting proposed interested party				
Grounds for seeking to be enjoined				

[Subsidiary]	
Prayer in the appeal whose position prop	posed interested party supports:
Dated at This Day of 2	0
	Interested Party/Recognized representative
Drawn & Filed by: To served upon: FORM ST 7 REPUBLIC OF KENYA	(r. 29)
IN THE STANDARDS TR	IBUNAL AT
TRIBUNAL APPEAL NO.	OF 20
BET	WEEN
	APPELLANT
Α	ND
	RESPONDENT
APPLICATION	N FOR REYIEW
Name and address of party applying for i	review
Decision sought to be reviewed	
Grounds for review	
Dated at This Day of 2	0
FORM ST 8 REPUBLIC OF KENYA	Party/Party's Recognized representative (r. 29)
IN THE STANDARDS TR	IBUNAL AT
TRIBUNAL APPEAL NO	OF 20
BET	WEEN
	APPELLANT
A	ND
	RESPONDENT
STATEMENT OF RE	SPONSE ON REVIEW
Name and address of party applying for i	eview
Application of review being supported/op	posed:

[Rev. 2022]	
	Standards
Grounds for opposing/su	upporting review:
Dated at	This Day of 20

IN THE STANDARDS TRIBUNAL AT..... TRIBUNAL APPEAL NO...... OF 20 ...... BETWEEN ...... APPELLANT AND ...... RESPONDENT

(r. 33)

# **APPLICATION FOR INTERIM RELIEF**

Name and address of party requesting for interim relief:
Relief sought:
Circumstances, if any, for the request to be treated with urgency:
Grounds for making the request:

Dated at ...... Day of 20 ......

..... Applicant/Applicant's Recognized representative

SECOND SCHEDULE

[r. 47]

**FEES** 

Fees (KSh.)

(a) Upon filing an appeal, where the value of the

subject matter

FORM ST 9

REPUBLIC OF KENYA

(i) is unliquidated or does not exceed shs.50,000

(ii) exceeds KSh.50,000 but does not

exceed KSh.550,000

2,000

2,000 And KSh. 100 for each KSh. 5,000 or part thereof in excess of KSh.

[Subsidiary]

50,000

(iii) exceeds KSh.550,000 12,000 and KSh. 100 for each KSh . 5,000 or part

# CAP. 496 [Rev. 2022]

[Subsidiary] thereof in excess of KSh. 50,000 up to a maxi mum fee of KSh . 100,000 (b) Upon filing a statement of response-(i) without a cross appeal 500 (ii) with a cross appeal A fee calculated in accordance with paragraph 1 of the Schedule 1.000 (c) Upon filing any application or request (d) Upon filing a notice of preliminary objection 1.000 (e) Withdrawal of appeal 500 (f) Consent order 1,000 (g) Upon filing a reply or response to an application 500 or request (h) For sealing a decree or order 1,000 (i) Upon filing a document where no other fees is 200 prescribed under this Schedule (h) For certifying or attesting a signature or seal on a 100 document (k) For a certified copy of the record of the 30 proceedings of the Tribunal or a document in its archives, per page or part thereof (I) For service of any document by the Tribunal 200 (i) within 10km of the Tribunal (ii) for every kilometers after the first 10km 20

[Subsidiary]

# THE STANDARDS ORDER

[Legal Notice 111 of 2014]

- 1. This order may be cited as the Standards Order.
- 2. Kenya Standards having been declared as set out in the first and second column of the schedule, no person shall manufacture or sell the commodities or use the methods and procedure on or after forty-two (42) days of the date of publication of this Order unless the commodities, methods or procedures comply with the requirements of the relevant Kenya Standard.

	SCHEDULE	
Number	SCHEDOLL	Title of Specification or
KS 2231:2012		Code of Practice Kenya Standard - Antibacterial bathing bars - Specification, Second Edition.
KS 804-1:2012		Kenya Standard - Antibacterial toilet soap - Specification, Part I: Solid cake, Second Edition.
KS 804-2-2012		Kenya Standard - Antibacterial toilet soap - specification, Part 2 Liquid, Second Edition .
KS 2415:2012		Kenya standard - Liquid hand wash - Specification, First edition.
KS 2408:2012		Kenya Standard - Soap starch - Specification, First Edition.
KS 551:2012		Kenya Standard - Emulsified sauces - Specification, Third Edition.
KS 326 -11:2012		Kenya Standard - Edible fats and oils Part 1: Palm olein- Specification, Second Edition.
KS 326-12:2012		Kenya Standard - Edible fats and oils Part 2: Palm Stearin - Specification, Second Edition.
KS EAS 89:2011		Kenya Standard - Millet Flour - Specification, First Edition.
KS EAS 95:2011		Kenya Standard - Sorghurm Flour - Specification, First Edition.

Standar	rds
[Subsidiary]	
KS2131:2012	Konya Standard
K32131.2012	Kenya Standard - Tamarind concentrate -
	Specification, First Edition.
KS 2430:2012	Kenya Standard - Ginger
NO 2400.2012	paste - Specification, First
	Edition.
KS 2431:2012	Kenya Standard - Garlic
	paste - Specification, First
	Edition.
KS 2132:2012	Kenya Standard - Garam
	masala - Specification,
	First Edition.
KS ISO 10621:1997	Kenya Standard -
	Dehydrated green pepper
	(Pepper nigrum L).
	Specification First edition.
KS ISO 5559 1995	Kenya Standard -
	Dehydrated onion
	(Allium cepa linnaeus).
KS ISO 972:1997	Specification First Edition. Kenya Standard - Chillies
NO 100 972.1997	and capsicums, whole
	or ground (powdered) -
	specification First Edition.
KS 1SO 11162:2001	Kenya Standard - Pepper
1.6 1.6 1.1102.2001	corns (piper nigrum I.) in
	brine specification First
	Edition.
KS 2422:2012	Kenya Standard -
	Potassium sulphate
	fertilizer, technical grade -
	Specification, First Edition.
KS 2423:2012	Kenya Standard -
	Magnesium nitrate
	fertilizer, technical grade -
KS 2424:2012	Specification, First Edition.
NS 2424.2012	Kenya Standard - Monoammonium/
	diammonium phosphate
	fertilizer, technical grade -
	Specification, First Edition.
KS 2425:2012	Kenya Standard -
	Potassium nirate
	fertilizer, technical grade -
	Specification, First Edition.
KS 2426:2012	Kenya Standard
	- Monopotassium
	phosphate fertilizer,
	technical grade
	Specification, First Edition.

5	Standards
	[Subsidiary]
KS 2420-1-2012	Kenya Standard - Plastics piping systems for the
	supply of gaseous fuels -
	Polyethylene (PE) Part 1:
	General, First Edition.
KS 2420-2-2012	Kenya Standard - Plastics
	piping systems for the
	supply of gaseous fuels - polyethylene (PE) Part 2:
	pipes, First Edition.
KS 2420-3-:2012	Kenya Standard - Plastics
	piping systems for the
	supply of gaseous fuels -
	polyethylene (PE) Part 3:
KS 2420-4-:2012	Fitting, First Edition. Kenya Standard - Plastics
NO 2420-42012	piping systems for the
	supply of gaseous fuels -
	polyethylene (PE) Part 4
	valves, First Edition.
KS 2420-5-:2012	Kenya Standard - Plastics
	piping systems for the supply of gaseous fuels -
	polyethylene (PE) Part 5
	Fitness for purpose First
	Edition.
KS 2419:2012	Kenya standard -
	Thermoplastics and
	flexible metal pipe - work for underground
	installation at petrol filling
	stations Specification,
	First Edition.
KS 911: 1990	Kenya Standard -
	Specification for flat paint brushes.
KS 1104:1992	Kenya Standard -
	Specification for iron oxide
	pigments for paints.
KS 2089 - 1-2007	Kenya Standard -
	Crockery ware Part 1:
	Porcelain Crockery ware - Specification.
KS 2089-2:-2007	Kenya Standard -
	Crockery ware Part
	2: Fine (bone) china
	Crockery ware -
KS 2080 3: 2007	Specification. Kenya Standard -
KS 2089-3:-2007	Crockery ware Part 3:
	Groonery ware rait o.

	Standards	
[Subsidiary]		
KO 0000 / 0007		Stone ware Crockery ware – Specification.
KS 2089-4:-2007		Kenya Standard - Crockery ware Part 4: Vitreous china Crockery ware – Specification.
KS 2420-1-2012		Kenya Standard - Plastics piping systems for the supply of gaseous fuels - polyethylene (PE) Part I: General, First Edition.
KS 2420:-2-2012		Kenya Standard - Plastics piping systems for the supply of gaseous fuels - polyethylene (PE) Part 2: Pipes, First Edition.
KS 2420-3-:2012		Kenya Standard - Plastics piping systems for the supply of gaseous fuels - polyethylene (PE) Part 3: Fitting, First Edition.
KS 2420-4-:2012		Kenya Standard - Plastics piping systems for the supply of gaseous fuels - polyethylene (PE) Part 4: valves, First Edition.
KS 2420-5-:2012		Kenya Standard - Plastics piping systems for the supply of gaseous fuels - polyethylene (PE) Part 5: Fitness for purpose First Edition.
KS 2419:2012		Kenya Standard - Thermoplastics and flexible metal pipe- work for underground installation at petrol filling stations Specification, First Edition.
KS 812:2012		Kenya Standard -Matt emulsion paints for interior and exterior use- Specification, Second Edition.
KS 1027-1:2012		Kenya Standard-Auto refinishing paints- Specification Part 1: Synthetic resin based, Second Edition.
KS 1027-2:2012		Kenya Standard-Auto refinishing paints-

ndards
[Subsidiary]
Specification Part 2: Nitrocellulose resin based,
Second Edition. Kenya Standard-Air
dried roofing paints-
Specification , Second Edition.
Kenya Standard-2-
Pack acrylic resin-based auto-refinishing paint-
Specification, Second
Edition.
Kenya Standard-Surgical spirit-Specification, First
Edition.
Kenya Standard-Sodium
silicate-Specification, First Edition.
Kenya Standard
Retroreflective sheeting
Materials Specification, Third Edition
Kenya Standard-
Polystyrene (crystal
and high impact) for its safe use in
contact with foodstuffs,
pharmaceuticals
and drinking water- Specification, First Edition.
Kenya Standard-Positive
list of constituents of
polystyrene (crystal and high impact) in
contact with foodstuffs,
pharmaceuticals and drinking water, First
Edition.
Kenya Standard-
Polyvinyl chloride (PVC) and its copolymers
for its safe use in
contact with foodstuffs,
pharmaceuticals and drinking water -
Specification, First Edition.
Kenya Standard-
Plastics-Unplasticized poly(vinyl chloride)sheets
-Types, dimensions and
characteristics Part 1:

CAP. 496	Standards	[Rev. 2022]
[Cub sidios 4	Stanuarus	
[Subsidiary]		
		Sheets of thickness not
		less than 1 mm, Second
		Edition.
KS 2345:2012		Kenya Standard-
		Synthetic detergent
		paste-Specification , First
		edition.
KS 2346:2012		Kenya Standard-
		Instant Hand Sanitizer-
		Specification , First
I/O 400-4004		edition.
KS 483:1984		Kenya Standard-
		Specification for base paper for carbon paper.
KS ISO 415:1975		Kenya Standard-
10 100 410.1070		Envelopes, postcards
		and similar articles -
		Cancellation area.
KS ISO 618:1974		Kenya Standard-Paper-
		Articles of stationery
		that include detachable
		sheets-Overall trimmed
		sizes.
KS ISO 838:1974		Kenya Standard-Paper-
		Holes for general filing
1/0 100 00444 0004		purposes Specifications.
KS ISO 22414:2004		Kenya Standard Paper
		Cut-size office paper
		Measurement of edge quality.
KS 1934:2006		Kenya Standard-
NO 1004.2000		Black web offset ink -
		Specification.
KS 90:2006		Kenya Standard-Black
		lead pencil -Specification.
KS 1833:2006		Kenya Standard-Dyes for
		water-based writing inks-
		Specification.
KS 397:1996		Kenya Standard-
		Specification for graphite
KO 4005-0000		for black lead pencil slips.
KS 1025:2003		Kenya Standard-Metre
		rules and rulers for schools and office use-
		Specification.
VC 2249 1:2012		Specification.

KS 2348-1:2012

KS 2348-2:2012

Kenya Standard-Food Supplements-Specification Part 1: Vitamin and

Kenya Standard-Food Supplements-Specification

mineral, First Edition.

Si	randards
	[Subsidiary]
	Part 2: Lipid based food
	supplement, First Edition.
KS 2310:2012	Kenya Standard-Edible
	meat co-products-
	Specification, First Edition.
KS 2308:2012	Kenya Standard-Soup
	stock medium (beef)-
KC 2225-2042	Specification, First Edition.
KS 2325:2012	Kenya Standard-Rabbit
	feed supplements- Specification, First Edition.
KS 954:2012	Kenya Standard-Maize
NO 904.2012	gluten feed-Specification,
	Second Edition.
KS 2358:2012	Kenya Standard-Maize
110 2000.2012	gluten feed-Specification,
	First Edition.
KS 785:2012	Kenya Standard-Bone
	meal-Specification,
	Second Edition.
KS 2356:2012	Kenya Standard-Bio
	fertilizer-Specification,
	First Edition.
KS 46:2012	Kenya Standard-
	Granulated
	superphosphate fertilizers-
	Specification, Third
KS 158:2012	Edition. Kenya Standard-Solid
NS 130.2012	compound fertilizers-
	Specification, Fourth
	Edition.
KS 1673-1:2004	Kenya Standard-
	Solar photovoltaic
	power systems-
	Design, installation,
	operation, monitoring and
	maintenance-Code of
	practice Part 1: General
WO 4074 0000	PV system requirements.
KS 1674:2003	Kenya Standard-
	Crystalline silicon
	terrestrial photovoltaic
	(PV) modules-Design qualification and type
	approval.
KS 1526-1:2003	Kenya Standard-Manual
	toothbrush-Specification
	Part 1: Conventional
	reusable type.
	<b>,</b> ,

5	Standards
[Subsidiary]	
KS 1526-2:2005	Kenya Standard-Manual toothbrush-Specification Part 2: Single-use
KS 1527:2001	toothbrush. Kenya Standard- Specification for mouthwash preparations.
KS 1736:2003	Kenya Standard-Dental porcelain - Specification.
KS 1818:2005	Kenya Standard- Sterile surgical suture and ligature materials Specification.
KS 983:1999	Kenya Standard- Specification for Specification for incineration for plant for the destruction of hospital waste.
KS 1726:2012	Kenya Standard - Footwear - Men closed shoes - Specification.
KS 1727:2012	Kenya Standard Footwear - Men open shoes - Specification.
KS 1728:2012	Kenya Standard Footwear Ladies closed shoes- Specification.
KS 1729:2012	Kenya Standard Footwear Ladies open shoes Specification.
KS 1730:2012	Kenya Standard- Footwear - Sports shoes - Specification.
KS 1731:2012	Kenya Standard-Footwear - Children' shoes - Infants (2 years and below) - Specification.
KS 1132:2012	Kenya Standard-Footwear - Children' shoes (above 2 to 6 years) - Specification.
KS 583:2012	Kenya Standard-Socks - Specification.
KS 1442:2012	Kenya Standard- Granite tiles and slabs- Specification, First Edition.
KS 22:1990	Kenya Standard- Specification for hot rolled mild steel bars for reinforcement of concrete.
KS 105:1982	Kenya Standard- Specification for hard-

Standards		
	[Subsidiary]	
	drawn steel wire for	
	reinforcement of concrete.	
KS 572:1986	Kenya Standard-	
	Specification for hot-rolled	
	structural steel sections.	
KS ISO 15877-1:2009	Kenya Standard-Plastics	
	piping systems for hot and	
	cold water installations	
	- Chrolinated poly(vinyl	
	chloride) (PVC-C) Part 1 :	
140 100 45055 0 0000	Fittings :Chlorinated.	
KS ISO 15877-2:2009	Kenya Standard-Plastics	
	piping systems for hot and	
	cold water installations	
	- Chrolinated poly(vinyl	
	chloride) (PVC-C) Part 2 :Fittings :Chlorinated.	
KS ISO 15877 -3:2009	Z :Fittings :Gniorinated: Kenya Standard-Plastics	
NS 130 13077 -3.2009	piping systems for hot and	
	cold water installations	
	- Chrolinated poly(vinyl	
	chloride) (PVC-C) Part	
	3 :Fittings :Chlorinated.	
KS ISO 15811-5:2009	Kenya Standard-Plastics	
	piping systems for hot and	
	cold water installations	
	- Chlorinated poly(vinyl	
	chloride) (PVC-C) Part 5:	
	Fitness for purpose of the	
	system, First Edition.	
KA ISO/TS 15877-1:2009	Kenya Standard-Plastics	
	piping systems for hot and	
	cold water installations	
	- Chlorinated poly(vinyl	
	chloride) (PVC-C) Part	
	7: Guidance for the	
	assessment of conformity, First Edition.	
KS ISO 24415-2	Kenya Standard-Tips for	
NO 100 244 15-2	assistive products for	
	walking-Requirements	
	and test methods Part	
	2: Durability of tips for	
	crutches, First Edition.	
KS ISO 11334-1:2007	Kenya Standard-Assistive	
	products for walking	
	manipulated by one arm-	
	Requirements and test	
	methods Part I: Elbow	

crutches, First Edition.

	Standards
[Subsidiary]	
KS ISO 11334-4:1999	Kenya Standard-Assistive products for walking manipulated by one arm-Requirements and test methods Part 4: Walking sticks with three or more
KS 334:2012	legs, First Edition. Kenya Standard-Fuel filters-Specification, Second Edition.
KS 294:2012	Kenya Standard - Air filters - Specification, Second Edition.
KS 2312:2012	Kenya Standard - Three wheelers - Specification, First Edition.
KS 2046:2012	Kenya Standard - Road vehicles-Rear underrun protection devices- Specification, First Edition.
KS 260:1982	Kenya Standard- Specification for laminated leaf springs for automobiles.
KS 487:1987	Kenya Standard- Specification for hose couplings for petrol, diesel and paraffin.
KS 52-1:1997	Kenya Standard- Specification for vehicle exhaust systems Part I: Motor vehicles exhaust systems.
KS 700: 1990	Kenya Standard Specification for inner tyre tubes for motorized vehicles.
KS 701:1996	Kenya Standard- Specification for tyre valves.
KS 823:1993	Kenya Standard Specification for v-belts for industrial machines.
KS 249:1988	Kenya Standard- Specification for automobile drum brake lining and disc brake pads.
KS 463:2005	Kenya Standard- Telescopic shock absorbers for automobile

Standards	
	[Subsidiary]

	Stariuarus
	[Subsidiary
	suspension damping- Specification.
KS 802-1: 1989	Standard - Specification for cut -size office papers - Part I: Bond Papers.
KS 921: 1991	Kenya Standard - Specification for kraft liner.
KS 388: 1984	Kenya Standard - Specification for base paper for waxed bread wrapl47 KS 483: 1984 Kenya Standard - Specification for base
KS 603:2002	paper for carbon paper. Kenya Standard - Specification for files and folders (Second Edition).
KS 802-1:2001	Kenya Standard- Specification for cut-size office papers - Part I: General purpose paper (Second Edition).
KS 802-:2001	Kenya Standard - Specification for cut-size office papers - Part 2: Photocopy papers -Part 2 Photocopy paper (Second Edition).
KS 948: 1999	Kenya Standard - Specification for comrgated fibreboard boxes for export of horticultural produce (Second Edition).
KS 911: 1990	Kenya Standard - Specification for flat paint brushes
KS 1104: 1992	Kenya Standard - Specification for iron oxide pigments for paints.
KS 163:2000	Kenya Standard - Colours for ready mixed paints (Second Edition).
KS 1918:2005	Kenya Standard- Chemicals used for treatment of water intended for human consumption - Anionic and non-ionic polyacrylamides -Specification.

	Standards	
[Subsidiary]		
KS 1919:2005		Kenya Standard- Chemicals used for ffeatment of water intended for
		human consumption Poly(diallyldimethylammonium chloride) (poly DADMAC)- Specification.
KS 1920:2005		Kenya Standard - Chemicals used for treatment of water intended for human consumption - Cationic
KS 1940:2005		polyacrylamides - Specification. Kenya Standard -
		Chemical used for treatment of water intended for human consumption (Polyamines) - Specification.
KS 376-0:2005		Kenya Standard-Flexible polyurethane(polyether) foams - Specification - Part 0: General
KS 376-1:2005		requirements. Kenya Standard - Flexible polyurethane (polyether) foams - Specification - Part I: Mattresses (Third
KS 376-2:1999		Edition). Kenya Standard- Specification for flexible polyurethane foams-Part 2 Reconstituted flexible
KS 1267:1995		polyurethane foam. Kenya Standard - Specification for flexible polyurethane foam pillows
KS 1266: 1995		for domestic use. Kenya Standard - Specification for polyester
KS 1273: 1995		body fillers. Kenya Standard- Specification for unsaturated polyester
KS 807-5: 1997		resin for body fillers. Kenya Standard - Specification for polishes - Part 5: Floor polish

pigmented paste type.

[Rev. 2022]		CAP. 496
	Standards	

Standards	
	[Subsidiary]
KS 807-6: 1996	Kenya Standard - Specification for polishes - Part 6: Automobile polish,
KS 807-7:1997	wax solvent paste type. Kenya Standard - specification for polishes- Part 7: Wooden furniture
KS 807-8: 1996	polish paste. Kenya Standard - Specification for polishes- Part 8: Automobile polish - liquid.
KS 1578-2:1999	Kenya Standard - Specification for metal polishes - Part 2: Special metal polishes.
KS 221: 1983	Kenya Standard - Specification for lime for chemical industry.
KS 1738-2:2001	Kenya Standard - Specification for ceramic floor and wall tiles Part 2 : Extruded ceramic tiles with low water absorption E<= 3 percent
KS 1738-3:2001	Kenya Standard - Specification for ceramic floor and wall tiles Part 3 : Extruded ceramic tiles with low water absorption 3 percent <=E<=6 percent.
KS 1738-4:2001	Kenya Standard- Specification for ceramic floor and wall tiles. Part 4: Extruded ceramic tiles with low water absorption of 6 <e<10 percent.<="" td=""></e<10>
KS 1738-5: 2001	Kenya Standard - Specification for ceramic floor and wall tiles-Part 5: Dust -pressed tiles ceramic tiles with low water absorption E<=3 percent.
KS 1738-6-2001	Kenya Standard - Specification for ceramic floor and wall tiles-Part 2: Dust -pressed tiles ceramic tiles with low

	0.007.000.000
[Subsidiary]	
KS 1738-7: 2001	water absorption E<=3 percent. Kenya Standard- Specification for ceramic floor and wall tiles-
KS 1738-8:2001	Part 2: Dust - pressed tiles ceramic tiles with low water absorption 3 percent<=E<=6 percent. Kenya Standard-Specification for ceramic floor and wall tiles-
KS 1738-9-2001	Part 2: Dust - pressed tiles ceramic tiles with low water absorption 6 <e -="" 2:="" <="10" and="" ceramic="" dust="" floor="" for="" kenya="" low<="" part="" percent.="" pressed="" specification="" standard-="" td="" tiles="" tiles-="" wall="" with=""></e>
KS 230: 1980 (Confirmed 2005)	water absorption E>10 percent. Kenya Standard- Brilliant Blue, FCF, food grade-
KS 231: 1980 (Confirmed 2005)	Specification (First Edition).  Kenya Standard -  Aorubine (caarmoisine),
KS 1550:1999	food grade- Specification (First Edition). Kenya Standard - Specification for carbon carbonation of beverages,
KS 1932:2006	First Edition. Kenya Standard- Sodium benzoate, food grade-
KS 428: 1984 (Confirmed, 1999)	specification, First Edition. Kenya Standard- Specification for ascorbic acid food grade, First
KS 1790:2003	Edition. Kenya Standard - Animal Ghee-Specification, First
KS 1054-1:2006	Edition. Kenya Standard - Cereal malt extract based energy drink - Specification, Second Edition.

Standa	ras
	[Subsidiary]
KS 1991:2006	Kenya Standard- Electrolytic drinks-
	Specification, First Edition.
KS 1931:2005	Kenya Standard- High
	proteins mixes for use as food supplements -
	Specification, First Edition.
KS 1991:2006	Kenya Standard-
	Electrolytic drinks -
KS 1051 2: 2006	Specification, First Edition.
KS 1054-2: 2006	Kenya Standard - Energy drinks-Specification - Part
	2 : Cereal malt extract
	based energy drinks (First
	Edition).
KS 1484: 1999	Kenya Standard
	- Specification for
KS 1173: 1984	asparagus (Canned). Kenya Standard-
NO 1170. 1004	Specification for canned
	plums.
KS 1174: 1996	Kenya Standard -
	Specification for canned
VS 1175: 1004	pears.
KS 1175: 1994	Kenya Standard- Specification for canned
	guava.
KS 1177: 1996	Kenya Standard-
	Specification for canned
1/0 4470: 4004	grapefruits.
KS 1178: 1994	Kenya Standard - Specification for canned
	tropical fruit salad.
KS 1179: 1996	Kenya Standard -
	Specification for canned
	fruit cocktail.
KS 1311:1996	Kenya Standard -
	Specification for canned beans in tomato sauce
	(Baked beans).
KS 139: 1980	Kenya Standard -
	Specification for jams,
	jellies and marmalades.
KS 224:1998	Kenya Standard -
	Specification for fruit squashes (Second
	Edition).
KS 318: I98I (Confirmed, 1999)	Kenya Standard -
,	Specification for canned
	pineapples.

[Subsidiary]	
KS 328-1 and 2:1984	Kenya Standard -
110 020 1 and 2.100 1	Specification for soft fruit
	based soft drinks Part I
	and 2 (Second Edition).
KS 341: 1980 (Confirmed, 1999)	Kenya Standard-
100 041. 1000 (Golilli ilica, 1000)	Specification for canned
	green peas.
KS 342: 1981	Kenya Standard-
110 0 12. 100 1	Specification for canned
	green beans and canned
	wax beans.
KS 343: 1981	Kenya Standard -
NO 040. 1001	Specification for canned
	mushrooms.
KS 435: 1993 (Confirmed, 1999)	Kenya Standard.
KS 753: 1989 (Confirmed, 1999)	Kenya Standard -
100 700. 1000 (Ooliiilillied, 1000)	Specification for chilli
	sauce.
KS 1740:2001	Kenya Standard -
1740.2001	Specification for dried
	mangoes.
KS 1772:2003	Kenya Standard -
10 1772.2000	Specification for jelly
	powder and jelly crystals.
KS 554:2004	Kenya Standard - Apple
110 00 1.200 1	fruit juice preserved
	exclusively by physical
	means-Specification.
KS 1078:1990 (Confirmed, 1999)	Kenya Standard-
10 101011000 (00111111100, 1000)	Specification for chillies.
KS 1367: 1997	Kenya Standard-
1.6 1.667. 1.667	Specification for fruit
	chutney.
KS 1094-3: 1997	Kenya Standard -
1.6 1.60 1.6. 1.601	Specifications for Crisps-
	Part 3: Banana Crisps.
KS 1517: 1999	Kenya Standard -
	Specification for edible
	ices and ice mixes.
KS 1092:2006	Kenya Standard- Whole
	turmeric rhizomes -
	Specification (Second
	Edition).
KS 1154:2006	Kenya Standard - Whole
	dried and ground ginger-
	Specification (Second
	Edition).
KS 1088-2:2001	Kenya Standard -
	Specification for soups
	and broths - Part 2

[Rev. 2022]	Standards	CAP. 496
	Standards	[Subsidiary]
		Canned soups and broths
		(Second Edition).
KS 1756:2001		Kenya Standard -
17 00.2001		Specification for flavoured
		milk.
KS 29:2001		Kenya Standard -
		Specification for milk
		powders and cream
		powders (Third Edition).
S 28-6: 1997		Kenya Standard-
		Specification for cheese
		- Part 6: cream cheese
		(Rahmfrisckase).
KS 35: 1977 (Confirmed, 1999)		Kenya Standard-
(,,		Specification for dairy
		cream for direct
		consumption(Second
		Edition).
KS 703: 1993 (Confirmed, 1999)		Kenya Standard
,		- Specification
		reconstituted/recombined
		milk. for pasteurized.
(S 941:1993 (Confirmed, 1999)		Kenya Standard
,		- Specification for
		fermented (Cultured) milk.
(S 941: 1993 (Confirmed, 1999)		Kenya Standard-
,		Specification for
		fermented (Cultured ) milk.
KS 522-1: 1987		Kenya Standard -
		Specification for canned
		fish-Part 1: Fish canned in
		tomato sauce.
S 522-2:1987		Kenya Standard-
		Specification for canned
		fish - Part 2: Fish canned
		in brine.
S 522-3:1987		Kenya Standard-
		Specification for canned
		fish - Part 3: Fish canned
		in oil.
S 444:1984		Kenya Standard -
		(Confirmed, 1999)-
		Specification on concrete
		roofing tiles.
KS 1933:2005		Kenya Standard- Concrete
		poles for telephone, power
		and lighting purposes-
		Specification - Civil.
S 548:1986		Kenya Standard -
		Specification for precast
		concrete pipes and fittings

	Standards
[Subsidiary]	
	for ducinose, courses
	for drainage, sewerage
VC 020, 4004	and culverts.
KS 830: 1984	Kenya Standard -
	Specification for precast
140 005 4007	concrete paving slabs.
KS 625: 1987	Kenya Standard -
	(Confirmed, 1999)-
	Specification for precast
KC 740, 4004	masonry units.
KS 749: 1991	Kenya Standard-
	(Confirmed, 1999) -
	Specification for fibre
KC 007:0000	concrete roofing tiles.
KS 827:2003	Kenya Standard-
	Specification for precast
	concrete paving blocks
KC 830-3000	(Second Edition).
KS 829:2000	Kenya Standard-
	Specification for precast concrete flags, kerbs,
	channels, edgings and quadrants.
KS 2025:1987	Kenya Standard - Metal
NS 2025.1907	roofing tiles- Specification.
KS 624: 1986	Kenya Standard -
NS 024. 1900	Specification for bitumen
	roofing felts.
KS 657:1988	Kenya Standard -
10 007.1000	(Confirmed,1999)-
	Specification for window
	stays, fasteners and
	handles for vertically
	hinged windows.
KS 997: 1994	Kenya Standard-
	(Confirmed, 1999) -
	Specification for joints
	in building fundamental
	principles of design.
KS 998:1994	Kenya Standard -
	(Confirmed , 1999) -
	Specification for joint
	buildings - general check
	list of joint functions.
KS 1186-2003	Kenya Standard -
	Specification for reinforced
	concrete fencing posts
	and struts.
KS 97:1982	Kenya Standard -
	Specification and methods
	of test for building limes

[Rev. 2022]	CAP. 496
	Standards [Subsidiary]
	(Quicklime and hydrated
KC 070:4000	lime).
KS 979:1998	Kenya Standard-
	Specification for gypsum
	plaster board for direct surface decoration or
KC 000 :1000	gypsum finishes.
KS 980 :1990	Kenya Standard -
	Specification for gypsum plasters.
KS 1535-2:2000	ріаѕіві s. Kenya Standard - Glass
NS 1939-2.2000	for use in building - Part
	2: Specification for float
	glass.
KS 656-2:2006	giass. Kenya Standard- Flush
10 000-2.2000	door leafs- Specification -
	Part 2: Cellular and semi-
	solid core tyre.
KS 1605:2001	Kenya Standard -
1000.2001	Specification for hardwood
	poles, droppers, laths,
	guardrail post and spacer
	blocks.
KS 1608:2001	Kenya Standard -
1000.2001	Specification for wooden
	fence posts.
KS 1249:1996	Kenya Standard-
	(Confirmed 2006) -
	Specification for fibre
	board hardboard.
KS 17: 1986	Kenya Standard -
	(Confirmed, 1999)-
	Specification for lawn
	timber.
KS 771:1988	Kenya Standard-
	(Confirmed 1999) -
	Specification for softwood
	timber grades for
	structural use.
KS 1062: 1991	Kenya Standard -
	Specification for infants
	outerwear garments.
KS 1113-1:1991	Kenya Standard-
	Specification for spun
	yarns - Part 1: Cotton
	yarns.
KS 113-4: 1991	Kenya Standard -
	Specification for staple
	spun yarns - Part 4:
	Polyester / Wool blended
	yarns.

yarns.

	Standards
[Subsidiary]	
KS 114-1:1993	Kenya Standard - Specification for textured filament yarns- Part I:
KS 1118:1991	Polyester yarns. Kenya Standard- Specification for top and bottom aprons in the
KS 1125-1: 1992	textile industry. Kenya Standard - Specification for carpet backing fabrics- Part I:
KS 1127:1992	Jute fabrics. Kenya Standard - Specification for curtain tapes.
KS 1149: 1995	Kenya Standard- Specification for optical performance of high visibility garments and accessories for use on the
KS 117-1:1979	highway. Kenya Standard - Specification for blankets- Part 1 : Blankets made from natural or synthetic
KS 117-2:1987	fibres. Kenya Standard - Specification for blankets - Part 2: 1987 Blankets
KS 117-6: 1990	made from wool. Kenya Standard - Specification for blankets - Part 6: Non Woven
KS 1257-1:1993	blankets. Kenya Standard - Specification for umbrella fabrics - Part I: Cotton
KS 1257-2:1993	fabrics. Kenya Standard - Specification for umbrella fabrics- Part 2: man-made
KS 1257-3: 1993	fibre fabrics. Kenya Standard- Specification for umbrella fabrics - Part 3: Silk.
KS 1434: 1999	Kenya Standard - Specification for coated tarpaulin fabric.
KS 1435:1999	Kenya Standard- Specification for coated fabrics for shoes.

Star	ndards
	[Subsidiary]
KS 214-1:1981	Kenya Standard - (Confirmed, 1999) -
	Specification for woven
	interlinings- Part 1: Woven
KO 044 0 4005	interlinings for shirts.
KS 214-2: 1985	Kenya Standard - (Confirmed, 1999) -
	Specification for woven
	interlinings -Part 2: Woven
	lining for apparel fabrics.
KS 214-3: 1981	Kenya Standard-
	(Confirmed, 1999) -
	Specification for woven
	interlinings - Part 3: Woven lining fabrics for
	men's and boys apparel.
KS 419:1983	Kenya Standard-
	Specification for knitted
	cotton fabric.
KS 505: 1984	Kenya Standard-
	Specification for women and girl outerwear
	garments.
KS 520:1984	Kenya Standard -
	Specification for woven
	fabrics used for suits,
	jackets, slacks, trousers
KS 528: 1993	and skirts. Kenya Standard-
NS 320. 1993	Specification for flat cotton
	wicks (Second Edition).
KS 539:1985	Kenya Standard -
	Specification for men's
	and boy's woven pyjama
KS 559-2: 1985	fabric. Kenya Standard -
NS 339-2. 1983	(Confirmed, 1999) -
	Specification for men's
	and boys' trousers –
	Part 2 Measurements for
1/0 500 4: 4004	trousers.
KS 560-1: 1984	Kenya Standard- Specification for boy's
	and mens' jackets and
	coats- Part 1: Making-up
	requirements for unlined
	jackets and coats.
KS 585: 1998	Kenya Standard-
	Specification for zippers
	(Second Edition).

Standa	ard	s
--------	-----	---

[Subsidiary]	
KS586-1:1985	Kenya Standard -
1.1000	Specification for webbings
	- Part I: Cotton webbing.
KS 598: 1986	Kenya Standard-
	Specification for ladies
	cardigans.
KS 607-1 TO 5: 1985	Kenya Standard -
	Specification for standard
	adjacent fabrics.
KS 607-7: 1990	Kenya Standard-
	Specification for standard
	adjacent fabrics-Part 7 :
	Triacetate.
KS 628: 1986	Kenya Standard-
	Specification for elastic
1/0 0 / 0 / 1000	webbing.
KS 640-1: 1986	Kenya Standard -
	(Confirmed, 1999) -
	Specification for men's
	and boys' pyjamas- Part I:
	Making up requirements
KS 640-2: 1986	for pyjamas. Kenya Standard-
NS 040-2. 1900	(Confirmed, 1999) -
	Specification for men's
	and boys' pyjamas - Part
	2: Measurements for
	pyjamas.
KS 665: 1998	Kenya Standard -
1.0 000. 1000	Specification for textile
	labels (Second Edition).
KS 1113-3:1993	Kenya Standard -
	(Confirmed 2005) -
	Specification for spun)
	yarns - Part 3: Polyester/
	Cellulosic blended yarns.
KS 1114-2 : 1993	Kenya Standard -
	(Confirmed 2005) -
	Specification for textured
	filament yarns – Part 2:
	Polyamide yarns.
KS 1126-1:1993	Kenya Standard -
	(Confirmed 2005) - Kenya
	Standard for neckties-
	Part 1: Neckties made
140 4400 4007	from woven fabrics.
KS 1128: 1995	Kenya Standard -
	(Confirmed 2005) -
	Specification for wicks for
	non-pressure stoves.

[Rev. 2022]	Standards	CAP. 496
		[Subsidiary]
KS 114:1993		Kenya Standard-
		(Confirmed 2005) -
		Specification for cotton
160 4440 4000		bedsheets (Third Edition).
KS 1142:1992		Kenya Standard -
		(Confirmed 2005) -
		Specification for polyolefin
KS 1143:1993		agricultural twines. Kenya Standard -
NS 1143.1993		(Confirmed 2005)
		- Specification for
		three strand polyester
		multifilament ropes.
KS 1144:1993		Kenya Standard -
1144.1000		(Confirmed 2005) -
		Specification for three
		strand polyamide
		multifilament ropes.
KS 1146:1992		Kenya Standard -
		(Confirmed 2005) -
		Specification for woven
		polyolefin sacks for
		packing fertilizers.
KS 1148-2:1995		Kenya Standard -
		(Confirmed 2005) -
		Specification for fabrics for
		water resistant clothing -
		Part2: PVC coated fabrics.
KS 116: 1993		Kenya Standard-
		(Confirmed 2005) -
		Specification for cotton drills.
KS 1305-I:2005		Kenya Standard- Mosquito
1.2000		netting - Specification
		Part 1: Round mesh
		cotton netting (First
		Edition).
KS 1305-2:2005		Kenya Standard- Mosquito
1.0 7000 2.2000		netting - Specification
		- Part 2: Synthetic fibre
		netting (First Edition).
KS 1393-1:2000		Kenya Standard -
		Specification for hales

Specification for bales-Part 1: Dimensions and density of cotton bales. Kenya Standard -Specification for bales -

Part 2: Dimensions of bales of man-made fibres.

KS 1393-2:2000

	Standards
[Subsidiary]	
KS 1401:2005	Kenya Standard - Specification for ladies slips - Part 1: Half slips.
KS 1465:2005	Kenya Standard - Children's anoraks - Specification.
KS 1466:2006	Kenya Standard- Donkey jackets - Specification.
KS 1469:2005	Kenya Standard - Specification for work wear and career wear.
KS 1488:2005	Kenya Standard- Life jackets - Specification.
KS 1532-1: 1999	Kenya Standard- (Confirmed 2005) - Code of practice for inspection and acceptance criteria for used textile products (Mitumba) - Part 1: Garments.
KS 1739-I:2005	Kenya Standard- Specification for mosquito nets - Part 1: Untreated nets.
KS 1843:2005	Kenya Standard- Carpet underlays - Specification.
KS 1949:2005	Kenya Standard - Specification for brassieres.
KS 262: 1981	Kenya Standard - (Confirmed 2006) - Specification for standard wool adjacent fabric.
KS 364:2006	Kenya Standard - Woven cellulosic fibre apparel fabrics-Specification (Second Edition).
KS 365:2006	Kenya Standard- Woven man-made fibres apparel fabric-specification.
KS 366:2006	Kenya Standard - Woven polyester/ cellulosic blended apparel fabric - Specification (Second Edition).
KS 367:2003	Kenya Standard - Specification for cotton canvas (Third Edition).
KS 411:2001	Kenya Standard- Specification for size designation for women's

	Standards
	[Subsidiary]
KS 412:2002	and girl's clothing (Second Edition). Kenya Standard-
KS 414-1: 1982	Specification for size designation for men's and boys' ready to wear clothing (Second Edition). Kenya Standard- (Confirmed 2005) - Specification or school
KS 417: 1983	wear for boys and girls - Part I: Requirements for making school wear. Kenya Standard - (Confirmed 2005) - Specification for knitted polyester cellulosic blended fabric (Second
KS 479-1:1992	Edition). Kenya Standard- (Confirmed 2005) - Specification for sewing threads- Part 1: Cotton
KS 479-2:1992	sewing threads (Second Edition). Kenya Standard - (Confirmed 2005) - Specification for sewing threads- Part 2: Sewing threads made wholly or
KS 481:2000	partly from synthetic fibres (Second Edition). Kenya Standard - Specification for woven bags (natural fibres) for
KS 493: 1983	seeds (Second Edition). Kenya Standard - (Confirmed 2006) - Specification for knitted
KS 494: 1983	nylon fabric. Kenya Standard - (Confirmed 2006) - Specification for knitted
KS 495: 1983	vests. Kenya Standard - (Confirmed 2006) - Specification for gent's knitted briefs.
KS 504-1: 1983	Knitted briefs. Kenya Standard- (Confirmed 2005) - Specification for men's

CAP. 496	[Rev. 2022]
[Subsidiary]	- Claridar de
KS 504-2: 1985	and boys shirts - Part 1: Making up requirements. Kenya Standard -
	Specification for men's and boys shirts-Part 2: Measurements for shirts.
KS 525: 1984	Kenya Standard- (Confirmed 2006) - Specification for ladies knitted briefs.
KS 529:1984	Kenya Standard - (Confirmed 2005)- Specification for elastic flat braid.
KS 540: 1985	Kenya Standard - (Confirmed 2006)- Specification for pillow cases.
KS 542-2: 1990	Kenya Standard- (Confirmed 2006)- Specification for the national flag of Kenya – Part 2: Wool/Synthetic blends.
KS 543-1:2000	Kenya Standard- Specification for cotton embroidery threads- Part I: Cotton embroidery threads(Second Edition).
KS 558-1: 1984	Kenya Standard- (Confirmed 2005) Specification for men's and boy's trouser- Part I: Making - up requirements.
KS 586-2:1988	Kenya Standard- (Confirmed 2006) -Specification for webbings- Part 2: Webbings made wholly or partly from synthetic fibres.
KS 599:2003	Kenya Standard - Specification for laces for footwear (Second Edition).

Kenya Standard -(Confirmed 2006) - Specification for bedsheets made from blended polyester/ cellulosic fabric or

KS 606: 1993

[	Standards	57.1.1.0 <b>0</b>
		[Subsidiary]
		polyester and cellulosic
		combination fabric.
KS 607-6:1990		Kenya Standard -
		(Confirmed 2005) -
		Specification for standard
		adjacent fabrics - Part 6:
		Secondary acetate.
KS 607 -8: 1990		Kenya Standard -
		(Confirmed 2005)-
		Specification for standard
		fabrics - Part 8: Cotton.
KS 687-1: 1987		Kenya Standard-
		(Confirmed 2006) -
		Specification for men's
		uniforms- Part I: uniform
		trousers.
KS 687-2:1987		Kenya Standard-
		(Confirmed 2005) -
		Specification for men's
		uniforms- Part 2 : Uniform
		coats.
KS 687-3: 1998		Kenya Standard -
1.0 007 0. 1000		(Confirmed 2005)-
		Specification for uniforms -
		Part 3: Uniform shirts.
KS 747-1: 1987		Kenya Standard-
1. 1007		(Confirmed 2005) -
		Preservative treatments
		for textiles - Part
		1: Specification for
		treatments.
KS 748-I: 1988		Kenya Standard -
110 7 10 11 1000		(Confirmed 2005) -
		Specification for coffee
		drying cloth - Part 1: Sisal
		cloth.
KS 779-1: 1988		Kenya Standard-
1. 1000		(Confirmed 2005) -
		Specification for carpets -
		Part 1: Tufted carpets.
KS 779-2:1990		Kenya Standard -
110 770 2.1000		(Confirmed 2005) -
		Specification for carpets-
		Part 2: Sisal carpets.
KS 779-3:2003		Kenya Standard - Carpets
NO 119-0.2000		-Specification Part 3:
		Woven carpets.
KS 893-2: 1994		Kenya Standard-
10 090-2. 1994		(Confirmed 2005)
		Specification for
		Specification for

[Subsidiary]	
	upholstery –Part 2: Coat
	fabrics.
KS 364:2006	Kenya Standard- Woven
110 00 1.2000	cellulosic fibre apparel
	fabric- Specification
	(Second Edition).
KS 365:2006	Kenya Standard - Woven
110 000.2000	man-made fibres apparel
	fabric Specification.
KS 366:2006	Kenya Standard - Woven
110 000.2000	polyester/cellulosic
	blended apparel fabric
	- Specification (Second
	Edition).
KS 367:2003	Kenya Standard -
110 007.2000	Specification for cotton
	canvas (Third Edition).
KS 214-1: 1981	Kenya Standard -
110 2 1 1 11 100 1	(Confirmed, 1999) -
	Specification for woven
	interlinings - Part 1:
	Woven interlinings for
	shirts.
KS 214-2: 1985	Kenya Standard -
	(Confirmed, 1999) -
	Specification for woven
	interlinings -Part 2: Woven
	lining for apparel fabrics.
KS 214-3: 1981	Kenya Standard-
	(Confirmed, 1999) -
	Specification for woven
	interlinings- Part 3: Woven
	lining fabrics for men's and
	boys' apparel.
KS 1056-I:1990	Kenya Standard -
	(Confirmed 2005)-
	Specification for woven
	wrapping cloth- Part 1:
	Polypropylene cloth.
KS 539: 1985	Kenya Standard -
	Specification for men's
	and boys' woven pajama
	fabric.
KS 542-1: 1990	Kenya Standard -
	Specification for the
	national flag of Kenya-
	Part 1: Cotton, man-made
	fibres and blends.
KS 540: 1985	Kenya Standard -
	(Confirmed 2006) -

[Rev. 2022]	CAP. 496
	Standards
	[Subsidiary]
	Specification for pillow
	cases.
KS 606: 1993	Kenya Standard-
	(Confirmed 2006) -
	Specification for bed
	sheets made from blended
	polyester/cellulosic fabric
	or polyester and cellulosic
	combination fabric.
KS 506: 1994	Kenya Standard-
110 000. 100 1	(Confirmed 2006)
	<ul><li>Specification for</li></ul>
	•
	cotton dish cloths (First Revision).
KS 507:2005	,
KS 507.2005	Kenya Standard - Sanitary
	towels - Specification
10, 500 - 400 4	(Fourth Edition).
KS 506 : 1994	Kenya Standard-
	(Confirmed 2006)
	<ul> <li>Specification for</li> </ul>
	cotton dish cloths (First
	Revision).
KS 507: 2005	Kenya Standard- Sanitary
	towels - Specification
	(Fourth Edition).
KS 1221 :1995	Kenya Standard -
	(Confirmed 2006)-
	Specification for crepe
	bandages.
KS 460-2:1983	Kenya Standard
	- Specification for
	aluminium plate and
	sheet - Part 2 : Uncoated
	aluminium plate, sheet
	and strip for hollow - ware
	cooking utensils.
KS 2:2003	Kenya Standard-
NS 2.2003	
	Specification for
	galvanized plain and
	corrugated steel sheets
VC 255, 1002	(Fourth Edition).
KS 355: 1982	Kenya Standard -
	Specification for hot dip
	galvanized coating on iron
	and steel articles.
KS 4: 1987	Kenya Standard –
	Specification for hot
	mallantantantant f

rolled steel sheets for the manufacture of low pressure gas cylinders.

	Standards	
[Subsidiary]		
KS 452: 1998		Kenya Standard- Specification for stainless steel sinks for domestic purposes (Second Edition).
KS 462: 1992		Kenya Standard- Specification for steel filing cabinets for general purposes.
KS 72-1:2001		Kenya Standard - Steel nails - Specification - Part 1: Mild steel nails (Fourth Edition).
KS 395: 2006		Kenya Standard- Rubber automobile radiator hoses- Specification (Second Edition).
KS 294: 1986		Kenya Standard - Specification for air filters for internal combustion engines.
KS 251:1982		Kenya Standard - Specification for motor vehicle radiators.
KS 758: 1987		Kenya Standard - Specification for narrow V- belts for motor
KS 1264: 1994		Kenya Standard - Specification for shuttles - Part 1: Shuttles for automatic pin-changing looms.
KS 756: 1989		Kenya Standard - Specification for speedometer cables for automobiles.
KS 1350: 1998		Kenya Standard - Specification for tow - rope assemblies for towing passenger cars and light vans.
KS 1272: 1996		Kenya Standard - Specification for vehicle jacks.
KS 895: 1989		Kenya Standard Specification for bicycles – safety requirements.
KS 906: 1989		Kenya Standard - Specification for motor cycles- symbols for control indicators and telltales.

	Standards
	[Subsidiary]
KS 992:2005	Kenya Standard - Manually operated chaff cutter Specification (Second Edition) Small
KS 356-2007	(Second Edition) Small Tools. Kenya Standard - Mild steel pad bolts – Specification (Third
KS 151:2006	Edition). Kenya Standard - Panga - Specification (Third
KS 295: 1982	Edition). Kenya Standard- Specification for axes and hatchets.
KS 154:2000	Kenya Standard - Specification for both plain and fork hoes(Third
KS 354-I: 1982	Edition).  Kenya Standard - Specification for countersunk head wood screws- Part 1: Metric
KS 886-3: 1989	series. Kenya Standard - Specification for dimensions across flats
KS 886-1: 1989	and mechanical properties of fasteners - Part 3: Tolerance system for threaded fasteners. Kenya Standard-Specification for dimensions of widths across flats and mechanical properties of fasteners - Part I: Dimensions of width
KS 1084-4: 1990	across flats. Kenya Standard - Specification for glass and reference electrodes for
KS 1086: 1992	the measurement of pH. Kenya Standard - Specification for hacksaw blades.
KS 991: 1996	Kenya Standard - Specification for Hammer (Posho ) Mills.

[Subsidiary]	
KS 1339: 1998	Kenya Standard - Specification for hand
KS 219: 1981	hammers. Kenya Standard - Specification for
	hexagonal and square bolts, screws, nuts and
	locknuts (Metric and inch threads).
KS 883: 1994	Kenya Standard - Specification for hook
KS 759: 1987	bolts. Kenya Standard - Specification for hose
KS 1347:1997	clips. Kenya Standard -
	Specification for metric steel ,tape
KS 626:1987	measures(winding types). Kenya Standard- Specification for open
	jawed spanners for hexagon sizes.
KS 537:1987	Kenya Standard- Specification for paper and garment pins.
KS 1348:1998	Kenya Standard- Specification for parallel
KS 1429:1999	action flat nose pliers. Kenya Standard- Specification for pliers, pincers and nippers,
	technical supply conditions.
KS 204-1:1992	Kenya Standard- Specification for shovels -
KS 204-2:1992	Part 1: Mild steel Shovels. Kenya Standard- Specification for shovels - Part 2: Medium steel
KS 1083:1990	shovels. Kenya Standard-
	Specification for spirit level vials.
KS 357:1990	Kenya Standard- Specification for tower bolts.
KS 886-2:1989	Kenya Standard- Specification for width across flats and mechanical properties

[Rev. 2022]		CAP. 496
	Standards	
		[Subsidiary]
		of fasteners – Part 2:
		Mechanical properties of
		fasteners.
KS ISO 2726:1998		Kenya Standard-
		Woodworking tools -
		Metal- bodied bench
		planes, plane cutters and
		cap irons.
KS 1337:1996		Kenya Standard-
		Specification for
		continuous (piano) hinges.
KS 218-1:1980		Kenya Standard-
		Specification for general
		purpose hinges –Part I:
		Steel hinges.
KS 1540:1999		Kenya Standard-
		Specification for knapsack
		sprayers.
KS 490:1985		Kenya Standard-
		Specification for discs
		for agricultural tractors.
		Tractors and Machinery
		for Agriculture and
		Forestry.
SO 9635-1		Kenya Standard-
		Agricultural irrigation
		equipment – Irrigation
		valves - Part 1: General
		requirements.
KS ISO 9635-2		Kenya Standard-
		Agricultural irrigation
		equipment – Irrigation
		valves - Part2t Isolating
		valves.
KS ISO 9635-3		Kenya Standard-
		Agricultural irrigation
		equipment – Irrigation
		valves - Part 3: Check
		valves.
KS ISO 9635-4		Kenya Standard-
		Agricultural irrigation
		equipment – Irrigation
		valves - Part 4: Air valves.
KS ISO 9635-5		Kenya Standard-
<del>-</del>		Agricultural irrigation
		equipment – Irrigation
		valves - Part 5: Control
		valves.
KS 1498		Kenva Standard-

Kenya Standard-Specification for rollers

KS 1498

-	
[Subsidiary]	
	and shafts for sugarcane
	crushers.
KS ISO 20826:2006	Kenya Standard-
NO 100 20020.2000	Automotive LPG
	components- containers.
KS ISO 16528-1	Kenya Standard-Boilers
NS 130 10320-1	
	and pressure vessels - Part 1: Performance
KS ISO 6406	requirements.
KS 130 0400	Kenya Standard-Gas
	cylinders - Seamless steel
	gas cylinders -Periodic
KC 100 44500 4	inspection and testing.
KS ISO 14520-1	Kenya Standard -
	Gaseous fire-extinguishing
	systems -Physical
	properties and system
	design - Part 1: General
1/0 100 1 100	requirements.
KS ISO I I29	Kenya Standard -
	Steel tubes for boilers,
	superheaters and
	heat exchangers -
	Dimensions, tolerantes
	and conventional masses
	per unit length.
KS 200-1:2002	Kenya Standard -
	Specification for storage
	tanks for petroleum
	industry - Part I: Carbon
	steel welded horizontal
	cylindrical storage tanks
	(Second Edition).
KS 823:1993	Kenya Standard -
	Specification for V-belts
	for industrial machines.
KS ISO 16135:2006	Kenya Standard -Industrial
	valves - Ball valves of
	thermoplastics materials.
	Plastic.
KS ISO 16136:2006	Kenya Standard -
	Industrial valves - Butterfly
	valves of thermoplastics
	materials.
KS ISO 16137:2006	Kenya Standard- Industrial
	valves - Check valves of
	thermoplastics materials.
KS ISO 16138:2006	Kenya Standard -
	Industrial valves -
	Diaphragm valves of
	thermoplastics materials.
	•

[Rev. 2022]		CAP. 496
	Standards	

Standar	as
	[Subsidiary]
KS ISO 265-1:1988	Kenya Standard - Pipes and fittings of plastics materials - Fittings for domestic and industrial waste pipes - Basic dimensions: Metric series -Part 1: Unplasticized poly(vinyl chloride) (PVC-
KS ISO 15874-1:2003	U). Kenya Standard - Plastics piping systems for hot and cold water installations - Polypropylene (PP) - Part 1: General.
KS ISO 15874-2:2003	Kenya Standard - Plastics piping systems for hot and cold water installations - Polypropylene (PP) - Part 2: Pipes.
KS ISO 15874-3:2003	Kenya Standard - Plastics piping systems for hot and cold water installations - Polypropylene (PP) - Part 3: Fittings.
KS ISO 15874-5:2003	Kenya Standard - Plastics piping systems for hot and cold water installations - Polypropylene (PP) - Part 5: Fitness for purpose of the system.
KS ISO 3633:2002	Kenya Standard - Plastics piping systems for soil and waste discharge (low and high temperature) inside buildings Unplasticized poly(vinylchloride) (PVC-U).
KS 492:1985	Kenya Standard - Specification for general purpose agricultural spray hose.
KS 324:1982	Kenya Standard - Specification for high pressure rubber water Hoses.
KS 487:1987	Kenya Standard - Specification for hose couplings for petrol, diesel and paraffin.
KS 292-1:2003	Kenya Standard - Specification for joints

[Subsidiary]	
	and fittings for use
	with unplasticized PVC
	pressure pipes - Part
	l: Injectio/r moulded
	unplasticized PVC fittings
	for solvent welding
	(Second Edition).
KS 292-2:2003	Kenya Standard -
	Specification for joints
	and fittings for use
	with unplasticized
	PVC pressure pipes
	- Part 2i Fabricated
	unplasticized PVC fittings
	and mechanical joints
	made principally from
	unplasticized pipes for
	solvent welding(Second
	Edition).
KS 321:1982	Kenya Standard -
	Specification for low
	pressure rubber water
	Hoses.
KS 149-1:2000	Kenya Standard -
	Specification for pipes
	and fittings made of
	unplasticized poly vinyl
	chloride (U-PVC) for
	water supply - Part 1:
	General requirements
	(Third Edition).
KS 149-2:2000	Kenya Standard -
	Specification for pipes
	and fittings made of
	unplasticized poly vinyl
	chloride (U-PVC) for
	water supply - Part 2:
	Dimensions, nominal
	outside diameters, wall
	thickness and nominal
160, 400, 4005	pressures - Metric S.
KS 486:1985	Kenya Standard -
	Specification for rubber
I/O 405.4005	hose for final delivery.
KS 485:1985	Kenya Standard -
	Specification for rubber
	hose for liquefied
VS 701:1006	petroleum gases.
KS 701:1996	Kenya Standard -
	Specification for tyre
	valves.

[Rev. 2022]		CAP. 496
	Standards	

Standards	
	[Subsidiary]
KS ISO 6224:2005	Kenya Standard - Thermoplastics hoses, textile- reinforced, for general-purpose
KS ISO 11922-I:1997	water applications - Specification. Kenya Standard - Thermoplastics pipes for the conveyance of fluids - Dimensions and
KS 2175:2009	tolerances - Part 1: Metric series. Kenya Standard - Firefighting equipment- Components of underground and above
KS ISO 11602-1:2000	ground hydrant systems - Specification. Kenya Standard - Fire protection - portable and wheeled fire extinguishers- Part I:
KS ISO 11602-2:2000	Selection and installation. Kenya Standard - Fire protection - Portable and wheeled fire extinguishers - P art 2: Inspection and
KS 963:1990	maintenance. Kenya Standard - Specification for industrial
KS 1020-1:1993	safety helmets. Kenya Standard - Specification for light gauge metal containers - Part 1: Definitions and Determination methods for
KS 1020-2:1993	dimensions and capacities and open-top cans. Kenya Standard - Specification for light gauge metal containers - Part 2: Capacities and related cross section for
KS 1020-3:1993	open top cans for general foods. Kenya Standard - Specification for light gauge metal containers - Part 3: Capacities and related cross section for

Standards		
[Subsidiary]		
KS 1020-4:1993	cans for meat and meat products. Kenya Standard - Specification for light gauge metal containers	
KS 1020-5:1993	<ul> <li>Part 4: Capacities and related cross sections for open top cans for drinks.</li> <li>Kenya Standard - Specification for light gauge metal containers</li> <li>Part 5: Capacities and related cross sections for</li> </ul>	
KS 1020-6:1993	open top cans for edible oil.  Kenya Standard -  Specification for light gauge metal containers - Part 6: Capacities and related cross section for	
KS 1020-7:1993	open top cans for fish and fish products. Kenya Standard - Specification for light gauge metal containers - Part I: Capacities and	
KS 1020-8:1993	related cross sections for open top cans for milk. Kenya Standard - Specification for light gauge metal containers - Part 8: Internal diameters	
KS 757:1987	for round open -top cans. Kenya Standard - Specification for metal	
KS 896:1990	aerosol container. Containers and Tanks KS 536:1985 Specification for milk cans. Kenya Standard - Specification for periodic inspection, testing and maintenance of transportable gas	
KS 1318:1997	containers (excluding dissolved acetylene containers). Kenya Standard - Specification for portable poultry feeders.	

Standards	
Statiuatus	
	[Subsidiary]
KS 840:1987	Kenya Standard - Specification for transportable acetylene Containers.
KS 1324:1997	Kenya Standard - Specification for watering cans.

[Subsidiary]

# THE STANDARDS (VERIFICATION OF CONFORMITY TO STANDARDS AND OTHER APPLICABLE REGULATIONS) ORDER

#### ARRANGEMENT OF PARAGRAPHS

PART I - PRELIMINARY

## Paragraph

- 1. Citation
- 2. Interpretation
- 3. Application
- 4. Exempted products
- 5. Compliance with standards
- 6. Appointment of inspection bodies
- 7. Verification of conformity
- 8. Certificate of conformity and non- conformity report
- 9. Destination inspection
- 10. Exemption from Order
- 11. Revocation of L.N 183/2019

#### **SCHEDULES**

CRITERIA FOR EXEMPTION OF SPECIFIC PRODUCTS FROM PRE-SHIPMENT VERIFICATION OF CONFORMITY REQUIREMENTS

[Subsidiary]

## THE STANDARDS (VERIFICATION OF CONFORMITY TO STANDARDS AND OTHER APPLICABLE REGULATIONS) ORDER

[Legal Notice 78 of 2020, Legal Notice 212 of 2020, Legal Notice 53 of 2021]

PART I - PRELIMINARY

## 1. Citation

This Order may be cited as the Standards (Verification of Conformity to Standards and Other Applicable Regulations) Order.

#### 2. Interpretation

In this Order, unless the context otherwise requires—

"approved warehouse" means a premise approved by the Bureau for storage of goods other than a designated customs area;

"Bureau" means the Kenya Bureau of Standards established by section 3 of the Act; and

"Council" means the National Standards Council established by section 6 of the Act.

[L.N. 212/2020, r. 2.]

#### 3. Application

This Order shall apply to all products imported into Kenya.

#### 4. Exempted products

(1) Notwithstanding any other provision of this Order, the products specified in the first column of the Schedule shall be exempted from the provisions of this Order:

Provided that a person importing any exempted product specified in the Schedule shall provide the documents specified in the second column of the Schedule with respect to the exempted product.

(2) The products specified in the Schedule may be inspected on arrival at a port of entry.

#### 5. Compliance with standards

- (1) An importer of products shall ensure that the imported products meet Kenya standards, approved specifications and other applicable regulations.
- (2) An importer of products shall notify the Bureau in the prescribed form before importing any product into Kenya and provide proof that the imported product meets Kenya standards, approved specifications and other applicable regulations.

## 6. Appointment of inspection bodies

- (1) The Bureau may appoint an inspection body in the country of exportation of products, or in a transhipment port, or in a port of entry, to undertake verification of conformity to Kenya standards, approved specifications and other applicable regulations.
- (2) The Bureau may recognise a national standards body of an exporting country that performs inspection functions as an inspection body for the purposes of pre-shipment verification of conformity.

## 7. Verification of conformity

- (1) Any product which is the subject of this Order may be subjected to verification of conformity to Kenya standards, approved specifications and other applicable regulations in the exporting country or transhipment port by the inspection body appointed under paragraph 6.
- (2) Notwithstanding the provisions of subparagraph (1), the Bureau may reinspect the imported product at a port of entry if, in the Bureau's opinion, it is necessary to do so.

[Rev. 2022]

[Subsidiary]

(3) For avoidance of doubt, where there is a conflict between the provisions of subparagraphs (1) and (2), the provisions of subparagraph (2) shall prevail.

[L.N. 212/2020, r. 3.]

## 8. Certificate of conformity and non-conformity report

- (1) The Bureau or an inspection body appointed under paragraph 6 shall issue a certificate of conformity, certificate of inspection or certificate of roadworthiness in respect of a product that conforms to Kenya standards, approved specifications and other applicable regulations.
- (2) The Bureau or an inspection body appointed under paragraph 6 shall issue a non-conformity report in respect of a product that does not conform to Kenya standards, approved specifications and other applicable regulations.
- (3) A product that does not conform to Kenya standards, approved specifications and other applicable regulations shall not be permitted to be imported into Kenya and shall be re-exported to the exporting country or destroyed at the importer's expense.

## 9. Destination inspection

- (1) A product which is the subject of this Order which arrives at a port of entry without a certificate of conformity, certificate of inspection or certificate of roadworthiness shall be subjected to destination inspection at a fee equal to five per cent of the approved customs value of the product.
- (2) The importer of a product which is the subject of this Order which arrives at a port of entry without a certificate of conformity, certificate of inspection or certificate of roadworthiness and which is kept in an approved warehouse pursuant to subparagraph (3) shall, in addition to the fee specified in subparagraph (1), execute a security bond in favour of the Bureau equal to five per cent of the approved customs value of the product.
- (3) A product which is the subject of this Order which arrives at a port of entry without a certificate of conformity, certificate of inspection or certificate of roadworthiness shall be held at the port of entry or kept in an approved warehouse for the purposes of inspection and testing.
- (4) A product which is the subject of this Order which arrives at a port of entry without a certificate of conformity, certificate of inspection or certificate of roadworthiness from an exporting country where the Bureau has not appointed an inspection body shall be subjected to destination inspection at the importer's expense at the rate that would be applicable if inspection had been undertaken in the exporting country by an inspection body appointed by the Bureau.
- (5) A product imported by a consolidator registered pursuant to section 14C of the Act which is the subject of this Order which arrives at a port of entry without a certificate of conformity or certificate of inspection shall be subjected to destination inspection at a fee equal to zero point six (0.6%) per cent of the approved customs value of the product.
- (6) Notwithstanding the provision of subparagraph (1), a product registered by KEBS on the basis of a valid certification recognized by KEBS shall be subjected to destination inspection at the importer's expense at the rate that would be applicable if inspection had been undertaken in the exporting country by an inspection body appointed by the Bureau:

Provided that such registration is obtained before importation.

[L.N. 212/2020, r. 4.]

## 10. Exemption from Order

The Cabinet Secretary may, on the advice of the Council, exempt any product from the provisions of this Order if the Cabinet Secretary is satisfied that it is in the national interest to do so.

## 11. Revocation of L.N 183/2019

The Standards (Verification of Conformity to Kenya Standards and Other Applicable Regulations) Regulations, 2019, are revoked.

## **SCHEDULE**

[r. 4]

CRITERIA FOR EXEMPTION OF SPECIFIC PRODUCTS FROM PRE-
SHIPMENT VERIFICATION OF CONFORMITY REQUIREMENTS

No.	SHIPMENT VER	IFICATION OF CONFORMITY CATEGORY	REQUIRED
1.		Industrial raw materials excluding materials specified by the Council, completely knocked down kits for road vehicles, machinery and industrial spares imported by registered manufacturers for own use	DOCUMENTS (a) Certificate of registration of the manufacturer or assembler issued by the Bureau or any other regulatory agency responsible for regulating manufactured products (b) Certificate of analysis or material safety datasheet for raw materials
2.		Equipment and original equipment manufacturers (OEM) parts for licensed power generation companies	warranty
3.		Original equipment medical manufacturer's parts for medical equipment	<ul><li>(a) Evidence of original equipment manufacturer for spare parts</li><li>(b) Evidence of manufacturer's warranty</li></ul>
4.		Products imported by diplomats and diplomatic missions except motor vehicles	Form PRO 1A or PRO 1B issued by the Ministry of Foreign Affairs
5.		Courier parcels with a value specified by the Council and direct assessment items approved by the Kenya Revenue Authority	(a) Parcel handler's license issued by the Communications Authority of Kenya (b) Direct assessment documents approved by the Kenya Revenue Authority
6.		Products certified by the Bureau under the Diamond Mark Scheme	Valid Diamond Mark Permit issued by the Bureau

	Staridards	
[Subsidiary]		
7.	Products manufactured within the East African Community	(a) Certificate of origin (b) Product Certification Permit or Certificate of Analysis (Raw Materials) or Test Report issued by the respective National Standards Body of the Country of Origin
8.	Used personal effects belonging to returning residents and arriving expatriates excluding road vehicles	Approval by the Kenya Revenue Authority
9.	General consumables (stores) imported by international carriers for in-flight or ships services and duty- free products	(a) Proof of licensing as an international carrier (b) Authority by Kenya Revenue Authority to operate as duty-free
10.	Re-imports	Re-importation certificate issued by the Kenya Revenue Authority
11.	Temporary imports	(a) Proof of bond execution with Kenya Revenue Authority (b) Carnet certificate (for road vehicles)
12.	New road vehicles and	Manufacturer's warranty
13.	new mobile equipment Printed matter and recorded digital media	or type approval Declaration that the material has not violated any intellectual property rights
14.	The following products regulated under specific laws: (1) explosives, arms and ammunition (2) plants, seeds and planting materials (3) live animals, carcasse and hatching eggs (4) tissues and organs (5) human and veterinary pharmaceutical products (6) pesticides (7) aircraft and aircraft parts (8) marinecraft and marinecraft parts	Proof of compliance with the relevant Regulations

(9) radioactive materials and isotopes

New motor vehicle parts imported from the manufacturer of the are to be fitted or their

(a) Evidence that the exporter is the original vehicle vehicle to which the parts manufacturer or evidence of authorization by the authorized representative. vehicle manufacturer in the case of authorized representative. (b) Manufacturer's warranty of the parts. (c) Evidence of registration by KEBS as

importers of those parts. (d) Evidence of conformity of the parts with applicable standards.

291

15.

# THE STANDARDS ORDER

ARRANGEMENT OF PARAGRAPHS

## Paragraph

- 1. Citation
- 2. Declaration of Kenya Standards

SCHEDULES

## THE STANDARDS ORDER

[Legal Notice 170 of 2020]

#### 1. Citation

This Order may be cited as the Standards Order.

## 2. Declaration of Kenya Standards

The Kenya Standards, having been declared as set out in the first and second columns of the Schedule, no person shall manufacture or sell the commodities or use the methods and procedure on or after forty-two days after the date of this Order unless the commodities, methods or procedures comply with the requirements of the relevant Kenya Standard.

	SCHEDULE	
Number	33	Title of Specification or
KS 1515:2019		Code of Practice Kenya Standard – Road vehicles – Inspection of road vehicles – Code of
KS 1814:2019		Practice, Second Edition Kenya Standard  – Biomass stoves  – Performance requirements, Fourth
KS ISO 6469-1:2019		Edition Kenya Standard – Electrically propelled road vehicles – Safety specifications Part 1: Rechargeable energy storage system (RESS),
KS ISO 6469-3:2018		Second Edition Kenya Standard – Electrically propelled road vehicles – Safety specifications Part 3: Electrical safety, Second Edition
KS ISO 20766-1:2018		Kenya Standard – Road vehicles – Liquefied petroleum gas (LPG) fuel systems components Part 1: General requirements and definitions, First Edition
KS ISO 20766-2:2018		Kenya Standard – Road vehicles – Liquefied petroleum gas (LPG) fuel systems components Part 2: Performance and

Standard	S
[Subsidiary]	
	general test methods, First Edition
KS ISO 20766-3:2018	Kenya Standard – Road vehicles – Liquefied petroleum gas (LPG) fuel systems components Part 3: 80% stop valve, First Edition
KS ISO 20766-4:2018	Kenya Standard – Road vehicles – Liquefied petroleum gas (LPG) fuel systems components Part 4: Level indicator, First Edition
KS ISO 20766-6:2019	Kenya Standard – Road vehicles – Liquefied petroleum gas (LPG) fuel systems components Part 6: Pressure relief valves (PRV), First Edition
KS ISO 20766-9:2019	Kenya Standard – Road vehicles – Liquefied petroleum gas (LPG) fuel systems components Part 9: Pressure Relief Device (PRD), First Edition
KS ISO 16232:2018	Kenya Standard – Road vehicles – Cleanliness of components and systems, First Edition
KS EAS 924-1:2018	Kenya Standard – Handling, storage and distribution of Liquefied Petroleum Gas (LPG) in domestic, commercial and industrial installations – Code of practice Part 1: Storage and filling sites for refillable LPG containers of capacity not exceeding 150 litres, First Edition
KS EAS 924-2:2018	Kenya Standard – Handling, storage and distribution of Liquefied Petroleum Gas (LPG) in domestic, commercial and industrial installations – Code of practice Part 2: LPG installations involving gas storage vessels of individual water capacity

Standards [Subsidiary] exceeding 150 litres and combined water capacity not exceeding 9,000 litres per installation, First Edition KS EAS 925:2018 Kenya Standard -Inspection and testing of Liquefied Petroleum Gas (LPG) road tankers, First Edition Kenya Standard - Bulk KS EAS 902:2018 Liquefied petroleum Gas (LPG) road tankers – Assembling - Requirements, First Edition KS 28-1:2019 Kenya Standard – Cheese – Specification Part 1: General requirements ese ese 00 ese

	297
1.0 2000.2010	Processed cheese – Specification, Second Edition
KS 2509:2019	Evaporated milks – Specification, Second Edition Kenya Standard –
KS 2510:2019	Cheeses in brine – Specification, First Edition Kenya Standard –
KS 2850:2019	<ul><li>Specification Part 4:</li><li>Tilsiter, Fourth Edition</li><li>Kenya Standard –</li></ul>
KS 28-4:2019	Specification, Second Edition Kenya Standard – Cheese
KS 2682:2019	Second Edition Kenya Standard – Camembert cheese –
KS 2683:2019	First Edition  Kenya Standard – Brie  Cheese – Specification,
KS 2853:2019	<ul> <li>Specification Part 3:</li> <li>Gouda, Fourth Edition</li> <li>Kenya Standard – Danbo</li> <li>cheese – Specification,</li> </ul>
KS 28-3:2019	<ul> <li>Specification Part 2:</li> <li>Cheddar, Fourth Edition</li> <li>Kenya Standard – Cheese</li> </ul>
KS 28-2:2019	General requirements, Fourth Edition Kenya Standard – Cheese
	General requirements

	Standards
[Subsidiary]	
KS 2688:2019	Kenya Standard –
	Certain canned fruits –
	Specification, Second Edition
KS 2689:2019	Kenya Standard – Quick
	frozen vegetables, Second Edition
KS 2687:2019	Kenya Standard – Pickled
	fruits and vegetables –
	Specification, Second Edition
KS 1178:2019	Kenya Standard – Canned
	tropical fruit salad –
	Specification, Second
VC 2051-2010	Edition.
KS 2851:2019	Kenya Standard – Canned apple sauce –
	Specification, First Edition
KS 2852:2019	Kenya Standard –
	Canned stone fruits –
	Specification, First Edition
KS 2166:2019	Kenya Standard – Icing
	sugar – Specification,
1/0 400 0 0040	Second Edition
KS 436-2:2019	Kenya Standard – Coca
	powder – Specification Part 2: Cocoa-sugar
	mixtures, Fourth Edition
KS 998:2019	Kenya Standard
	<ul><li>– Chocolates –</li></ul>
	Specification, Second
	Edition
KS 2862:2019	Kenya Standard – Cocoa
	butter, Specification, First Edition
KS EAS 349:2004	Kenya Standard –
NO LAO 049.2004	Glucose syrup –
	Specification
KS 2617:2008	Kenya Standard –
	Molasses for industrial use
	<ul><li>Specification</li></ul>
KS EAS 5:2009	Kenya Standard –
	Refined white sugar – Specification
KS EAS 749:2014	Kenya Standard – Brown
10 1/10 1/10.2017	sugars – Specification
KS 1792-2:2013	Kenya Standard – Malt-
	based cocoa products
	<ul><li>Specification Part 1:</li></ul>
	Granulated products

	[Subsidiary]

Standards	
	[Subsidiary
KS ISO/TR 12591:2013	Kenya Standard – White tea – Specification
KS EAS 770:2012	Kenya Standard – Fortified sugar –
KS 2859:2019	Specification Kenya Standard – Sweet potato bread –
KS 2860:2019	Specification, First Edition Kenya Standard – Sweet potato puree –
KS EAS 762:2013	Specification, First Edition Kenya Standard – Dry soy
KS EAS 230:2001	beans – Specification Kenya Standard – Maize bran as livestock feed –
KS 949:1999	Specification Kenya Standard – Specification for rice bran
KS EAS 97:1999	Kenya Standard – Fishmeal – Specification
KS EAS 330:2002	Kenya Standard – Citrus fruit – Specification
KS EAS 332:2002	Kenya Standard – Fresh capsicums – Specification
KS EAS 47:2000	Kenya Standard – Fresh papaya – Specification
KS EAS 56:2000	Kenya Standard – Fresh mushrooms –
KS EAS 286-1:2002	Specification Kenya Standard – Cut flowers and cut foliage Part 1: Fresh cut flowers –
KS 1047:1997	Specification Kenya Standard – Specification for apples
KS 1484:1999	and pears Kenya Standard  – Specification for
KS 2662:2016 and 1:2019	asparagus Kenya Standard – Disposable adult diapers – Specification Amendment 1, First Edition
KS 2881:2019	Kenya Standard –  Maternity pads –  Specification, First Edition
KS 1661:2019	Kenya Standard – Footwear – Canvas shoes – Specification, Second Edition

[Subsidiary]	
VC 2228-2010	Konya Standard - Baby
KS 2238:2019	Kenya Standard – Baby
	shawl – Specification, Second Edition
KS 559-1:2019	Kenya Standard – Men's
NS 559-1.2019	•
	and boy's trousers –
	Specification Part 1: Making up requirements,
	Third Edition
KS 1267-2:2019	Kenya Standard – Pillows
NS 1207-2.2019	for domestic use –
	Specification Part 2:
	Synthetic filled pillows, Third Edition
KS 640 1:2010	
KS 640-1:2019	Kenya Standard – Men's
	and boy's pyjamas –
	Specification Part 1:
	Making up requirements,
KC 640 2:2040	Second Edition
KS 640-2:2019	Kenya Standard – Men's
	and boy's pyjamas –
	Specification Part 2:
	Measurements, Second
VC 620-2040	Edition
KS 629:2019	Kenya Standard –
	Sweaters – Specification,
KO IEO 00544.4075	Fourth Edition
KS IEC 60514:1975	Kenya Standard –
	Acceptance inspection of
	class 2 alternating-current
KC EAC 200 0:2005	watt-hour meters
KS EAS 388-2:2005	Kenya Standard – High-
	voltage fuses Part 2:
140 4407 4000	Expulsion fuses
KS 1187:1993	Kenya Standard –
	Specification for metallic
ICC 044 4:4007	clips for electrical wiring
KS 311-1:1987	Kenya Standard –
	Specification for miniature
VC IFC64642 4:2002	circuit breakers (MCBs)
KS IEC61643-1:2002	Kenya Standard – Surge
	protective devices
	connected to low-voltage
	power distribution systems
	Part 1: Performance
	requirements and testing
KC 1027:2007	methods
KS 1827:2007	Kenya Standard –
	Voltage characteristics
	of electricity supplied by
	public distribution systems

Standards	
	[Subsidiary]
KS 311-1:1987	Kenya Standard –
	Specification for miniature
	circuit breakers (MCBs)
KS ISO 361:1975	Kenya Standard – Basic
	ionizing radiation symbol
KS ISO 14152:2001	Kenya Standard –
	Neutron radiation
	protection shielding –
	Design principles and
	considerations for the
	choice of appropriate
	materials
KS ISO 14146:2000	Kenya Standard –
	Radiation protection –
	Criteria and performance
	limits for the periodic
	evaluation of processors
	of personal dose meters

for X and gamma radiation KS ISO 8194:1987 Kenya Standard -

KS 1950:2007

Radiation protection -Clothing for protection against radioactive contamination - Design, selection, testing and use

KS OIML R 119:1996 Kenya Standard -

Pipe provers for testing measuring systems for liquids other than water Kenya Standard - Xray analysis equipment

- Protection against ionizing radiation - Code

of practice

KS 1988:2007 Kenya Standard – Safe use of radiation gauges -

Code of practice

Kenya Standard – Cabinet KS 1989:2006

X-ray equipment for examination of letters, packages, baggage, freight and other articles for security, quality control and other purposes -

Requirements

KS 1990:2007 Kenya Standard - Safe

> use of ionizing radiation in training institutions - Code

of practice

KS 2032:2007 Kenya Standard - Near-

surface disposal of

CAP. 496	Ota in ala inala	[Rev. 2022
-	Standards	
[Subsidiary]		
		radioactive waste - Code
		of practice
KS 2029:2007		Kenya Standard –
		Corpses containing
		radioactive materials –
		Safe handling – Code of
		Practice
KS 2030:2007		Kenya Standard –
		Discharge of patients
		undergoing treatment with
		radioactive substances –
		Code of practice
KS 1953:2007		Kenya Standard –
		Healthcare practitioners
		exposed to ionizing
		radiation – Code of
		practice
KS 1954:2007		Kenya Standard – Medical
		research – Administration
		of ionizing radiation
		to human subjects –
		Requirements
KS ISO 19105:2000		Kenya Standard –
		Geographic information –
		Conformance and testing
KS ISO 19106:2004		Kenya Standard –
1.0 100 10 100.200 1		Geographic information –
		Profiles
KS ISO 19107:2003		Kenya Standard –
10 10 10 10 10 1.2000		Geographic information –
		Spatial schema
KS ISO 19108:2002		Kenya Standard –
10 100 10 100.2002		Geographical information
		- Temporal schema
KS 19112:2003		Kenya Standard –
10112.2000		Geographical information
		<ul> <li>Spatial referencing by</li> </ul>
		geographic identifiers
KS ISO 19116:2004		Kenya Standard –
10 100 10110.2004		Geographic information –
		Positioning services
KS ISO/IEC 15457-1:2008		Kenya Standard –
1.2000		Information technology
		<ul><li>Identification cards –</li></ul>
		Thin flexible cards Part 1:
		Physical characteristics
KS ISO/IEC 15457-2:2007		Kenya Standard –
10 100/1LO 10 <del>1</del> 0/1-2.200/		Information technology
		miormation technology

Identification cards –
 Thin flexible cards Part

[Rev. 2022]		CAP. 496
	Standards	

	Staridards
	[Subsidiary]
VC 100/IEC 45457 2:2002	2: Magnetic recording technique
KS ISO/IEC 15457-3:2002	Kenya Standard – Information technology – Identification cards – Thin flexible cards Part 3: Test
KS ISO/IEC 15693-1:2010	methods Kenya Standard – Information technology – Identification cards – Contactless integrated
KS ISO/IEC 15693-2:2006	circuit cards – Vicinity cards Part 1: Physical characteristics Kenya Standard – Information technology – Identification cards –
KS ISO/IEC 15693-3:2009	Contactless integrated circuit cards – Vicinity cards Part 2: Air interface and initialisation Kenya Standard – Information technology – Identification cards –
KS ISO/IEC 19794-1:2006	Contactless integrated circuit cards – Vicinity cards Part 3: Anti-collision and transmission protocol Kenya Standard – Information technology – Biometric data Interchange Formats Part
KS ISO/IEC 19794-2:2005	1: Framework Kenya Standard – Information technology – Biometric data Interchange Formats Part
KS ISO/IEC 19794-3:2006	2: Finger minutiae data Kenya Standard – Information technology – Biometric data Interchange Formats Part 3: Finger pattern spectral
KS ISO/IEC 11693-2:2009	data Kenya Standard – Information technology – Identification cards, Optical memory cards Part 2: Co-existence of optical memory with

- Identification cards, Optical memory cards -Linear recording method Part 4: Logical data

structures

KS ISO/IEC 11695-3:2008 Kenya Standard -

KS ISO/IEC 10373-1:2006

KS ISO/IEC 10373-2:2006

KS ISO/IEC 10373-3:2010

KS ISO/IEC 10373-7:2008

KS ISO/IEC 10373-8:2011

KS ISO/IEC 10373-9:2011

Information technology - Identification cards, Optical memory cards - Holographic recording method Part 3: Optical properties and

characteristics Kenya Standard -

Identification cards - Test methods Part 1: General

characteristics Kenya Standard -

> Identification cards - Test methods Part 2: Cards with magnetic stripes Kenya Standard -

Identification cards – Test methods Part 3: Integrated

circuit cards Kenya Standard -

Identification cards - Test

methods Part 7: Vicinity cards

Kenya Standard -

Identification cards – Test

methods Part 8: USB-ICC Kenya Standard -

> Identification cards -Test methods Part 9: Optical memory cards -Holographic recording

method

KS ISO/IEC 19784-1:2006 Kenya Standard -

> Information technology - Biometric Application Programming Interface

Part 1: BioAPI specification

KS ISO/IEC 19784-2:2007 Kenya Standard -

> Information technology Biometric Application

Standards

	[Subsidiary]
KS ISO/IEC 19785-2:2006	Programming Interface Part 2: Biometric archive function provider interface Kenya Standard – Information technology – Common Biometric Exchange Formats Framework Part 2:
KS ISO/IEC 24708:2008	Procedures for the operation of the Biometric Registration Authority Kenya Standard – Information technology – Biometrics – BioAPI
KS ISO/IEC 24713-1:2008	Interworking protocol Biometric profiles for inter-operability and data interchange Part 1: Overview of biometric
KS ISO/IEC 24713-2:2008	systems and biometric profiles Kenya Standard – Biometric profiles for inter- operability and data interchange Part 2:
KS ISO/IEC 19795-1:2006	Physical access control for employees at airports Kenya Standard – Information technology – Biometric performance testing and reporting
KS ISO/IEC 19795-2:2007	Part 1: Principles and framework Kenya Standard – Information technology – Biometric performance testing and reporting Part 2: Testing methodologies
KS ISO/IEC 19795-3:2007	for technology and scenario evaluation Kenya Standard – Information technology – Biometric performance testing and reporting Part
KS ISO/IEC 19795-4:2008	3 – Modality- specific testing Kenya Standard – Information technology – Biometric performance testing and reporting

Standards
Standards

[Subsidiary]	
KS ISO/IEC 19795-5:2011	Part 4: Inter- operability performance testing Kenya Standard – Information technology
KO 100 JEO 40705 0 0040	<ul> <li>Biometric performance</li> <li>testing and reporting Part</li> <li>5: Access control scenario</li> <li>and grading scheme</li> </ul>
KS ISO/IEC 19795-6:2012	Kenya Standard – Information technology – Biometric performance testing and reporting Part 6: Testing methodologies for operational evaluation
KS ISO/IEC 19795-7:2011	Kenya Standard – Information technology – Biometric performance testing and reporting Part 7: Testing of on- card biometric comparison algorithms
KS ISO/IEC 11770-1:2010	Kenya Standard – Information technology – Security techniques – Key management Part 1: Framework
KS ISO/IEC 19796-3:2009	Kenya Standard – Information technology – Learning, education and training – Quality management, assurance and metric Part 3: Reference methods
KS ISO 23988:2007	Kenya Standard – Information technology – A code of practice for the use of information technology (IT) in the delivery of assessments
KS ISO 14915-1:2002	Kenya Standard – Software ergonomics for multimedia user interfaces Part 1: Design principles
KS ISO 9241-151:2008	and framework Kenya Standard – Ergonomics of human- system interaction Part 151: Guidance on worldwide web user interfaces

[Rev. 2022]		CAP. 496
	Standards	

	[Subsidiary]  Kenya Standard –
	Kenya Standard –
KS ISO/IEC/TR 24704:2004	rtorrya Otariaara
	Information technology
	<ul> <li>Customer premises</li> </ul>
	cabling for wireless
	access points
KS ISO 9241-171:2008	Kenya Standard –
	Ergonomics of human-
	system interaction
	Part 171: Guidance on
	software accessibility
KS ISO 9241-20:2008	Kenya Standard –
	Ergonomics of human-
	system interaction
	Part 20: Accessibility
	guidelines for information/
	communication technology
	(ICT) equipment and
	services
KS 184-3:2012	Kenya Standard – Primary
	batteries – Specification
1/0 101 1 0010	Part 3: Watch batteries
KS 184-4:2012	Kenya Standard – Primary
	batteries – Specification
	Part 4: Safety of lithium
KS 184-5:2012	batteries
NS 104-5.2012	Kenya Standard – Primary
	batteries – Specification Part 5: Safety of batteries
	with aqueous electrolyte
KS IEC 62560:2011	Kenya Standard – Self-
NO 120 02300.2011	ballasted LED-lamps for
	general lighting services –
	Safety specifications
KS IEC 61215:2005	Kenya Standard –
	Crystalline silicon
	terrestrial photovoltaic
	(PV) modules – Design
	qualification type approval
KS IEC 60891:2009	Kenya Standard –
	Photovoltaic devices
	<ul><li>Procedures for</li></ul>
	temperature and
	irradiance corrections
	to measures I-V
	characteristics
KS IEC 60904-4:2009	Kenya Standard –
	Photovoltaic devices
	Part 4: Reference solar
	devices – Procedure for
	establishing calibration
	traceability

Standards
-----------

•	Stariuarus
[Subsidiary]	
KS IEC 60904-5:2011	Kenya Standard – Photovoltaic devices Part 5: Determination of the equivalent cell temperature (ECT) of photovoltaic (PV) devices by the open-circuit voltage
KS IEC 60904-10:2009	method Kenya Standard – Photovoltaic devices Part 10: Methods of linearity
KS IEC 61400-22:2010	measurement Kenya Standard – Wind turbines Part 22: Conformity testing and certification
KS IEC 61400-24:2010	Kenya Standard – Wind turbines Part 24: Lightning protection
KS IEC/TS 62257-7:2010	Kenya Standard – Recommendations for small renewable energy and hybrid systems for rural electrification Part 7-1: Generators -
KS IEC 62109-2:2011	Photovoltaic generators Kenya Standard – Safety of power converters for use in photovoltaic power systems Part 2: Particular
KS IEC 62253:2011	requirements for inverters Kenya Standard  – Photovoltaic pumping systems – Design qualification and performance measurements
KS 1673-1:2004	Kenya Standard – Solar photovoltaic power systems – Design, installation, operation, monitoring and maintenance – Code of Practice Part 1: General PV system requirements
KS 1673-2-2:2003	Kenya Standard – Generic specification for solar photovoltaic systems – System design, installation, operation, monitoring

	[Subsidiary]

	[Subsidiary
KS 1673-2-5:2003	and maintenance Part 2: Test procedures for main components Section 2: Recommended practices for installation, maintenance, testing and replacements of secondary batteries for use with standalone power systems Kenya Standard – Generic specification for solar photovoltaic systems – System design, installation,
	operation, monitoring and maintenance Part 2: Test procedures for main components Section 5: Test procedures for luminaires
KS IEC 61439-1:2011	Kenya Standard – Low- voltage switchgear and control gear assemblies Part 1: General rules
KS IEC 61439-2:2011	Kenya Standard – Low- voltage switchgear and control gear assemblies Part 2: Power switchgear and control gear assemblies
KS IEC 60269-6:2010	Kenya Standard – Low-voltage fuses Part 6: Supplementary requirements for fuse- links for the protection of photovoltaic energy systems
KS IEC 62006:2010	Kenya Standard – Hydraulic machines – Acceptance tests of small hydroelectric installations
KS IEC 62256:2008	Kenya Standard – Hydraulic turbines, storage pumps and pump turbines – Rehabilitation and performance improvement
KS IEC 62907:2009	Kenya Standard – Hydraulic machines, radial and axial – Performance

	Stariuarus
[Subsidiary]	
	conversion method from
	model prototype
KS 1021:1989	Kenya Standard –
110 1021.1000	Specification for general
	purpose steel wire strand
KS 188-1:1997	Kenya Standard –
110 100 1.1007	Specification for PVC
	installations and sheaths
	of electric cables and
	cords Part 1: Physical and
	electrical requirements
KS 188-2: 1997	Kenya Standard –
	Specification for PVC
	installations and sheaths
	of electric cables and
	cords Part 2: Methods of
	measurement of thickness
	and overall dimensions
	and determinations of
	mechanical properties
KS 188-3:1997	Kenya Standard –
	Specification for PVC
	installations and sheaths
	of electric cables and
	cords Part 3: Thermal
	ageing methods
KS 188-4:1997	Kenya Standard –
	Specification for PVC
	installations and sheaths
	of electric cables and
	cords Part 4: Loss of mass
	test and thermal stability
1/0 /00 = /00=	test
KS 188-5:1997	Kenya Standard –
	Specification for PVC
	installations and sheaths
	of electric cables and
	cords Part 5: Pressure test
	at high temperature and
KS 188-6:1997	tests for resisting cracking Kenya Standard –
KS 186-0.1991	Specification for PVC
	installations and sheaths
	of electric cables and
	cords Part 6: Tests at low
	temperature
KS 188-7:1997	Kenya Standard –
	Specification for PVC
	installations and sheaths
	of electric cables and

Standards [Subsidiary] cords Part 7: Hot deformation test KS 189:1979 Kenya Standard - Specification for aluminium stranded conductors for overhead power lines KS 190-1:1987 Kenya Standard -Specification for stranded aluminium conductors steel reinforced and galvanized steel wires for reinforcing aluminium conductors Part 1: Galvanized steel wires for reinforced aluminium conductors KS 190-2:1987 Kenya Standard -Specification for stranded aluminium conductors steel reinforced and galvanized steel wires for reinforcing aluminium conductors Part 2: Aluminium conductors steel-reinforced KS 191-1:1987 Kenya Standard -Specification for test on electric cables under fore conditions Part 1: Test on single vertical insulated wire or cable KS 191-2:1987 Kenya Standard -Specification for test on electric cables under fore conditions Part 2: Test on bunched insulated wires and cables KS 192:1987 Kenya Standard -Specification for PVC insulated flexible cables and cords of rated voltage up to and including 450/750 V KS 468-1:1987 Kenya Standard -Specification for flexible PVC conduits for electric

KS 468-2:1990

wiring Part 1: Plain

Specification for flexible PVC conduits for electric

conduits

	Glandardo
[Subsidiary]	
	wiring Part 2: Corrugated
	conduits
KS 188-6:1997	Kenya Standard –
	Specification for PVC
	insulations and sheaths
	of electric cables and
	cords Part 6: Tests at low
	temperature
KS 1023:1989	Kenya Standard
	<ul> <li>Specification for</li> </ul>
	aluminium drawing stock
	for electrical purposes
KS 1109:1991	Kenya Standard –
	Specification for earthling
140 4440 4004	lamps
KS 1110:1991	Kenya Standard –
	Standard for classification
	of electrical and electronic
	equipment with regard to
	protection against electric shock
KS 196:1979	Kenya Standard –
KS 190.1979	Preferred values for
	resistors and capacitors
KS 197:1979	Kenya Standard – Marking
10 197.1979	codes for resistors and
	capacitors
KS 236:1982	Kenya Standard
110 20011002	<ul><li>Specification for</li></ul>
	refrigerators and freezers
KS 237:1982	Kenya Standard
	<ul> <li>Specification for</li> </ul>
	household electric ranges
KS 239:1996	Kenya Standard –
	Specification for safety
	requirements for domestic
	and similar electrical
	appliances
KS 464:1998	Kenya Standard –
	Specification for tubular
	fluorescent lamps
KS 465:1982	Kenya Standard –
	Specification for electric
160, 400, 4000	soldering irons
KS 466:1982	Kenya Standard –
	Specification for electric
KS 1914:2019	food preparation machines
KS 1814:2018	Kenya Standard – Biomass stoves –
	Specification, Second
	Edition
	Edition

Starrad as
[Subsidiary]

	Otariaarao	
		[Subsidiary]
KS ISO 13063:2012		Kenya Standard –
		Electrically propelled
		mopeds and motorcycles
		<ul> <li>Safety specifications,</li> </ul>
		Firs Edition
KS 9-4:2018		Kenya Standard – Gas
		cylinders – Refillable
		welded low carbon steel
		cylinders for liquefied
		petroleum gas (LPG)
		exceeding 1.5 litres
		water capacity Part 4:
		Requalification and
1/0 EAG 400 400 =		inspection, Third Edition
KS EAS 188:1997		Kenya Standard –
1/0 454 0000		Machetes – Specification
KS 151:2006		Kenya Standard – Panga
KO FAC 200,2004		- Specification
KS EAS 360:2004		Kenya Standard –
		Pneumatic tyres for agriculture implements
KS EAS 132:1999		Kenya Standard – Hoes
NS EAS 132.1999		(jembes) – Both plain and
		forked – Specification
KS 815:2018		Kenya Standard –
1.0 010.2010		Portable retro-reflective
		warning triangles –
		Specification, Third Edition
KS 2725:2018		Kenya Standard – Road
		vehicles -Homologation
		of motor vehicle models
		<ul> <li>Requirements, First</li> </ul>
		Edition
KS 2726:2018		Kenya Standard – Road
		vehicles – Windscreen
		wiping system for
		passenger vehicles –
		Requirements, First
		Edition
KS 2727:2018		Kenya Standard –
		Road vehicles – Wheel
		fasteners and hub caps
		Requirements, First
1/0.0700.0040		Edition
KS 2728:2018		Kenya Standard – Road
		vehicles – Steering
		systems – Requirements,
VC 2722-2040		First Edition
KS 2733:2018		Kenya Standard – Road
		vehicles – Interior fittings –
		Specification, First Edition

	Ctarradrad
[Subsidiary]	
KS 2735:2018	Kenya Standard
110 27 00.20 10	– Road vehicles –
	External projections –
	Specification, First Edition
KS 2738:2018	Kenya Standard – Road
	vehicles – Locking
	systems and door
	retention components
	<ul> <li>Requirements, First</li> </ul>
	Edition
KS 2740:201	Kenya Standard – Road
	vehicles – Lamps (bulbs)
	<ul> <li>Requirements, First</li> </ul>
	Edition
KS 2741:2018	Kenya Standard – Road
	vehicles – Headlights
	<ul> <li>Requirements, First</li> </ul>
	Edition
KS ISO 11296-1:2009	Kenya Standard – Plastics
	piping systems for
	renovation of underground
	non-pressure drainage
	and sewerage networks
140 4400 44 4000	Part 1: General
KS 113344:1999	Kenya Standard –
	Assistive products for
	walking manipulated by
	one arm – Requirements and test methods Part 4:
	Walking sticks with three or more legs
KS ISO 11334-1:2007	Kenya Standard –
10 100 11004-1.2007	Assistive products for
	walking manipulated by
	one arm – Requirements
	and test methods Part 1:
	Elbow crutches
KS ISO 15877-1:2009	Kenya Standard – Plastics
	piping systems for hot and
	cold water installations
	<ul> <li>Chlorinated poly (vinyl)</li> </ul>
	chloride) (PVC-C) Part 1:
	General
KS ISO 15877-2:2009	Kenya Standard – Plastics
	piping systems for hot and
	cold water installations
	<ul> <li>Chlorinated poly (vinyl</li> </ul>
	chloride) (PVC-C) Part 2:
	Pipes
KS ISO 15877-3:2009	Kenya Standard – Plastics
	piping systems for hot and

[Rev. 2022]	Standards	CAP. 496
-		[Subsidiary]
KS ISO 15877-5:2009		cold water installations  – Chlorinated poly (vinyl chloride) (PVC-C) Part 3: Fittings Kenya Standard – Plastics piping systems for hot and cold water installations
		<ul> <li>Chlorinated poly (vinyl chloride) (PVC-C) Part 5: Fitness for purpose of the system</li> </ul>
KS 320:2007		Kenya Standard – Polyvinyl Chloride (PVC) water hoses – Specification
KS 2199:2009		Kenya Standard – Plastics rainwater piping systems for above-ground external use – Unplasticized poly (vinyl chloride) (PVC-U) – Specification Part 1: Pipes, fittings and the system
KS 2349:2012		Kenya Standard – Orthosis – Specification
KS 476-2:1987		Kenya Standard – Uncoated aluminium hollow-ware utensils – Specification Part 2: Uncoated aluminium pans
KS 475:2001		Kenya Standard – Pressure cookers – Specification
KS 460-2:1983		Kenya Standard – Uncoated aluminium plate, sheet and strip for hollow- ware cooking utensils –

Specification Kenya Standard – Dairy-KS 1517:2018 based desserts and ice mixes - Specification,

Third Edition

Specification

Kenya Standard Vacuum-ware, insulated flasks and jugs for domestic use -

KS 35:2018 Kenya Standard – Dairy cream and prepared creams - Specification,

Second Edition

	Standards
[Subsidiary]	
KS 941:2018	Kenya Standard – Fermented (cultured) milk – Specification, second
KS 2784:2018	Edition Kenya Standard – Milk fat products – Specification,
KS 2785:2018	First Edition Kenya Standard – Milk powder and cream powders – Specification,
KS 435:2018	Second Edition  Kenya Standard –  Dehydrated vegetables  – Specification, Second  Edition
KS 2786:2018	Kenya Standard – Dried fruits – Specification, First Edition
KS 2580:2018	Kenya Standard – Fruit juice dairy blends – Specification, Second Edition
KS 139:2018	Kenya Standard – Jams, jellies and marmalades – Specification, Second Edition
KS 1179:2018	Kenya Standard – Canned fruit cocktail – Specification, Second Edition
KS 2752:2018	Kenya Standard – Processed fruits and vegetables – Code of Practice, First Edition
LKS 2779:2018	Kenya Standard – Cassava bread – Specification, First Edition
KS 2783:2018	Kenya Standard – Warehousing and storage of roots and tubers – Code of Practice, First Edition
KS 2754:2018	Kenya Standard – Cereals and pulses – Code of Practice, First Edition
KS 2788:2018	Kenya Standard – Virgin coconut oil – Specification, First Edition
KS 28-5:2018	Kenya Standard – Cottage cheese – Specification, Third Edition

KS 2193:2018

KS 2193:2018

Kenya Standard –

Mozzarella cheese –

Specification, Third Edition

KS 2787:2018

Kenya Standard – Group

standard for un-ripened

cheeses including fresh

cheeses – Specification,

First

Edition Kenya Standard – Water-

KS 1773:2013

Kenya Standard – Waterbased flavoured drink in solid – Specification, Third

solid – Specification, Thire

Edition

KS 1485:2018 Kenya Standard – Water-

based flavoured drink – Specification, Third Edition

KS 2772:2018 Kenya Standard –
Basic requirements

for a slaughterhouse –
Specification, First Edition

KS 1093:2018 Kenya Standard –

Cardamom powder – Specification, Third Edition

KS 871:2018 Kenya Standard –

Compounded trout fish feeds – Specification, Second Edition

KS CAC/MRL 2:2017 Kenya Standard –

Maximum Residue Limits (MRLs) and risk management

recommendations (RMRs) for residues of veterinary drugs in foods, First

Edition

KS 2366:2018 Kenya Standard – Coffee

industry – Code of

Practice

KS 2469:2013 Kenya Standard –

Flavoured black tea -

Specification

KS 1927:2012 Kenya Standard – Tea

packets and containers -

Specification

KS ISO 9884-1:1994 Kenya Standard – Tea

sacks – Specification Part 1: Reference sack for palletised and

CAP. 496	[Rev. 2022
	Standards
[Subsidiary]	
	containerised transport of
	tea
KS ISO 9884-2:1999	Kenya Standard – Tea
NO 100 0004 2.1000	sacks – Specification
	Part 2: Performance
	specification for sacks
	for palletised and
	containerised transport of
	tea
KS EAS 29: 2000	Kenya Standard –
	Carbonated (beverages)
	soft drinks – Specification
KS EAS 149:2000	Kenya Standard – Carbon
	dioxide for beverage
	industry – Specification
KS 1829:2004	Kenya Standard –
	Labelling of products –
KO 4740-0040	General requirements
KS 1742:2013	Kenya Standard – Horse
	feed supplement –
KS CAC/GL 80:2013	Specification Kenya Standard –
K3 CAC/GL 80.2013	Guidelines on the
	assessment of risk for
	feed
KS 943:2013	Kenya Standard
	<ul><li>Meat meal for</li></ul>
	compounding animal feed
	<ul><li>Specification</li></ul>
KS 838:2013	Kenya Standard – Meat
	and bone meal for
	compounding animal
	feeds – Specification
KS ISO 17604:2003	Kenya Standard –
	Carcass sampling for
	microbiological analysis
	Amendment 1: Sampling
VC 2275-2012	of poultry carcasses
KS 2375:2012	Kenya Standard – Sodium tetra borate (borax)
	fertiliser – Specification
KS 2376:2012	Kenya Standard – Copper
NS 2370.2012	sulphate (pentahydrate)
	fertiliser – Specification
KS 2377:2012	Kenya Standard – Ferrous
110 2017.2012	sulphate (heptahydrate)
	fertiliser – Specification
KS 2378:2012	Kenya Standard –
	Manganese sulphate

Manganese sulphate (monohydrate) fertiliser – Specification

	Standards
	[Subsidiary]
KS 2379:2012	Kenya Standard – Sodium molybate (dihydrate) fertiliser – Specification
KS EAS 4:2013	Kenya Standard – Infant formula – Specification
KS EAS 798:2013	Kenya Standard – Lipid food supplement – Specification
KS 2514:2013	Kenya Standard – Micronutrient powder – Specification
KS EAS 799:2013	Kenya Standard – Edible full fat soya flour – Specification
KS 998:2008	Kenya Standard  - Specification for chocolates
KS 1792-2:2013	Kenya Standard – Malt- based cocoa products – Specification Part 1: Granulated products
KS CODEX STAN 147:1985	Kenya Standard – Kenya Codex Standard for cocoa butter confectionery
KS 436-1:2013	Kenya Standard – Cocoa powder – Specification part 1: Unsweetened cocoa powder
KS EAS 12:2018	Kenya Standard – Potable Water – Specification, Second Edition
KS EAS 13:2018	Kenya Standard – Packaged mineral waters – Specification, Second Edition
KS EAS 153:2018	Kenya Standard – Packaged drinking water – Specification, Second Edition
KS EAS 109:2018	Kenya Standard – Potable spirit – Specification, Third Edition
KS EAS 139:2018	Kenya Standard  – Fortified wine –  Specification, Third Edition
KS EAS 140:2018	Kenya Standard – Sparkling wine – Specification, Third Edition
KS EAS 141:2018	Kenya Standard – Whisky – Specification, Third Edition

Si	tandards
[Subsidiary]	
KS EAS 142:2018	Kenya Standard – Vodka – Specification, Third
	Edition
KS EAS 143:2018	Kenya Standard – Brandy – Specification, Third
KC EAC 444.2040	Edition
KS EAS 144:2018	Kenya Standard – Neutral spirit – Specification, Third Edition
KS EAS 145:2018	Kenya Standard – Gin –
KO EAO 440 0040	Specification, Third Edition
KS EAS 146:2018	Kenya Standard – Rum – Specification, Third Edition
KS 2775:2018	Kenya Standard  – Labelling of
	complementary foods
	and designated products – Requirements, First
1/0 047 4 0040	Edition
KS 317-4:2018	Kenya Standard – Carcasses and meat cuts
	- Specification Part 4:
	Camel, First Edition
KS 2761:2018	Kenya Standard – Meat
	hygiene – Code of
	Practice, First Edition
KS 2762:2018	Kenya Standard – Offal –
KC 0774 4:0040	Specification, First Edition
KS 2774-1:2018	Kenya Standard – Grading live animal for meat trade
	– Specification Part 1:
	Cattle, First Edition
KS 2774-2:2018	Kenya Standard – Grading
	live animal for meat trade
	<ul> <li>Specification Part 2:</li> </ul>
	Goat, First Edition
KS 2774-3:2018	Kenya Standard – Grading
	live animal for meat trade  – Specification Part 3:
	Sheep, First Edition
KS 2774-4:2018	Kenya Standard – Grading
	live animal for meat trade
	<ul><li>Specification Part 4:</li></ul>
	Camel, First Edition
KS 2430:2018	Kenya Standard – Ginger
	paste – Specification,
I/C 2424.2040	Second Edition
KS 2431:2018	Kenya Standard – Garlic
	paste – Specification, Second Edition
	Occord Edition

[Rev. 2022]	CAP. 496 Standards
	[Subsidiary]
KS 2432:2018	Kenya Standard – Garam
	masala – Specification,
	Second Edition
KS 2131:2018	Kenya Standard –
	Tamarind paste –
	Specification, Second Edition
KS ISO 927:2012	Kenya Standard –
	Spices and condiments  – Determination of
	extraneous matter and
	foreign matter content,
	First Edition
KS 2782:2018	Kenya Standard – In
	shell pistachio nuts –
	Specification, First Edition
KS 1284:2018	Kenya Standard – Artificial
	vinegar – Specification,
	Third Edition
KS 2756:2018	Kenya Standard –
	Packaged flavoured
	drinking water –
<b>40</b> 0000 0040	Specification, First Edition
KS 2308:2012	Kenya Standard –
	Specification for soup
ZC 2210-2012	stock medium (beef)
KS 2310:2012	Kenya Standard – Specification for edible
	meat co- products
KS EAS 782:2012	Kenya Standard –
10 102.2012	Composite flour –
	Specification
KS EAS 778:2012	Kenya Standard –
	Fresh bitter cassava –
	Specification
KS EAS 780:2012	Kenya Standard –
	Fresh cassava leaves –
	Specification
KS EAS 771:2012	Kenya Standard –
	Fresh sweet potatoes –
	Specification
KS EAS 776:2012	Kenya Standard –
	Production and handling
	of fresh cassava – Code
	of Practice

Kenya Standard -

Code of Practice

Production and handling of fresh ware potatoes –

Kenya Standard – Reduction of acrylamide in

KS 775:2012

KS 777:2012

Standards	
[Subsidiary]	
	potato products – Code of Practice
KS 779:2012	Kenya Standard – High quality cassava flour – Specification
KS 2225:2012	Kenya Standard – Genetically modified organisms and derived products – Labelling of food and feed
KS EAS 130:1999	Kenya Standard – Green coffee bean – Specification
KS ISO 6670:2002	Kenya Standard – Instant coffee – Sampling method for bulk units with liners
KS EAS 105:2008	Kenya Standard – Roasted coffee beans and roasted ground coffee – Specification
KS 2797:2018	Kenya Standard – Potassium permanganate – Specification, First Edition
KS 1408-1:2018	Kenya Standard – Technical grade – Specification Part 1 – Dimethoate, Second Edition
KS 604:2018	Kenya Standard – Stencil papers – Specification, Second Edition
KS 2384:2018	Kenya Standard – Transport of dangerous goods by road – Operational requirements, Second Edition
KS 2382-4:2018	Kenya Standard – Transport of dangerous goods – Emergency information systems Part 4: Transport emergency card, Second Edition
KS ISO 6141:2015	Kenya Standard – Gas analysis – Content of certificates for calibration gas mixtures, First Edition
KS ISO 21809-1:2011	Kenya Standard – Petroleum and natural gas industries – External coatings for buried or

Standards [Subsidiary] submerged pipelines use din pipeline transportation systems Part 1: Polyolefin coatings (3-layer PE and 3-layer PP), First Edition KS ISO 21809-2:2014 Kenya Standard -Petroleum and natural gas industries - External coatings for buried or submerged pipelines use din pipeline transportation systems Part 2: Single layer fusion-bonded epoxy coatings, First Edition KS ISO 21809-3:2016 Kenya Standard -Petroleum and natural gas industries - External coatings for buried or submerged pipelines use din pipeline transportation systems Part 3: Field joint coatings, First Edition KS ISO 21809-4:2009 Kenya Standard -Petroleum and natural gas industries -External coatings for buried or submerged pipelines use din pipeline transportation systems Part 4: Polyethylene coatings (2-layer PE), First Edition KS ISO 21809-5:2017 Kenva Standard -Petroleum and natural gas industries - External coatings for buried or submerged pipelines use din pipeline transportation systems Part 5: External concrete coatings, First Edition KS ISO16961:2015 Kenya Standard -Petroleum, petrochemical and natural gas industries - Internal coating and lining of steel storage tanks, First Edition KS ISO 18797-1:2016 Kenya Standard -Petroleum, petrochemical

and natural gas industries - External corrosion

[Subsidiary]	
	protection on risers by coatings and linings Part 1: Elastomeric coating systems-polychloroprene or EPDM, First Edition
KS ISO 15156-1:2015	Kenya Standard – Petroleum and natural gas industries – Materials for use in H2S-containing environments in oil and gas production Part 1: General principles for selection of cracking- resistant materials, First
KS ISO 15156-2:2015	Edition Kenya Standard – Petroleum and natural gas industries – Materials for use in H2S-containing environments in oil and gas production Part 2: Cracking-resistant carbon and low-alloy steels, and the use of cast irons, First Edition
KS ISO 15156-3:2015	Kenya Standard – Petroleum and natural gas industries – Materials for use in H2S-containing environments in oil and gas production Part 3 - Cracking-resistant CRAs (corrosion-resistant alloys) and other alloys, First Edition
KS ISO 12757-1:2017	Kenya Standard – Ballpoint pens and refills Part 1: General use, First Edition
KS ISO 12757-2:1998	Kenya Standard – Ballpoint pens and refills Part 2: Documentary use, First Edition
KS ISO 27668-1:2017	Kenya Standard – Gel ink ball pens and refills Part 1: General use, First Edition
KS ISO 14145-1:2017	Kenya Standard – Roller ball pens and refills Part 2: General use, First Edition
KS ISO 14145-2:1998	Kenya Standard – Roller ball pens and refills Part 2:

[	Standards	57
		[Subsidiary]
		Documentary use (DOC), First Edition
KS ISO 9957-3:1997		Kenya Standard –
		Fluid draughting media
		Part 3: Water- based
		coloured draughting inks
		<ul> <li>Requirements and test</li> </ul>
160 540 077 0047		conditions, First Edition
KS EAS 877:2017		Kenya Standard – Bathing
		bar – Specification, First Edition
KS EAS 878:2017		Kenya Standard –
		Antibacterial bathing bar –
		Specification, First Edition
KS 1998:2007		Kenya Standard – Marking
		pens for writing ad
		drawing – Specification
KS EAS 751:2010		Kenya Standard – Air
		quality – Specification
KS EAS 752:2010		Kenya Standard – Air
		quality – Tolerance limits
		of emissions discharged to the air by factories
KS ISO 12040:1997		Kenya Standard – Graphic
NO 100 12040.1991		technology – Prints and
		printing inks assessment
		of light fastness using
		filtered xenon arc light
KS 2407:2012		Kenya Standard –
		Swimming pools water –
		Quality tolerance
KS EAS 177:2012		Kenya Standard –
		Automotive gas oil
		(automotive diesel) – Specification 3
KS EAS 158:2012		Kenya Standard –
100.2012		Automotive gas oil
		(premium motor spirit) –
		Specification
KS ISO 7391-1:2006		Kenya Standard – Plastics
		<ul><li>Polycarbonate (PC)</li></ul>
		molding and extrusion
		materials – Part 1:
		Designation system and
KS ISO 7391-2:2006		basis for specifications  Kenya Standard Plastics
NO 130 /381-2.2000		Kenya Standard – Plastics – Polycarbonate (PC)
		molding and extrusion
		materials – Part 2:
		Droporation of

Preparation of

[Subsidiary]	
KS ISO 11833-1:2007	test specimens and determination of properties Kenya Standard – Plastics – Unplasticised poly (vinyl chloride) sheets – Types, dimensions and characteristics Part 1:
KS 2361:2012	Sheets of thickness not less than 1 mm Kenya Standard – Positive list of constituents of polystyrene (crystal and high impact) in contact with foodstuffs,
KS 2359:2012	pharmaceuticals and drinking water Kenya Standard – Polystyrene (crystal and high impact) for its safe use in contact with foodstuffs,
KS 2360:2012	pharmaceuticals and drinking water – Specification Kenya Standard – Positive list of constituents of polyalkylene tetrepthalates (PET and PBT) for
KS 2387:2012	their safe use in contact with foodstuffs, pharmaceuticals and drinking water Kenya Standard – Polyalkylene tetrepthalates (PET and PBT) for their safe use in contact with foodstuffs, pharmaceuticals
KS 807-2:2010	and drinking water – Specification Kenya Standard – Polishes – Specification
KS 807-4:2010	Part 2: Floor polish solvent type (liquid and paste) Kenya Standard – Polishes – Specification Part 4: Floor polish, water
KS 807-5:1997	emulsion self-shining type Kenya Standard – Specification for polishes

Claridardo	
	[Subsidiary]

	[Subsidiary
	Part 5: Floor polish
	pigmented paste type
KS 807-6:1996	Kenya Standard –
	Specification for polishes
	Part 6: Automobile polish,
	wax solvent paste type
KS 807-7:1997	Kenya Standard –
	Specification for polishes
	Part 7: Wooden furniture
VO 540 000 0 0000	polish paste
KS EAS 290-2:2002	Kenya Standard –
	Polishes – Specification
	Part 2: floor polish solvent
KC EAC 000 2:2002	type (liquid and paste)
KS EAS 290-3:2002	Kenya Standard –
	Polishes – Specification
	Part 3: Floor polish water/
KS EAS 462:2007	emulsion buffable type
NS EAS 402.2007	Kenya Standard – Shoe polish wax solvent paste
	type – Specification
KS 647:2010	Kenya Standard –
NO 047.2010	Industrial oxygen –
	Specification
KS 1267-2:2011	Kenya Standard – Pillows
110 1207-2.2011	for domestic use Part 2:
	Synthetic fibre-filled
KS 1267-3:2011	Kenya Standard – Pillows
10 1207 0.2011	for domestic use Part 3:
	Plumage-filled
KS EAS 355:2017	Kenya Standard – Toilet
	paper – Specification,
	Second Edition
KS EAS 858:2017	Kenya Standard – Base
	paper for carbon paper –
	Specification, First Edition
KS EAS 859:2017	Kenya Standard – Paper
	bags – Specification, First
	Edition
KS EAS 860:2017	Kenya Standard – Base
	paper for waxed bread
	wrap – Specification, First
	Edition
KS EAS 861:2017	Kenya Standard – Paper
	serviettes (napkins) –
1/0 = 1.0 000 00.4=	Specification, First Edition
KS EAS 862:2017	Kenya Standard –
	Facial tissue paper –
KO EAO 000 0047	Specification, First Edition
KS EAS 863:2017	Kenya Standard – Paper
	and board – Cut-size

CAP. 496	[Rev. 2022]
	Standards
[Subsidiary]	
	for general nurness
	for general purpose – Specification, First Edition
KS EAS 864:2017	Kenya Standard –
	Photocopy paper –
	Specification, First Edition
KS EAS 865:2017	Kenya Standard –
	Corrugated fibre board
	boxes for general
	packaging – Specification,
VC FAC 966:2017	First Edition
KS EAS 866:2017	Kenya Standard – Paper sacks for packaging of
	cement – Specification,
	First Edition
KS EAS 867:2017	Kenya Standard – Waxed
	paper for bread wrap –
	Specification, First Edition
KS EAS 868:2017	Kenya Standard – Natural
	and extensible sack kraft
	paper – Specification, First Edition
KS 869:2017	Kenya Standard –
NS 009.2017	Wrapping paper –
	Specification, First Edition
KS 2443-2:2018	Kenya Standard –
	Fireworks – Specification
	and test methods Part
	2: Roman candles, First
KC 0700-0040	Edition
KS 2790:2018	Kenya Standard – Paper
	used for maps and architectural drawings
	<ul><li>Specifications, First</li></ul>
	Edition
KS EAS 868:2016	Kenya Standard – Water-
	thinned priming paints for
	wood – Specification, First
140 540 040 0040	Edition
KS EAS 849:2016	Kenya Standard –
	Silk (sheen) emulsion paint for interior use –
	Specification, First Edition
KS EAS 850:2016	Kenya Standard – Matt
	solvent-borne paint for
	interior and exterior use

KS EAS 851:2016

interior and exterior use -Specification, First Edition Kenya Standard – Matt

emulsion paint for interior

Specification, First Edition

and exterior use -

[Rev. 2022]	Standards	CAP. 496
	Staridards	[Subsidiary]
KS EAS 852:2016		Kenya Standard – Air- dried roofing paint –
KS EAS 853-1:2016		Specification, First Edition Kenya Standard – Auto-refinishing paint – Specification Part 1: Synthetic resin-based, First Edition
KS EAS 853-2:2016		Kenya Standard – Auto-refinishing paint – Specification Part 2: Nitrocellulose resin-based, First Edition
KS EAS 854:2016		Kenya Standard – Thinner for nitrocellulose resinbased paints and lacquers – Specification, First Edition
KS EAS 855:2016		Kenya Standard – Thinner for synthetic resin-based auto-refinishing paints – Specification, First Edition
KS EAS 856:2016		Kenya Standard – Pack acrylic resin-based auto- refinishing paint – Specification, First Edition
KS EAS 857:2016		Kenya Standard – Thinner for acrylic resin-based auto- refinishing paint – Specification, First Edition
KS 2157-1:2018		Kenya Standard – Hot applied thermoplastic road marking paint – Specification Part 1: Constituent material and mixtures, Second Edition
KS 2157-2:2018		Kenya Standard – Hot

Kenya Standard – Hot
applied thermoplastic
road marking paint –
Specification Part 1:
Constituent material and
mixtures, Second Edition
Kenya Standard – Hot
applied thermoplastic
road marking paint –
Specification Part 2:
Specification for road
performance, Second
Edition
Kenya Standard –
Newsprint - Specification,
Third Edition
Kenya Standard – Kraft
liner – Specification,
Second Edition
Kenya Standard – Clean
rooms and associated

KS 421:2018

KS 291:2018

KS ISO 14644-1:2015

CAP. 496	Standards	[Rev. 2022
[Subsidiary]		
		controlled environments
		Part 1: Classification of
		air cleanliness by particle
		concentration, First Edition
KS ISO 618:1974		Kenya Standard – Paper
		<ul> <li>Articles of stationery that</li> </ul>
		include detachable sheets
		<ul> <li>Overall trimmed sizes</li> </ul>
KS 811:2013		Kenya Standard – Silk
		(sheen) emulsion paints
		for interior and exterior
		use – Specification
KS 2351:2012		Kenya Standard
		– Surgical spirit –
I/O 004-0040		Specification
KS 924:2012		Kenya Standard –
		Specification for motor vehicle chevrons, decals
		and strips
KS 2350:2012		Kenya Standard – Sodium
10 2000.2012		silicate – Specification
KS 87:2012		Kenya Standard –
		Hydrochloric acid –
		Specification
KS 1180:2012		Kenya Standard – Ethyl
		methyl ketone (butanone
		for industrial use) –
		Specification
KS 577:2018		Kenya Standard – Hair
		shampoo, synthetic
		detergent- based –
		Specification, Fourth
140 4704 0040		Edition
KS 1764:2018		Kenya Standard
		- Deodorants and antinoranizants
		antiperspirants – Specification, Third Edition
KS EAS 335:2013		Kenya Standard –
NO LAG 333.2013		Cologne – Specification
KS EAS 336:2013		Kenya Standard –
1.6 2, 18 888.28 18		Chemical depilatories –
		Specification
KS EAS 337:2013		Kenya Standard – Henna
		powder – Specification
KS EAS 338:2013		Kenya Standard –
		Chemical hair relaxers
		and hair waving products

KS EAS 339:2013

and hair waving products

- Specification

Kenya Standard – Hair

creams, lotions and gels –

Specification

Standa	aras
	[Subsidiary]
KS EAS 340:2013	Kenya Standard – Nail polish – Specification
KS EAS 341:2013	Kenya Standard – Nail polish removers – Specification
KS EAS 342:2013	Kenya Standard – Pomades and solid brilliantines – Specification
KS EAS 346:2013	Kenya Standard – Labelling of cosmetics – General requirements
KS EAS 461-1:2013	Kenya Standard – Hair dyes Part 1: Aryl diamine based formulated powders – Specification
KS EAS 126:1999	Kenya Standard – Pure petroleum jelly for cosmetic industry – Specification
KS 799:1989	Kenya Standard – Specification for castor oil for cosmetic industry
KS 917:2000	Kenya Standard  – Specification for aftershave preparations Part 1: Lotions
KS 1473:1998	Kenya Standard – Specification for lipstick
KS 1669:2001	Kenya Standard Specification for cosmetic and air freshener aerosols
KS 1766:2006	Kenya Standard – Specification for body oils
KS 1768:2003	Kenya Standard – Specification for talc for cosmetic industry
KS EAS 377-1:2013	Kenya Standard – Cosmetic and cosmetic products Part 1: List of substances prohibited in cosmetic products
KS EAS 377-2:2013	Kenya Standard – Cosmetic and cosmetic products Part 2: List of substances which cosmetic products must not contain except subject to the restrictions laid down
KS EAS 377-3:2013	Kenya Standard – Cosmetic and cosmetic

CAP. 496	Standards	[Rev. 2022]
[Subsidiary]		
		products Part 3: List
		of colorants allowed in
		cosmetic products
KS EAS 377-4:2013		Kenya Standard –
		Cosmetic and cosmetic
		products Part 4: List of
		preservatives allowed in
		cosmetic products
KS EAS 377-5:2013		Kenya Standard –
		Cosmetic and cosmetic
		products Part 5: Use of
		UV filters in cosmetic
		products
KS 915:1990		Kenya Standard
		<ul> <li>Specification for</li> </ul>
		anhydrous lanolin for
		cosmetic industry
KS 1769-1:2005		Kenya Standard –
		Glycerine Part 1: Soap
		lye crude glycerine –
		Specification
KS 1769-2:2005		Kenya Standard –
		Glycerine Part 2:
		Saponification (hydrolyser)
		crude glycerine –
I/O 4700 0 0005		Specification
KS 1769-3:2005		Kenya Standard –
		Glycerine Part 3:
		Analytical reagent (AR)
KS 1769-4:2005		glycerine – Specification
K3 1709-4.2005		Kenya Standard – Glycerine Part 4:
		Chemically pure (CP)
		glycerine – Specification
KS 1769-5:2005		Kenya Standard –
1703-3.2003		Glycerine Part 5: Industrial
		white (IW) glycerine -
		Specification
KS 1769-6:2005		Kenya Standard –
		Glycerine Part 6:
		Technical (TECH)
		glycerine - Specification
KS 1769-7:2005		Kenya Standard –
		Glycerine Part 7:
		Dynamite grade (DYN)
		glycerine – Specification
KS ISO 3053:2004		Kenya Standard – Oil
		of grapefruit (Citrus
		x paradise macfad.),
		obtained by expression

ა	tandards
	[Subsidiary]
KS ISO 770:1980	Kenya Standard – Oil of eucalyptus globulus
KS ISO 3515:2002	Kenya Standard – Oil
	of lavender (Lavandula
	angustifolia mill.)
KS ISO 3217:1974	Kenya Standard – Oil of
	lemongrass (Cymbopogon
KS ISO 4718:1981	citratus) Kenya Standard – Oil of
KS 130 47 16. 1961	lemongrass (Cymbopogon
	flexuosus)
KS ISO 3519:2005	Kenya Standard – Oil of
	lime distilled, Mexican
	type [Citrus aurantifolia
	(Christm.) swingle]
KS ISO 3809:1987	Kenya Standard – Oil
	of lime, Mexico [Citrus
	aurantifolia (Christmann)
KS ISO 3214:2000	swingle] Kenya Standard – Oil of
K3 130 32 14.2000	Litsea cubeba (Litsea
	cubeba Pers.)
KS ISO 4716:1987	Kenya Standard – Oil
	of vetiver [Vetiveria
	zizanioides (Linneaeus)
	Nash]
KS ISO 3528:1997	Kenya Standard – Oil of
	mandarin, Italian type
KO 100 0547.4075	(Citrusreticulata Blanco)
KS ISO 3517:1975	Kenya Standard – Oil of neroli
KS ISO 3527:2000	Kenya Standard – Oil of
10 100 3027.2000	parsley fruit (Petroselinum
	sativum Hoffm.)
KS ISO 3757:1978	Kenya Standard – Oil of
	patchouli
KS ISO 3714:1980	Kenya Standard – Oil of
	pennyroyal
KS ISO 3526:1991	Kenya Standard –
	Oil of sage (Salvia
KS ISO 3518:2002	lavandulifolia)
KS 1SO 3516.2002	Kenya Standard – Oil of sandalwood (Santalum
	album L.)
KS ISO 4719:1999	Kenya Standard – Oil of
	spike lavender [Lavandula
	latifolia (l.f.) Medikus],
	Spanish type
KS ISO 3140:2005	Kenya Standard – Oil
	of sweet orange [Citrus
	sinensis (L.) Obsbeck],

Kenya Standard – Oil of ylang: ylang [Cananga odorata (Lam.) Hook f. et

Thomson forma genuine] KS 1731:2015 Kenya Standard -Footwear - Children's

shoes (2 years and below) - Specification - To be replaced by KS 1731:2018

KS 1732:2015 Kenva Standard -

> Footwear - Children's shoes (above 2 years to 6 years) – Specification - To be replaced by KS 1732:2018

KS ISO 2417:2002 Kenya Standard – Leather

> - Physical and mechanical tests - Determination of the static absorption of water - To be replaced by

LS ISO 2417:2016 Kenya Standard -Groundnut (peanut) oil for cosmetic industry -

Specification, Second Edition

Kenya Standard -KS EAS 65:2017

KS EAS 64:2017

KS EAS 86:2017

KS EAS 425-2:2017

Coconut for cosmetic industry - Specification Kenya Standard -Sesame (simsim) oil

for cosmetic industry -Specification, Second

Edition

KS EAS 425-1:2017 Kenya Standard - Skin powders - Specification

> part 1: Body and face powder, Second Edition Kenya Standard - Skin powders - Specification

Part 2: Bbay powder, Second Edition

KS EAS 835-1:2017 Kenya Standard - Bath

> preparations Part 1: Synthetic detergent-based foam baths and shower gels - Specification,

Second Edition

Standar	rds
	[Subsidiary]
KS EAS 837:2017	Kenya Standard –
	Avocado oil for cosmetic
	industry – Specification,
	Second Edition
KS EAS 840:2017	Kenya Standard –
	Shaving cream –
	Specification, Second
	Edition
KS EAS 841:2017	Kenya Standard – Hair
	oils – Specification,
VO 540 040 4 0045	Second Edition
KS EAS 842-1:2017	Kenya Standard – Hair
	shampoo Part 1: Soap-
	based – Specification,
VO 540 044 0047	Second Edition
KS EAS 844:2017	Kenya Standard – Aryl
	dia-amine-based liquid
	oxidation hair dyes –
	Specification, Second
KS EAS 845:2017	Edition
NS EAS 045.2017	Kenya Standard –
	Cosmetic pencils – Specification, Second
	Edition
KS EAS 18-1:2016	Kenya Standard – Cement
NO LAO 10-1.2010	Part 1: Composition,
	specific conformity criteria
	for common cement,
	Second Edition
KS EAS 18-2:2016	Kenya Standard – Cement
	Part 2: Conformity
	evaluation, Second Edition
KS ISO 10714:1992	Kenya Standard – Steel
	and iron – Determination
	of phosphorus content –
	Phosphovanadomolybdate
	Spectrophotometric
	method, First Edition
KS EAS 18-1:2016	Kenya Standard – Cement
	Part 1: Composition,
	specification and
	conformity criteria for
	common cement, Second
VO 540 40 0 0040	Edition
KS EAS 18-2:2016	Kenya Standard – Cement
	Part 2: Conformity
KC EAC 440 4:2046	evaluation, Second Edition
KS EAS 148-1:2016	Kenya Standard – Cement
	Test methods Part 1:     Determination of strongth
	Determination of strength, Second Edition
	Second Edition

	Standards
[Subsidiary]	
KS EAS 148-2:2016	Kenya Standard – Cement – Test methods Part
KS EAS 148-3:2016	2: Chemical analysis, Second Edition Kenya Standard – Cement
	<ul> <li>Test methods Part 3:</li> <li>Determination of setting times and soundness,</li> </ul>
KS EAS 148-4:2016	Second Edition Kenya Standard – Cement – Test methods Part 4: Quantitative determination
	of constituents, Second Edition
KS EAS 148-5:2016	Kenya Standard – Cement – Test methods Part 5: Pozzolanicity test for
	pozzolanic cements, Second Edition
KS EAS 148-6:2016	Kenya Standard – Cement – Test methods Part 6: Determination of fineness,
KS EAS 148-7:2017	Second Edition Kenya Standard – Cement – Test methods Part
	7: Methods of taking and preparing samples, Second Edition
KS EAS 148-8:2016	Kenya Standard – Cement – Test methods Part 8: Heat of hydration – Solution method, Second
KS 1555-1:2018	Edition Kenya Standard – Gully
	tops and manhole tops for vehicular and pedestrian areas Part 1: Definitions, classification, general
	principles of design, performance requirements and test methods, First Edition
KS 1555-2:2018	Kenya Standard – Gully tops and manhole tops for vehicular and pedestrian areas Part 2: Gully tops and manhole tops made of
KS 1555-3:2018	cast iron, First Edition Kenya Standard – Gully tops and manhole tops for vehicular and pedestrian

[Rev. 2022] Standards [Subsidiary] areas Part 3: Gully tops and manhole tops made of steel or aluminium alloys, First Edition KS 1555-4:2018 Kenya Standard - Gully tops and manhole tops for vehicular and pedestrian areas Part 4: Gully tops and manhole tops made of steel-reinforced concrete, First Edition KS 1555-5:2018 Kenya Standard - Gully tops and manhole tops for vehicular and pedestrian areas Part 5: Gully tops and manhole tops made of composite materials KS 1555-6:2018 Kenya Standard - Gully tops and manhole tops for vehicular and pedestrian areas Part 6: Gully tops and manhole tops made of polypropylene (PP), polyethylene (PE) or unplasticized polyvinyl chloride, First Edition KS ISO 10426-2:2003 Kenya Standard -Petroleum and natural gas industries – Cements and materials for well cementing Part 2: Testing of well cements, First Edition KS ISO 10426-3:2003 Kenya Standard -Petroleum and natural gas industries – Cements and materials for well cementing Part 3: Testing of deep water well cement formulations, First Edition KS ISO 10426-5:2004 Kenya Standard -Shrinkage and expansion of well cement, First Edition KS ISO 2301:1973 Kenya Standard – Sawn timber of broadleaved species - Defects

KS ISO 13061-10:2017

measurement, First

Kenya Standard -Physical and mechanical

Edition

	Glaridardo
[Subsidiary]	
	properties of wood – Test methods for small clear wood specimens Part 10:
	Determination of impact bending strength, First Edition
KS ISO 13061-11:2017	Kenya Standard – Physical and mechanical properties of wood – Test methods for small clear wood specimens Part 11: Determination of resistance to impact
KS ISO 13061-12:2017	indentation, First Edition Kenya Standard – Physical and mechanical properties of wood – Test methods for small clear wood specimens Part 12: Determination of static
KS ISO 13061-13:2017	hardness, First Edition Kenya Standard – Physical and mechanical properties of wood – Test methods for small clear wood specimens Part 13: Determination of radial and tangential shrinkage,
KS ISO 13061-14:2017	First Edition Kenya Standard — Physical and mechanical properties of wood — Test methods for small clear wood specimens Part 14: Determination of volumetric shrinkage, First Edition
KS ISO 13061-15:2017	Kenya Standard – Physical and mechanical properties of wood – Test methods for small clear wood specimens Part 15: Determination of radial and tangential swelling, First Edition
KS ISO 13061-16:2017	Kenya Standard – Physical and mechanical properties of wood – Test methods for small clear wood specimens Part 16: Determination of

[Subsidiary]

	volumetric swelling, First
	Edition
KS ISO 13061-17:2017	Kenya Standard –
	Physical and mechanical
	properties of wood – Test

methods for small clear wood specimens Part 17: Determination of ultimate stress in compression parallel to grain, First

Edition

KS 445: 2018 Kenya Standard – Hot

> rolled steel sections for windows, doors and ventilators - Specification,

Second Edition Kenya Standard -Wooden fence posts -Specification, Second

Edition

KS 2776:2018 Kenya Standard -

KS 1608:2018

Standard for inspection and supplemental treatment of treated wooden utility poles, First

Edition

KS 1804-5:2018 Kenya Standard – Wood

> preservatives Part 5: Field test method for determining the relative protective effect of a wood preservative on wood in contact with the soil. Second Edition

KS 2798:2018 Kenya Standard - Building

design and erection using prefabricated concrete - Code of Practice, First

Edition

KS 2789:2018 Kenya Standard -

> Composite pultrusion pole for power, lighting and telecom purposes -Specification, First Edition

KS 2802-2:2018 Kenya Standard - Masonry units -

> Test methods Part 2: Determination of net volume and percentage of voids of clay masonry

CAP. 496	Standards	[Rev. 2022]
[Subsidiary]		
KS 2802-4:2018		units by hydrostatic weighing, First Edition Kenya Standard – Masonry units – Test methods Part 4: Determination of
KS 2802-5:2018		water absorption of clay masonry damp proof course units by boiling in water, First Edition Kenya Standard  – Masonry units – Test methods Part 5: Determination of volume and percentage of voids
KS 2802-7:2018		and net volume of clay and calcium silicate masonry units by sand filling, First Edition Kenya Standard – Masonry units – Test methods Part 7: Determination of net
KS ISO 12572:2016		and gross dry density of masonry units (except for natural stone), First Edition Kenya Standard – Hygrothermal performance of building materials and products – Determination of
KS ISO 1920-1:2004		water vapour transmission properties – Cup method, First Edition Kenya Standard – Testing of concrete Part 1: Sampling of fresh concrete, First Edition
KS ISO 1920-2:2016 KS ISO 1920-3:2004		Kenya Standard – Testing of concrete Part 2: Properties of fresh concrete, First Edition Kenya Standard – Testing of concrete Part 3:
KS ISO 1920-4:2005		Making and curing test specimens, First Edition Kenya Standard – Testing of concrete Part 4: Strength of hardened

Strength of hardened concrete, First Edition

[Rev. 2022]		CAP. 496
	Standards	
		[Subsidiary]
KS ISO 1920-5:2018		Kenya Standard – Testing of concrete Part 5: Properties of hardened concrete other than
KS ISO 1920-6:2004		strength Kenya Standard – Testing of concrete Part 6: Sampling, preparing and
KS ISO 1920-7:2004		testing of concrete cores, First Edition Kenya Standard – Testing of concrete Part 7: Non- destructive tests of unhardened concrete.
KS ISO 1920-9:2009		First Edition Kenya Standard – Testing of concrete Part 9: Determination of creep of concrete cylinders in compression, First Edition

KS ISO 2770-1:2018 Kenya Standard – Admixtures of concrete, mortar and grout Part 1: Common requirements, First Edition KS 2770-2:2018 Kenya Standard -

Admixtures of concrete, mortar and grout Part 2: Concrete admixtures definition, requirements, conformity, marking and labelling – First Edition

KS 1933:2018 Kenya Standard -Concrete poles for telephone, power and lighting purposes -

Specification, Second

Edition

KS ISO 1248:2006 Kenya Standard -Iron oxide pigments

 Specifications and methods of test, First

Edition

KS ISO 2495:2005 Kenya Standard -

Iron blue pigments -Specifications and method

of test, First Edition

KS EAS 12:2018 Kenya Standard – Potable

water - Specification,

Second Edition

Standards	3
[Subsidiary]	
KS EAS 13:2018	Kenya Standard – Packaged mineral water – Specification, Second Edition
KSEAS 153:2018	Kenya Standard – Standard packaged drinking water – Specification, Second Edition
KS 2780:2018	Kenya Standard – Knitted bags (100% polyethylene) for green tea leaves
KS 2795-1:2018	Kenya Standard – Motorcycle protective clothing – General requirements, First Edition
KS 2781:2018	Kenya Standard – Disposal under pad – Specification, First Edition
KS 2796:2018	Kenya Standard – Disposable nursing pads – Specification, First Edition
KS EAS 154:2000	Kenya Standard – Baby napkins – Specification, First Edition
KS 1731:2018	Kenya Standard – Footwear – Children's shoes (2 years and below)
KS 1732:2018	Kenya Standard – Footwear – Children's shoes (above 2 years to 6 years)
KS EAS 96-1:2018	Kenya Standard – Sanitary towels – Specification Part 1: Disposable
KS 638:2018	Kenya Standard – Absorbent cotton gauze – Specification, Third Edition
KS 2833:2018	Kenya Standard – X-ray detectable lap sponge – Specification